

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILMV	<p>Enforcement Provision of Information, Lien Established Motor Vehicle</p> <p>Sent by Responding State: This transaction is used to reply to an Enforcement Request. The transaction indicates that a lien has been established on a motor vehicle owned by the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines and update case information.</p> <p>Business Usage Recommendation: Provide related information in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	EILMV
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILMV		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILPP	<p>Enforcement Provision of Information, Lien Established Personal Property</p> <p>Sent by Responding State: This transaction is used to reply to an Enforcement Request. The transaction indicates that a lien has been established on personal property owned by the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines and update case information.</p> <p>Business Usage Recommendation: Provide related information in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	EILPP
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILPP		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILRE	<p>Enforcement Provision of Information, Lien Established Real Estate</p> <p>Sent by Responding State: This transaction is used to reply to an Enforcement Request. The transaction indicates that a lien has been established on real estate owned by the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines and update case information.</p> <p>Business Usage Recommendation: Provide related information in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	EILRE
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EILRE		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EIWAR	<p>Enforcement Provision of Information, Arrest Warrant Issued</p> <p>Sent by Responding State: This transaction is used to provide status update to an Enforcement Request. The transaction indicates that an arrest warrant has been issued for the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines.</p> <p>Business Usage Recommendation: Provide related information in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	EIWAR
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EIWAR		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESREG	<p>Enforcement Provision of Information, Order Registered</p> <p>Sent by Responding State: This transaction is used to reply to an Enforcement Request. The transaction indicates that the Registration of a Foreign Order has occurred.</p> <p>Action By Receiving State: Process within Federal Guidelines</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	ESREG
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=1
				COLLECTION-DATA-IND	=0 (Numeric)
				INFORMATION-IND	=0 (Numeric)
				OVERDUE-IND	=0 (Numeric)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESREG		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESREG	ORDER DATA BLOCK The Order Frequency Amount is required (can equal zero) unless the Order Arrears Total Amount is equal to or greater than zero. The Order Frequency is required if the Order Frequency Amount is greater than zero. The From and Thru Dates must be entered for each category of arrears entered with a valid value greater than zero.	ORDER DATA BLOCK	
				ORDER-FIPS-STATE	FIPS Code of state that issued Order
				ORDER-FIPS-COUNTY	FIPS Code of County that issued Order
				ORDER-ID	The Order ID
				ORDER-FILING-DATE	Date Order was filed in your state
				ORDER-TYPE	Fill as appropriate
				DEBT-TYPE	Fill as appropriate
				ORDER-FREQ	Fill as appropriate
				ORDER-FREQ-AMOUNT	Dollar amount per frequency
				ORDER-EFFECTIVE-DATE	Date the obligation starts to accrue
MEDICAL-ORDERED	Y or N				
ENF	P	ESTXR	Enforcement Provision of Information, Administrative Review Complete, Challenge Upheld. Sent by Initiating or Responding State: This transaction is used to reply to an Enforcement Request notifying the other state that the Administrative Review is complete and the challenge was upheld. Action By Receiving State: Process pursuant to 45 CFR 303.72 (g) and AT 98-17 (II) (E).	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
ACTION REASON	ESTXR				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESTXR	Business Usage Recommendation: Provide related information regarding the decision, the amount of tax offset submitted, received or any specific action/change in the Information Data Block.	ATTACHMENTS-IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
				COLLECTION-DATA-IND	=0 (Numeric)
				INFORMATION-IND	Fill as appropriate
				OVERDUE-IND	=0 (Numeric)
				CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESTXR		PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)
ENF	P	ESWAG	<p>Enforcement Provision of Information, Wage Withholding Established Sent by Responding State: This transaction indicates that wage withholding has been imposed against the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines and update case information.</p> <p>Business Usage Recommendation: Provide related employer information in the NCP Locate Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	ESWAG
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
PARTICIPANT-DATA-IND	=1				
ORDER-DATA-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	ESWAG		COLLECTION-DATA-IND	=0 (Numeric)
				INFORMATION-IND	=0 (Numeric)
				OVERDUE-IND	=0 (Numeric)
				CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EUTXR	<p>Enforcement Provision of Information, Administrative Review Complete, Challenge Not Upheld</p> <p>Sent by Initiating or Responding State: This transaction is used to reply to an Enforcement Request notifying the other state that the Administrative Review is complete and the challenge was not upheld.</p> <p>Action By Receiving State: Process pursuant to 45CFR 303.72 (g) and AT 98-17 (II) (E).</p> <p>Business Usage Recommendation: Provide related information regarding the decision in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	EUTXR
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	EUTXR		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	GSARR	<p>Enforcement Provision of information, Notice of Arrearage Reconciliation/Determination of Sum Certain</p> <p>Sent By Initiating or Responding State: This transaction is used to respond to an Enforcement Request or when action is initiated by the sending state. It advises the other state that arrears have been reconciled/determined.</p> <p>Action By Receiving State: Process pursuant to state procedures.</p> <p>Business Usage Recommendation: Provide the Order Data Block with related Order information. Additional information regarding the reconciliation should be provided in the Information Data Block.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	GSARR
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
PARTICIPANT-DATA-IND	=1				
ORDER-DATA-IND	=1				
COLLECTION-DATA-IND	=0 (Numeric)				
INFORMATION-IND	Fill as appropriate				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	GSARR		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	GSARR	ORDER DATA BLOCK The Order Frequency Amount is required (can equal zero) unless the Order Arrears Total Amount is equal to or greater than zero. The Order Frequency is required if the Order Frequency Amount is greater than zero. The From and Thru Dates must be entered for each category of arrears entered with a valid value greater than zero.	ORDER DATA BLOCK	
				ORDER-FIPS-STATE	FIPS Code of State that issued Order
				ORDER-FIPS-COUNTY	FIPS Code of County that issued Order
				ORDER-ID	The Order ID
				ORDER-FILING-DATE	Date Order was filed in your state
				ORDER-TYPE	Fill as appropriate
				DEBT-TYPE	Fill as appropriate
				ORDER-EFFECTIVE-DATE	Date the obligation starts to accrue
				ORDER-ARREARS-TOTAL AMOUNT	Dollar amount of all arrears of this order
				ARREARS-TANF-FROM-DATE	Date from which arrears are calculated
				ARREARS-TANF-THRU-DATE	Date to which arrears are calculated
				ARREARS-TANF-AMOUNT	Total arrears for this category
MEDICAL-ORDERED	Y or N				
ENF	P	GSCOE	Enforcement Provision of Information, New Controlling Order Sent by Responding State: This transaction is used to reply to an Enforcement Request notifying the Initiating Jurisdiction that a new controlling Support Order is in effect. Action By Receiving State: Process within Federal Guidelines.	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	GSCOE	Business Usage Recommendation: Provide related information in the Order Data Block.	OTHER-CASE-ID	Other Case ID
				ACTION REASON	GSCOE
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=1
				COLLECTION-DATA-IND	=0 (Numeric)
				INFORMATION-IND	=0 (Numeric)
				OVERDUE-IND	=0 (Numeric)
				CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	GSCOE	<p>ORDER DATA BLOCK The Order Frequency Amount is required (can equal zero) unless the Order Arrears Total Amount is equal to or greater than zero. The Order Frequency is required if the Order Frequency Amount is greater than zero. The From and Thru Dates must be entered for each category of arrears entered with a valid value greater than zero.</p>	NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)
				ORDER DATA BLOCK	
				ORDER-FIPS-STATE	FIPS Code of state that issued Order
				ORDER-FIPS-COUNTY	FIPS Code of County that issued Order
				ORDER-ID	The Order ID
				ORDER-FILING-DATE	Date Order was filed in your state
				ORDER-TYPE	Fill as appropriate
				DEBT-TYPE	Fill as appropriate
				ORDER-FREQ	Fill as appropriate
				ORDER-FREQ-AMOUNT	Dollar amount per frequency
				ORDER-EFFECTIVE-DATE	Date the obligation starts to accrue
				MEDICAL-ORDERED	Y or N

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	SICPS	<p>Enforcement Provision of Information, Contempt Proceeding Started Sent by Responding State: This transaction is used as a status update to an Enforcement Request notifying the Initiating Jurisdiction that contempt proceedings have begun against the NCP.</p> <p>Action By Receiving State: Process within Federal Guidelines.</p> <p>Business Usage Recommendation: Provide date the proceeding started in Action Resolution Date.</p>	HEADER	
				LOCAL-FIPS-STATE/COUNTY	Your State/County FIPS Code
				OTHER-FIPS-STATE/COUNTY	State/County FIPS Code where transaction is directed.
				CSENet 2000 VERSION NUMBER	003
				TRANSACTION SERIAL NUMBER	Fill as appropriate
				ACTION CODE	P
				FUNCTIONAL TYPE CODE	ENF
				TXN DATE	Date transaction was created
				CASE ID	Your Case ID
				OTHER-CASE-ID	Other Case ID
				ACTION REASON	SICPS
				ACTION-RESOLUTION-DATE	Date event occurred
				ATTACHMENTS IND	=N
				CASE-DATA-IND	=1
				NCP-IDENTIFICATION-IND	=1
				NCP-LOCATE-IND	=0 (Numeric)
				PARTICIPANT-DATA-IND	=1
				ORDER-DATA-IND	=0 (Numeric)
				COLLECTION-DATA-IND	=0 (Numeric)
				INFORMATION-IND	=0 (Numeric)
OVERDUE-IND	=0 (Numeric)				

Function Code	Action Code	Reason Code	Description/Business Usage	Required Data Blocks and Elements* (Data Block Record Layout)	Data Element Description and Usage
ENF	P	SICPS		CASE DATA BLOCK	
				CASE-TYPE	Fill as appropriate
				CASE-STATUS	=O (Alpha)
				CONTACT-NAME-LAST	Your State Contact
				CONTACT-NAME-FIRST	Your State Contact
				CONTACT-ADDRESS-LINE-1	Contact Address
				CONTACT-CITY	Contact City
				CONTACT-STATE	Contact State
				CONTACT-ZIP-1	Contact Zip Code
				NCP IDENTIFICATION DATA BLOCK	
				NAME-LAST	NCP Last Name
				NAME-FIRST	NCP First Name
				SSN-1/SSN-2/SSN-3	NCP SSN
				PARTICIPANT DATA BLOCK	
				NAME-LAST	Participant Last Name
				NAME-FIRST	Participant First Name
				RELATIONSHIP	Fill as appropriate
				PARTICIPANT-STATUS	=O (Alpha)