

## E. TRANSACTION ERROR CODES AND MESSAGES

Chart E-1 lists the possible *active* transaction error codes and messages produced by the CSENet 2000 Application Suite when processing or validating a transaction file from a state CSE system. *Chart E-2 lists the inactive transaction error codes that are not currently being used for validation.* When enhancements or modifications are made to the CSENet 2000 suite, the error message list is updated to reflect the changes.

In addition to error messages, the CSENet 2000 Application Suite can produce and send a warning code and message in the error file under certain conditions. Implemented in 2004, a warning message indicates that the transaction data fails to meet usage recommendations, but will nevertheless be routed to the destination state. *A warning message code is preceded by a “W” and is numbered in sequence with error message codes.*

The description of the error message is based on the requirements specified in Appendix C, “Data Block Record Layout”. See this appendix also for definitions of any abbreviations, such as those for value types or functions. .

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E203</b>	Header	Duplicate Transaction- Check Trans Serial Num	The Transaction-Serial-Number must be unique and not previously used with a valid transaction.
<b>E204</b>	Header	Communications not allowed	The Local-FIPS-State and the Other-FIPS-State must set up an Exchange Agreement for the specific Functional-Type-Code with each other.
<b>E207</b>	Header	Invalid Header byte size – should be 127	The transaction’s Header data block must contain 127 bytes.
<b>E208</b>	Case	Invalid Case byte size – should be 351	The transaction’s Case data block must contain 351 bytes.
<b>E209</b>	NCP-ID	Invalid NCP_ID byte size – should be 181	The transaction’s NCP-ID data block must contain 181 bytes.
<b>E210</b>	NCP Locate	Invalid NCP_Locate byte size – should be 1421	The transaction’s NCP Locate data block must contain 1421 bytes.
<b>E211</b>	Participant	Invalid Participant byte size – should be 341	The transaction’s Participant data block must contain 341 bytes.
<b>E212</b>	Order	Invalid Order byte size – should be 254	The transaction’s Order data block must contain 254 bytes.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E213</b>	Collection	Invalid Collection byte size – should be 70	The transaction’s Collection data block must contain 70 bytes.
<b>E214</b>	Information	Invalid Information byte size – should be 416	The transaction’s Information data block must contain 416 bytes.
<b>E301</b>	Header	Invalid Functional type code	Functional-Type-Code must equal MSC, CSI, ENF, EST, COL, PAT, or LO1.
<b>E302</b>	Header	Invalid Action code	Action-Code must equal P, M, U, A, C, or R.
<b>E303</b>	Header	Transaction Date > than current Date	The Transaction-Date must not be greater than the Current Date. Current date is read internally by the system.
<b>E306</b>	Header	Mandatory Case ID is missing	Case-ID is required for all transactions except for LO1 Responses and Acknowledgments.
<b>E310</b>	Header	Invalid Attachment Indicator	Attachments-Ind. must be a Y or N.
<b>E311</b>	Header	Invalid Case data Indicator	Case-Data-Ind. must be a 1 or 0 for all transactions with an Action-Code equal to A, C, or M.
<b>E312</b>	Header	Invalid NCP-ID-data Indicator	NCP-Identification-Ind. must be a 1 or 0.
<b>E313</b>	Header	Invalid NCP-locate-data Indicator	NCP-Locate-Data-Ind. must be a 1 or 0. Value must be 1 for PAT, EST, ENF Requests and Updates and for LO1 Responses if the 2 <sup>nd</sup> character of Action-Reason is S. Value may be 0 or 1 for COL, MSC, and CSI transactions.
<b>E314</b>	Header	Invalid Participant data Indicator	Participant-Data-Ind. must be 0–9 inclusive.
<b>E315</b>	Header	Invalid Order data Indicator	Order-Data-Ind. must be 0–9 inclusive. Value must be 1 or greater for ENF Requests or Updates.
<b>E316</b>	Header	Invalid Collection data Indicator	Collection-Data-Ind. must be 0–9 inclusive. Value must be 1 or

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			greater for COL Responses.
<b>E317</b>	Header	Invalid Information data Indicator	Information-Ind. must be a 1 or 0. If the Attachments-Ind. is Y, this field must be set to 1.
<b>E318</b>	Header	Mandatory Case data block is Missing	Case data block must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates, and Responses unless the second character of Action-Reason is S.
<b>E319</b>	Case	Invalid Contact Phone number	Contact-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E320</b>	Header	Mandatory NCP ID data block is Missing	NCP-Identification-Ind. must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates, and Responses.
<b>E321</b>	Header	Mandatory NCP Locate data block is Missing	NCP-Locate-Data-Ind. must be set to 1 for the following: PAT, EST, ENF Requests and Updates. LO1 Responses must be set to 1 if the 2 <sup>nd</sup> character of Action-Reason is S. This indicator can be 0 or 1 for COL, MSC, and CSI transactions.
<b>E322</b>	Header	Mandatory Order data block is Missing	An Order-Data-Ind. greater than 1 must be present for ENF Requests or Updates. Valid values are 0–9 inclusive.
<b>E323</b>	Header	Reason code should be blank	Error-Reason-Code should be blank.
<b>E324</b>	Header	Mandatory CSENet Version number is missing	CSENet 2000-Version-Number must contain a value of 003.
<b>E327</b>	Header	Invalid Overdue ind – should be filled with 0	Overdue-Ind. must be 0.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E330</b>	Case	Invalid Contact State	Contact-State must be a valid state code.
<b>E331</b>	Case	Invalid Contact zip code	Contact-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E332</b>	Case	Invalid Payment State	Payment-State must be a valid state code.
<b>E335</b>	NCP-ID	Mandatory NCP-Id Last Name is Missing	Name-Last is required.
<b>E336</b>	NCP-ID	Invalid SSN	SSN must be filled with digits only. Digits must not be in consecutive order.
<b>E340</b>	NCP-ID	Invalid Date-Of-Birth	Date-of-Birth must be filled with digits only. Digits must not be in consecutive order.
<b>E341</b>	NCP-ID and Participant	Date-of-birth is greater than current Date	Date-Of-Birth must be prior to the current date.
<b>E342</b>	Participant	Invalid Race Code in Participant Block	Race must be either a W, B, I, A, S, or X.
<b>E343</b>	Participant	Invalid Gender code in Participant Block	Gender must be M, F, or O.
<b>E345</b>	NCP-ID	Invalid Weight value	Weight must contain digits only. Weight cannot equal 000.
<b>E346</b>	NCP-ID	Invalid Hair Color code	Hair-Color must be BD, BL, BK, BN, RD, GY, or OT.
<b>E347</b>	NCP Locate	Invalid Mailing State	Mailing-State must be a valid state code.
<b>E350</b>	NCP Locate	Invalid Mailing Address Eff. Date	Mailing-Address-Effective-Date must contain digits only. Digits should not be in consecutive order.
<b>E351</b>	NCP Locate	Invalid Res. State code	Residential-State must be a valid state code.
<b>E352</b>	NCP Locate	Mandatory Res. Address End Date Missing	Residential-Address-End-Date is required for LO1 Responses if the 2 <sup>nd</sup> character of Action-Reason is U and Residential-Address-Line-1 is present.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E353</b>	NCP Locate	Mandatory Mailing Address Eff. Date Missing	Mailing-Address-Effective-Date is required if Mailing-Address-Line-1 is present for the following transactions: PAT, EST, and ENF Requests and Updates; and LO1, PAT, EST, and ENF Responses.
<b>E354</b>	NCP Locate	Mandatory Mailing addr end Date Missing	Mailing-Address-End-Date is required if the LO1 Response Action-Reason code is U and if Mailing-Address-Line-1 is present.
<b>E355</b>	NCP Locate	Mandatory Mail addr confirm Ind. Missing	Mailing-Address-Confirmed-Ind. is required when Mailing-Address-Line-1 is present.
<b>E358</b>	NCP Locate	Invalid Mail Addr Conf Indicator	Mailing-Address-Confirmed-Ind. must be a Y, N, or P.
<b>E360</b>	NCP Locate	Invalid Res Zip code	Residential-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E363</b>	NCP Locate	Mandatory Res Address eff. Date Missing	Residential-Address-Effective-Date is required if Residential-Address-Line-1 is present.
<b>E364</b>	NCP Locate	Invalid Res Addr eff. Date	Residential-Address-Effective-Date must contain digits only. Digits must not be in consecutive order.
<b>E365</b>	NCP Locate	Invalid Res. Addr End Date	Residential-Address-End-Date must contain digits only. Digits must not be in consecutive order.
<b>E370</b>	NCP Locate	Invalid Mailing Last State	Last-Mail-State must be a valid state code.
<b>E372</b>	NCP Locate	Invalid Mailing last Addr Date	Last-Mail-Address-Date must contain digits only. Digits must not be in consecutive order.
<b>E373</b>	NCP Locate	Invalid Res last State	Last-Res.-State must be a valid state code.
<b>E374</b>	NCP Locate	Invalid Res last zip	Last-Res.-Zip-1 must be filled

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E376</b>	NCP Locate	Invalid Drivers License State	Drivers-License-State must be a valid state code.
<b>E377</b>	NCP Locate	Invalid Employer EIN	Employer-EIN must be filled with digits only. Digits must not be in consecutive order.
<b>E379</b>	NCP Locate	Invalid Employer Zip code	Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E380</b>	NCP Locate	Invalid Employer State code	Employer-State must be a valid state code.
<b>E381</b>	NCP Locate	Mandatory Employer Address Missing	Employer-Address-Line-1 is required if Employer-Name is present and the transaction is an ENF Request or ENF Response.
<b>E382</b>	NCP Locate	Invalid employer phone number	Employer-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E383</b>	NCP Locate	Mandatory Employer effective Date is Missing	Employer-Effective-Date is required when the Employer-Name is present.
<b>E384</b>	NCP Locate	Invalid Employer effective Date	Employer-Effective-Date must contain digits only. Digits must not be in consecutive order.
<b>E386</b>	NCP Locate	Invalid Employer end Date	Employer-End-Date must contain digits only. Digits must not be in consecutive order.
<b>E388</b>	NCP Locate	Invalid Employer confirm ind	Employer-Confirmed-Ind. must be either Y or N.
<b>E389</b>	NCP Locate	Mandatory Employer confirm ind Missing	Employer-Confirmed-Ind. is required when the Employer-Name is present.
<b>E390</b>	NCP Locate	Invalid Last Mailing State	Last-Mail-State must be a valid state code.
<b>E391</b>	NCP Locate	Invalid Last Res State	Last-Res.-State must be a valid state code.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E392</b>	NCP Locate	Invalid Last Res Address Date	Last-Res.-Address-Date must contain digits only. Digits must not be in consecutive order.
<b>E396</b>	NCP Locate	Invalid last Employer State	Last-Employer-State must be a valid state code.
<b>E397</b>	NCP Locate	Invalid last Employer Date	Last-Employer-Date must contain digits only. Digits must not be in consecutive order.
<b>E399</b>	NCP Locate	Invalid Mailing last zip	Last-Mail-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E400</b>	NCP Locate	Invalid Res last zip code	Last-Res.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E401</b>	NCP Locate	Invalid last Employer zip code	Last-Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E404</b>	Participant	Invalid SSN in Participant data	SSN must be filled with digits only. Digits must not be in consecutive order.
<b>E406</b>	Participant	Mandatory Date of birth in Part Missing	Date-Of-Birth is required for the following transactions: PAT Requests and Updates; and EST and ENF Requests and Updates if the relationship code is D.
<b>E411</b>	Participant	Invalid Relationship code in Participant data	Relationship code must be either an A, C, D, P, or S.
<b>E412</b>	Participant	Mandatory Rel. in Participant data Missing	Relationship is required if a Participant's Name-Last and Name-First are entered for LO1, PAT, EST, or ENF Requests, Updates ,or Responses.
<b>E413</b>	Participant	Invalid Participant Status	Participant-Status must either be O or C.
<b>E414</b>	Participant	Mandatory Participant Status Missing	Participant-Status is required if a participant's Name-Last and

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			Name-First are entered.
<b>E415</b>	Participant	Invalid dependent Relation CP	Dependent-Relation-CP must be either a A, C, F, G, E, N, O, U, W, or S.
<b>E416</b>	Participant	Mandatory Dependent Relation CP Missing	Dependent-Relation-CP is required for PAT Requests or Updates if the Relationship code is D.
<b>E418</b>	Order	Mandatory Order ID Missing	Order-ID is required.
<b>E420</b>	Order	Mandatory Order filing Date Missing	Order-Filing-Date is required for all transactions except for CSI Requests, Updates, or Responses.
<b>E421</b>	Order	Invalid Order type	Order-Type must be a A, J, or P.
<b>E422</b>	Order	Invalid Debt type	Debt-Type must be a CS, SS, or MS.
<b>E424</b>	Order	Invalid Order Freq Code	Order-Freq. must either be a W, B, S, M, Q, E, or A.
<b>E425</b>	Order	Invalid Order Freq Amount	Order-Freq.-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E428</b>	Order	Order end <i>Date</i> <= Order eff. Date	Order-End-Date must be greater than the Order-Effective-Date.
<b>E431</b>	Order	Invalid Medical Order Indicator	Medical-Ordered must either be Y or N.
<b>E433</b>	Order	Invalid Order Arrears Freq.	Order-Arrears-Freq. must either be a W, B, S, M, Q, E, or A.
<b>E434</b>	Order	Mandatory Order Arrears Freq. Missing	Order-Arrears-Freq. is required if Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E435</b>	Order	Invalid Order Arrears Freq Amount	Order-Arrears-Freq.-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E436</b>	Order	Mandatory Order Arrears Freq. Amount Missing	Order-Arrears-Freq.-Amount is required if Order-Arrears-Freq. is present for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.
<b>E437</b>	Order	Invalid Order Arrears Total Amount	Order-Arrears-Total-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E438</b>	Order	Mandatory Order Arrears Total Amount Missing	Order-Arrears-Total-Amount is required if Order-Arrears-Freq. is present and Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.
<b>E441</b>	Order	Arrears TANF Thru <i>Date</i> <= TANF From Date	Arrears-TANF-Thru-Date must be greater than Arrears-TANF-From-Date.
<b>E442</b>	Order	Invalid Arrears TANF Amount	Arrears-TANF-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E445</b>	Order	Arrears non TANF Thru <i>Date</i> <= non TANF From Date	Arrears-Non-TANF-Thru-Date must be greater than Arrears-Non-TANF-From-Date.
<b>E446</b>	Order	Mandatory Non TANF From Date Missing	Arrears-Non-TANF-From-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.
<b>E447</b>	Order	Invalid Arrears Non TANF Amount	Arrears-Non-TANF-Amount must be in S99999999.99 format.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E450</b>	Order	Foster Care Thru <i>Date</i> <= Foster Care From Date	Foster-Care-Thru-Date must be greater than Foster-Care-From-Date.
<b>E451</b>	Order	Invalid Foster care Amount	Foster-Care-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E455</b>	Order	Medical Thru <i>Date</i> <= Medical From Date	Medical-Thru-Date must be greater than Medical-From-Date.
<b>E456</b>	Order	Invalid Medical Amount	Medical-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9.
<b>E459</b>	NCP-ID	Invalid Eye color	Eye-Color must be BU, BN, DK, GN, GY, HZ, or OT.
<b>E461</b>	NCP Locate	Mandatory Res. address confirm Ind is Missing	Residential-Address-Confirmed-Ind. is required if the Residential-Address-Line-1 is present.
<b>E462</b>	NCP Locate	Invalid Res. Address confirm Ind.	Residential-Address-Confirmed Ind. must be Y, N, or P.
<b>E464</b>	Collection	Posting Date <= Collection Date	Date-Of-Posting must be equal to or greater than Date-Of-Collection if both have been entered.
<b>E465</b>	Collection	Invalid Payment Amount	Payment-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Payment-Amount cannot equal +0000000.00.
<b>E466</b>	Collection	Invalid Payment Source	Payment-Source must either be a A, G, I, S, U, N, O, or W.
<b>E467</b>	Collection	Invalid Interstate Payment method	Interstate-Payment-Method must either be E, M, or O.
<b>E468</b>	Information	Invalid Status Change Code	Status-Change-Code must either

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			be O or C.
<b>E469</b>	Information	Mandatory Status Change Code Missing	Status-Change-Code is required.
<b>E473</b>	Case	Invalid Payment Zip code	Payment-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E484</b>	Order	Mandatory Medical From Date Missing	Medical-From-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.
<b>E489</b>	Order	Mandatory Debt type Missing	Debt-Type is required.
<b>E490</b>	Order	Mandatory Order Frequency is Missing	Order-Freq. is required when the Order-Freq.-Amount is greater than zero.
<b>E491</b>	Order	Mandatory Order Frequency Amount is Missing	Order-Freq.-Amount is required unless the Order-Arrears-Total-Amount is equal to or greater than zero.
<b>E492</b>	Collection	Mandatory Collection Date is Missing	Date-Of-Collection is required for all COL transactions.
<b>E493</b>	Collection	Mandatory Posting Date is Missing	Date-Of-Posting is required for all COL transactions.
<b>E494</b>	Collection	Mandatory Payment Amount is Missing	Payment-Amount is required for all COL transactions.
<b>E495</b>	Collection	Mandatory Payment Source is Missing	Payment-Source is required for all COL transactions.
<b>E496</b>	Collection	Mandatory Interstate Payment Method Missing	Interstate-Payment-Method is required for all COL transactions.
<b>E497</b>	Order	Mandatory Order Effective Date missing	Order-Effective-Date is required for the following transactions: ENF Requests and Updates; EST and ENF Responses; and PAT Responses if Order-Type does not equal P.
<b>E499</b>	Header	Mandatory Action Reason Missing	Action-Reason is required for CSI transactions.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E503</b>	Case	Mandatory Payment Mailing Address Line1 missing	Payment-Mail-Address-Line 1 is required for EST, ENF Requests and Updates.
<b>E509</b>	NCP-ID	Invalid Alias 1 Social Security Number	Alias-SSN-1 must be filled with digits only. Digits must not be in consecutive order.
<b>E510</b>	NCP-ID	Invalid Alias 2 Social Security Number	Alias-SSN-2 must be filled with digits only. Digits must not be in consecutive order.
<b>E511</b>	NCP-ID	Invalid Height in Feet	Height-Ft. must be filled with digits only. Height-Ft. cannot be zero. Height-Ft. is required if Height-In. is present.
<b>E512</b>	NCP-ID	Invalid Height in Inches	Height-In. must be filled with digits only. Height-In. can be 00 – 11 only. Height-In. is required if Height-Ft. is present.
<b>E513</b>	NCP Locate	Invalid Wage Quarter	Wage-Qtr must be either a 1, 2, 3, or 4.
<b>E514</b>	NCP Locate	Invalid Wage Year	Wage-Year must be between 1900 and 2099.
<b>E515</b>	NCP Locate	Invalid Wage Amount	Wage-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage-Amount cannot equal +0000000.00.
<b>E517</b>	Header	Information Blk Required with Attachments	Information-Ind. must be 1 if the Attachments-Ind. equals Y. An Information data block must be included in the transaction.
<b>E521</b>	Information	Attachments List Must Be Included	Either Information-Text-Line-1, -2 or -3 must contain data if the Attachments-Ind. equals Y.
<b>E522</b>	Case	Invalid Fax Field	Fax must be filled with digits only. Digits must not be in consecutive order.
<b>E523</b>	Case	Invalid State With CEJ	State-With-CEJ must be a valid state code.
<b>E525</b>	Order	Invalid Controlling Order Flag	Controlling-Order-Flag must

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			either be P or D.
<b>E526</b>	Participant	Invalid Participant State	Participant-State must be a valid state code.
<b>E527</b>	Participant	Invalid Participant Zip 1	Participant-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E528</b>	Participant	Invalid Participant Zip 2	Participant-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E529</b>	Participant	Invalid Address Confirmed Field	Address-Confirmed must either be Y, N, or " " (space).
<b>E530</b>	Participant	Invalid Date Address Confirmed Field	Date-Address-Confirmed must be filled with digits only. Digits must not be in consecutive order.
<b>E532</b>	NCP Locate	Invalid Employer Zip 1	Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E533</b>	NCP Locate	Invalid Employer Zip 2	Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E535</b>	Participant	Invalid Employer Confirmed Field	Employer-Confirmed must be either a Y, N, or " "(space).
<b>E536</b>	Participant	Invalid Date Employer Confirmed Field	Date-Employer-Confirmed must be filled with digits only. Digits must not be in consecutive order.
<b>E537</b>	NCP Locate	Invalid Work Phone Field	Work-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E538</b>	Participant	Invalid Dependent Child State Of Residence Field	Dependent-Child-State-Of-Residence must be a valid state code.
<b>E539</b>	Case	Invalid Nondisclosure Findings Field	Nondisclosure-Finding must be either Y, N, or " " (space).
<b>E540</b>	NCP-ID	Invalid Possibly Dangerous Field	Possibly-Dangerous must either be Y, N, or " " (space).

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E541</b>	NCP Locate	Invalid Employer2 EIN Field	Employer2-EIN must be filled with digits only. Digits must not be in consecutive order.
<b>E542</b>	NCP Locate	Invalid Employer2 Zip1 Field	Employer2-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E543</b>	NCP Locate	Invalid Employer2 Zip2 Field	Employer2-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E544</b>	NCP Locate	Invalid Employer2 State Field	Employer2-State must be a valid state code.
<b>E545</b>	NCP Locate	Invalid Employer2 Phone Number Field	Employer2-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E546</b>	NCP Locate	Invalid Employer2 Effective Date Field	Employer2-Effective-Date must be filled with digits only. Digits must not be in consecutive order.
<b>E547</b>	NCP Locate	Invalid Employer2 End Date Field	Employer2-End-Date must be filled with digits only. Digits must not be in consecutive order.
<b>E548</b>	NCP Locate	Invalid Employer2 Confirmed Indicator Field	Employer2-Confirmed-Ind. must either be Y or N.
<b>E549</b>	NCP Locate	Invalid Wage2 Quarter Field	Wage2-Qtr must be either a 1, 2, 3, or 4.
<b>E550</b>	NCP Locate	Invalid Wage2 Year Field	Wage2-Year must be between 1900 and 2099 inclusive.
<b>E551</b>	NCP Locate	Invalid Wage2 Amount Field	Wage2-Amount must be in S99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage2-Amount cannot equal +0000000.00.
<b>E552</b>	NCP Locate	Invalid Employer3 EIN Field	Employer3-EIN must be filled with digits only. Digits must not be in consecutive order.
<b>E553</b>	NCP Locate	Invalid Employer3 Zip1 Field	Employer3-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E554</b>	NCP Locate	Invalid Employer3 Zip2 Field	Employer3-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E555</b>	NCP Locate	Invalid Employer3 State Field	Employer3-State must be a valid state code.
<b>E556</b>	NCP Locate	Invalid Employer3 Phone Number Field	Employer3-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E557</b>	NCP Locate	Invalid Employer3 Effective Date Field	Employer3-Effective-Date must be filled with digits only. Digits must not be in consecutive order.
<b>E558</b>	NCP Locate	Invalid Employer3 End Date Field	Employer3-End-Date must be filled with digits only. Digits must not be in consecutive order.
<b>E559</b>	NCP Locate	Invalid Employer3 Confirmed Indicator Field	Employer3-Confirmed-Ind. must either be Y or N.
<b>E560</b>	NCP Locate	Invalid Wage3 Quarter Field	Wage3-Qtr must be either a 1, 2, 3, or 4.
<b>E561</b>	NCP Locate	Invalid Wage3 Year Field	Wage3-Year must be between 1900–2099.
<b>E562</b>	NCP Locate	Invalid Wage3 Amount Field	Wage3-Amount must be in \$99999999.99 format. The S denotes a +, -, and " " (space). The 9 denotes a digit between 0 and 9. Wage3-Amount can not equal +000000.00.
<b>E563</b>	Order	Invalid New Order Flag Field	New-Order-Flag must either be Y, N, or " " (space).
<b>E564</b>	Case	Invalid Payment FIPS State Field	Payment-FIPS-State must be valid according to the IRG.
<b>E565</b>	Case	Invalid Payment FIPS County Field	Payment-FIPS-County must be valid according to the IRG.
<b>E567</b>	Participant	Invalid Dependent Paternity Status Field	Dependent-Paternity-Status must either be Y, N, or " " (space).
<b>E569</b>	Header	Mandatory Other Case ID is Missing	Other-Case-ID is required for Responses, Acknowledgments, and CSI transactions except CSI P RINIT and CSI P RRESP.
<b>E571</b>	Case	Invalid Send Payments Bank	Send-Payments-Bank-Account

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
		Account	must be filled with digits only. Digits must not be in consecutive order.
<b>E572</b>	Case	Invalid Send Payments Routing Code	Send-Payments-Routing-Code must be filled with digits only. Digits must not be in consecutive order.
<b>E577</b>	NCP Locate	Invalid Last Employer Effective Date Field	Last-Employer-Eff.-Date must contain digits only. Digits must not be in consecutive order.
<b>E582</b>	NCP Locate	Mandatory Employer2 effective Date is Missing	Employer2-Effective-Date is required if Employer2-Address-Line-1 is present.
<b>E584</b>	NCP Locate	Mandatory Employer2 Confirm Ind. Missing	Employer2-Confirmed-Ind. must be either a Y or N.
<b>E585</b>	NCP Locate	Mandatory Employer3 Address Missing	Employer3-Address-Line-1 is required for ENF Requests and LO1 Responses if the Employer3-Name is present.
<b>E586</b>	NCP Locate	Mandatory Employer3 Effective Date is Missing	Employer3-Effective-Date is required if Employer3-Address-Line-1 is present.
<b>E588</b>	NCP Locate	Mandatory Employer3 Confirm Ind. Missing	Employer3-Confirmed-Ind. must be either Y or N.
<b>E600</b>	Header	Mandatory Local FIPS State Required	Local-FIPS-State is required.
<b>E601</b>	Header	Mandatory Local FIPS County Required	Local-FIPS-County is required.
<b>E602</b>	Header	Mandatory Other FIPS State Required	Other-FIPS-State is required.
<b>E603</b>	Header	Mandatory Other FIPS County Required	Other-FIPS-County is required.
<b>E604</b>	Header	CSENet version number does not equal 003	CSENet 2000-Version-Number must equal 003.
<b>E605</b>	Header	Mandatory Transaction Serial Number is missing	Transaction-Serial-Number is required.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E606</b>	Header	Transaction Serial Number must be one or greater	Transaction-Serial-Number must contain only digits and not equal all zeros. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.
<b>E607</b>	Header	Transaction Date is not century compliant	The century of Transaction-Date must be either 19 or 20.
<b>E609</b>	Header	Transaction Date Month is not valid	The month of Transaction-Date must be between 01 and 12.
<b>E610</b>	Header	Transaction Date Day is not valid for leap year	The day of Transaction-Date for leap year must be between 01 and 29.
<b>E611</b>	Header	Transaction Date Day is not valid	The day of Transaction-Date must be between 01 and 31.
<b>E612</b>	Header	Transaction Date is not numeric	Transaction-Date must contain digits in the CCYYMMDD format.
<b>E619</b>	Case	Mandatory Case Type missing	Case-Type is required.
<b>E620</b>	Case	Invalid Case Type	Case-Type must either be a A, N, F, R, C, V, M, S or T.
<b>E622</b>	NCP Locate	Mailing Address Eff Date is not century compliant	The century of Mailing-Address-Effective-Date must be either 19 or 20.
<b>E623</b>	NCP Locate	Mailing Address Eff Date Century is not valid	Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.
<b>E624</b>	NCP Locate	Mailing Address Eff Date Month is not valid	The month of Mailing-Address-Effective-Date must be between 01 and 12.
<b>E625</b>	NCP Locate	Mailing Address Eff Date Day is not valid for leap year	The day of Mailing-Address-Effective-Date for leap year must be between 01 and 29.
<b>E626</b>	NCP Locate	Mailing Address Eff Date Day is not valid	The day of Mailing-Address-Effective-Date must be between 01 and 31.
<b>E628</b>	NCP Locate	Mailing Address End Date is not century compliant	The century of Mailing-Address-End-Date must be either 19 or 20.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E629</b>	NCP Locate	Mailing Address End Date Century is not valid	Mailing-Address-End-Date must contain digits in the CCYYMMDD format.
<b>E630</b>	NCP Locate	Mailing Address End Date Month is not valid	The month of Mailing-Address-End-Date must be between 01 and 12.
<b>E631</b>	NCP Locate	Mailing Address End Date Day is not valid for leap year	The day of Mailing-Address-End-Date for leap year must be between 01 and 29.
<b>E632</b>	NCP Locate	Mailing Address End Date Day is not valid	The day of Mailing-Address-End-Date must be between 01 and 31.
<b>E633</b>	NCP Locate	Mailing Address End Date is not numeric	Mailing-Address-End-Date must contain digits in the CCYYMMDD format.
<b>E634</b>	NCP Locate	Employer Eff Date is not century compliant	The century of Employer-Effective-Date must be either 19 or 20.
<b>E635</b>	NCP Locate	Employer Eff Date Century is not valid	Employer-Effective-Date must contain digits in the CCYYMMDD format.
<b>E636</b>	NCP Locate	Employer Eff Date Month is not valid	The month of Employer-Effective-Date must be between 01 and 12.
<b>E637</b>	NCP Locate	Employer Eff Date Day is not valid for leap year	The day of Employer-Effective-Date for leap year must be between 01 and 29.
<b>E638</b>	NCP Locate	Employer Eff Date Day is not valid	The day of Employer-Effective-Date must be between 01 and 31.
<b>E640</b>	NCP Locate	Employer End Date is not century compliant	The century of Employer-End-Date must be either 19 or 20.
<b>E641</b>	NCP Locate	Employer End Date Century is not valid	Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.
<b>E642</b>	NCP Locate	Employer End Date Month is not valid	The month of Employer-End-Date must be between 01 and 12.
<b>E643</b>	NCP Locate	Employer End Date Day is not valid for leap year	The day of Employer-End-Date for leap year must be between 01 and 29.
<b>E644</b>	NCP Locate	Employer End Date Day is not	The day of Employer-End-Date

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
		valid	must be between 01 and 31.
<b>E646</b>	NCP Locate	Last Mail Address Date is not century compliant	The century of Last-Mail-Address-Date must be either 19 or 20.
<b>E647</b>	NCP Locate	Last Mail Address Date Century is not valid	Last-Mailing-Address-Date must contain digits in the CCYYMMDD format.
<b>E648</b>	NCP Locate	Last Mail Address Date Month is not valid	The month of Last-Mail-Address-Date must be between 01 and 12.
<b>E649</b>	NCP Locate	Last Mail Address Date Day is not valid for leap year	The day of Last-Mail-Address-Date for leap year must be between 01 and 29.
<b>E650</b>	NCP Locate	Last Mail Address Date Day is not valid	The day of Last-Mail-Address-Date must be between 01 and 31.
<b>E658</b>	NCP Locate	Last Employer Eff Date is not century compliant	The century of Last-Employer-Eff.-Date must be either 19 or 20.
<b>E659</b>	NCP Locate	Last Employer Eff Date Century is not valid	Last-Employer-Eff.-Date must contain digits in the CCYYMMDD format.
<b>E660</b>	NCP Locate	Last Employer Eff Date Month is not valid	The month of Last-Employer-Eff.-Date must be between 01 and 12.
<b>E661</b>	NCP Locate	Last Employer Eff Date Day is not valid for leap year	The day of Last-Employer-Eff.-Date for leap year must be between 01 and 29.
<b>E662</b>	NCP Locate	Last Employer Eff Date Day is not valid	The day of Last-Employer-Eff.-Date must be between 01 and 31.
<b>E664</b>	NCP Locate	Employer2 Eff Date is not century compliant	The century of Employer2-Effective-Date must be either 19 or 20.
<b>E665</b>	NCP Locate	Employer2 Eff Date Century is not valid	Employer2-Effective-Date must contain digits in the CCYYMMDD format.
<b>E666</b>	NCP Locate	Employer2 Eff Date Month is not valid	The month of Employer2-Effective-Date must be between 01 and 12.
<b>E667</b>	NCP Locate	Employer2 Eff Date Day is not valid for leap year	The day of Employer2-Effective-Date for leap year must be

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			between 01 and 29.
<b>E668</b>	NCP Locate	Employer2 Eff Date Day is not valid	The day of Employer2-Effective-Date must be between 01 and 31.
<b>E670</b>	NCP Locate	Employer2 End Date is not century compliant	The century of Employer2-End-Date must be either 19 or 20.
<b>E671</b>	NCP Locate	Employer2 End Date Century is not valid	Employer2-End-Date must contain digits in the CCYYMMDD format.
<b>E672</b>	NCP Locate	Employer2 End Date Month is not valid	The month of Employer2-End-Date must be between 01 and 12.
<b>E673</b>	NCP Locate	Employer2 End Date Day is not valid for leap year	The day of Employer2-End-Date for leap year must be between 01 and 29.
<b>E674</b>	NCP Locate	Employer2 End Date Day is not valid	The day of Employer-End-Date must be between 01 and 31.
<b>E676</b>	NCP Locate	Employer3 Eff Date is not century compliant	The century of Employer3-Effective-Date must be either 19 or 20.
<b>E677</b>	NCP Locate	Employer3 Eff Date Century is not valid	Employer3-Effective-Date must contain digits in the CCYYMMDD format.
<b>E678</b>	NCP Locate	Employer3 Eff Date Month is not valid	The month of Employer3-Effective-Date must be between 01 and 12.
<b>E679</b>	NCP Locate	Employer3 Eff Date Day is not valid for leap year	The day of Employer3-Effective-Date for leap year must be between 01 and 29.
<b>E680</b>	NCP Locate	Employer3 Eff Date Day is not valid	The day of Employer3-Effective-Date must be between 01 and 31.
<b>E682</b>	NCP Locate	Employer3 End Date is not century compliant	The century of Employer3-End-Date must be either 19 or 20.
<b>E683</b>	NCP Locate	Employer3 End Date Century is not valid	Employer3-End-Date must contain digits in the CCYYMMDD format.
<b>E684</b>	NCP Locate	Employer3 End Date Month is not valid	The month of Employer3-End-Date must be between 01 and 12.
<b>E685</b>	NCP Locate	Employer3 End Date Day is not valid for leap year	The day of Employer3-End-Date for leap year must be between 01 and 29.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E686</b>	NCP Locate	Employer3 End Date Day is not valid	The day of Employer3-End-Date must be between 01 and 31.
<b>E688</b>	Participant	Date Address Confirmed is not century compliant	The century of Date-Address-Confirmed must be either 19 or 20.
<b>E689</b>	Participant	Date Address Confirmed Century is not valid	Date-Address-Confirmed must contain digits in the CCYYMMDD format.
<b>E690</b>	Participant	Date Address Confirmed Month is not valid	The month of Date-Address-Confirmed must be between 01 and 12.
<b>E691</b>	Participant	Date Address Confirmed Day is not valid for leap year	The day of Date-Address-Confirmed for leap year must be between 01 and 29.
<b>E692</b>	Participant	Date Address Confirmed Day is not valid	The day of Date-Address-Confirmed must be between 01 and 31.
<b>E694</b>	Participant	Date Employer Confirmed is not century compliant	The century of Date-Employer-Confirmed must be either 19 or 20.
<b>E695</b>	Participant	Date Employer Confirmed Century is not valid	Date-Employer-Confirmed must contain digits in the CCYYMMDD format.
<b>E696</b>	Participant	Date Employer Confirmed Month is not valid	The month of Date-Employer-Confirmed must be between 01 and 12.
<b>E697</b>	Participant	Date Employer Confirmed Day is not valid for leap year	The day of Date-Employer-Confirmed for leap year must be between 01 and 29.
<b>E698</b>	Participant	Date Employer Confirmed Day is not valid	The day of Date-Employer-Confirmed must be between 01 and 31.
<b>E700</b>	Order	Invalid Order FIPS State	Order-FIPS-State must be valid according to the IRG.
<b>E701</b>	Order	Invalid Order FIPS County	Order-FIPS-County must be valid according to the IRG.
<b>E702</b>	Order	Order Filing Date is not century compliant	The century of Order-Filing-Date must be either 19 or 20.
<b>E703</b>	Order	Order Filing Date Century is not	Order-Filing-Date must contain

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
		valid	digits in the CCYYMMDD format.
<b>E704</b>	Order	Order Filing Date Month is not valid	The month of Order-Filing-Date must be between 01 and 12.
<b>E705</b>	Order	Order Filing Date Day is not valid for leap year	The day of Order-Filing-Date for leap year must be between 01 and 29.
<b>E706</b>	Order	Order Filing Date Day is not valid	The day of Order-Filing-Date must be between 01 and 31.
<b>E707</b>	Order	Order Filing Date is not numeric	Order-Filing-Date must contain digits in the CCYYMMDD format.
<b>E708</b>	Order	Order Effective Date is not century compliant	The century of Order-Effective-Date must be either 19 or 20.
<b>E709</b>	Order	Order Effective Date Century is not valid	Order-Effective-Date must contain digits in the CCYYMMDD format.
<b>E710</b>	Order	Order Effective Date Month is not valid	The month of Order-Effective-Date must be between 01 and 12.
<b>E711</b>	Order	Order Effective Date Day is not valid for leap year	The day of Order-Effective-Date for leap year must be between 01 and 29.
<b>E712</b>	Order	Order Effective Date Day is not valid	The day of Order-Effective-Date must be between 01 and 31.
<b>E713</b>	Order	Order Effective Date is not numeric	Order-Effective-Date must contain digits in the CCYYMMDD format.
<b>E714</b>	Order	Order End Date is not century compliant	The century of Order-End-Date must be either 19 or 20.
<b>E715</b>	Order	Order End Date Century is not valid	Order-End-Date must contain digits in the CCYYMMDD format.
<b>E716</b>	Order	Order End Date Month is not valid	The month of Order-End-Date must be between 01 and 12.
<b>E717</b>	Order	Order End Date Day is not valid for leap year	The day of Order-End-Date for leap year must be between 01 and 29.
<b>E718</b>	Order	Order End Date Day is not valid	The day of Order-End-Date must be between 01 and 31.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E719</b>	Order	Order End Date is not numeric	Order-End-Date must contain digits in the CCYYMMDD format.
<b>E720</b>	Order	Order Cancel Date is not century compliant	The century of Order-Cancel-Date must be either 19 or 20.
<b>E721</b>	Order	Order Cancel Date Century is not valid	Order-Cancel-Date must contain digits in the CCYYMMDD format.
<b>E722</b>	Order	Order Cancel Date Month is not valid	The month of Order-Cancel-Date must be between 01 and 12.
<b>E723</b>	Order	Order Cancel Date Day is not valid for leap year	The day of Order-Cancel-Date for leap year must be between 01 and 29.
<b>E724</b>	Order	Order Cancel Date Day is not valid	The day of Order-Cancel-Date must be between 01 and 31.
<b>E725</b>	Order	Order Cancel Date is not numeric	Order-Cancel-Date must contain digits in the CCYYMMDD format.
<b>E726</b>	Order	Arrears TANF From Date is not century compliant	The century of Arrears-TANF-From-Date must be either 19 or 20.
<b>E727</b>	Order	Arrears TANF From Date Century is not valid	Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.
<b>E728</b>	Order	Arrears TANF From Date Month is not valid	The month of Arrears-TANF-From-Date must be between 01 and 12.
<b>E729</b>	Order	Arrears TANF From Date Day is not valid for leap year	The day of Arrears-TANF-From-Date for leap year must be between 01 and 29.
<b>E730</b>	Order	Arrears TANF From Date Day is not valid	The day of Arrears-TANF-From-Date must be between 01 and 31.
<b>E731</b>	Order	Arrears TANF From Date is not numeric	Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.
<b>E732</b>	Order	Arrears TANF Thru Date is not century compliant	The century of Arrears-TANF-Thru-Date must be either 19 or 20.
<b>E733</b>	Order	Arrears TANF Thru Date Century	Arrears-TANF-Thru-Date must

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
		is not valid	contain digits in the CCYYMMDD format.
<b>E734</b>	Order	Arrears TANF Thru Date Month is not valid	The month of Arrears-TANF-Thru-Date must be between 01 and 12.
<b>E735</b>	Order	Arrears TANF Thru Date Day is not valid for leap year	The day of Arrears-TANF-Thru-Date for leap year must be between 01 and 29.
<b>E736</b>	Order	Arrears TANF Thru Date Day is not valid	The day of Arrears-TANF-Thru-Date must be between 01 and 31.
<b>E737</b>	Order	Arrears TANF Thru Date is not numeric	Arrears-TANF-Thru-Date must contain digits in the CCYYMMDD format.
<b>E744</b>	Order	Arrears Non TANF Thru Date is not century compliant	The century of Arrears-Non-TANF-Thru-Date must be either 19 or 20.
<b>E745</b>	Order	Arrears Non TANF Thru Date Century is not valid	Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.
<b>E746</b>	Order	Arrears Non TANF Thru Date Month is not valid	The month of Arrears-Non-TANF-Thru-Date must be between 01 and 12.
<b>E747</b>	Order	Arrears Non TANF Thru Date Day is not valid for leap year	The day of Arrears-Non-TANF-Thru-Date for leap year must be between 01 and 29.
<b>E748</b>	Order	Arrears Non TANF Thru Date Day is not valid	The day of Arrears-Non-TANF-Thru-Date must be between 01 and 31.
<b>E749</b>	Order	Arrears Non TANF Thru Date is not numeric	Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.
<b>E750</b>	Order	Arrears Non TANF From Date is not century compliant	The century of Arrears-Non-TANF-From-Date must be either 19 or 20.
<b>E751</b>	Order	Arrears Non TANF From Date Century is not valid	Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.
<b>E752</b>	Order	Arrears Non TANF From Date Month is not valid	The month of Arrears-Non-TANF-From-Date must be

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			between 01 and 12.
<b>E753</b>	Order	Arrears Non TANF From Date Day is not valid for leap year	The day of Arrears-Non-TANF-From-Date for leap year must be between 01 and 29.
<b>E754</b>	Order	Arrears Non TANF From Date Day is not valid	The day of Arrears-Non-TANF-From-Date must be between 01 and 31.
<b>E755</b>	Order	Arrears Non TANF From Date is not numeric	Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.
<b>E762</b>	Order	Foster Care From Date is not century compliant	The century of Foster-Care-From-Date must be either 19 or 20.
<b>E763</b>	Order	Foster Care From Date Century is not valid	Foster-Care-From-Date must contain digits in the CCYYMMDD format.
<b>E764</b>	Order	Foster Care From Date Month is not valid	The month of Foster-Care-From-Date must be between 01 and 12.
<b>E765</b>	Order	Foster Care From Date Day is not valid for leap year	The day of Foster-Care-From-Date for leap year must be between 01 and 29.
<b>E766</b>	Order	Foster Care From Date Day is not valid	The day of Foster-Care-From-Date for leap year must be between 01 and 31.
<b>E767</b>	Order	Foster Care From Date is not numeric	Foster-Care-From-Date must contain digits in the CCYYMMDD format.
<b>E768</b>	Order	Foster Care Thru Date is not century compliant	The century of Foster-Care-Thru-Date must be either 19 or 20.
<b>E769</b>	Order	Foster Care Thru Date Century is not valid	Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.
<b>E770</b>	Order	Foster Care Thru Date Month is not valid	The month of Foster-Care-Thru-Date must be between 01 and 12.
<b>E771</b>	Order	Foster Care Thru Date Day is not valid for leap year	The day of Foster-Care-Thru-Date for leap year must be between 01 and 29.
<b>E772</b>	Order	Foster Care Thru Date Day is not valid	The day of Foster-Care-Thru-Date must be between 01 and 31.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E773</b>	Order	Foster Care Thru Date is not numeric	Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.
<b>E774</b>	Order	Date of Last Payment is not century compliant	The century of Date-Of-Last-Payment must be either 19 or 20.
<b>E775</b>	Order	Date of Last Payment Century is not valid	Date-of-Last-Payment must contain digits in the CCYYMMDD format.
<b>E776</b>	Order	Date of Last Payment Month is not valid	The month of Date-Of-Last-Payment must be between 01 and 12.
<b>E777</b>	Order	Date of Last Payment Day is not valid for leap year	The day of Date-Of-Last-Payment for leap year must be between 01 and 29.
<b>E778</b>	Order	Date of Last Payment Day is not valid	The day of Date-Of-Last-Payment must be between 01 and 31.
<b>E779</b>	Order	Date of Last Payment is not numeric	Date-Of-Last-Payment must contain digits in the CCYYMMDD format.
<b>E785</b>	Collection	Date of Collection is not century compliant	The century of Date-Of-Collection must be either 19 or 20.
<b>E786</b>	Collection	Date of Collection Century is not valid	Date-of-Collection must contain digits in the CCYYMMDD format.
<b>E787</b>	Collection	Date of Collection Month is not valid	The month of Date-Of-Collection must be between 01 and 12.
<b>E788</b>	Collection	Date of Collection Day is not valid for leap year	The day of Date-Of-Collection for leap year must be between 01 and 29.
<b>E789</b>	Collection	Date of Collection Day is not valid	The day of Date-of-Collection must be between 01 and 31.
<b>E790</b>	Collection	Date of Collection is not numeric	Date-Of-Collection must contain digits in the CCYYMMDD format.
<b>E791</b>	Collection	Date of Posting is not century compliant	The century of Date-Of-Posting must be either 19 or 20.
<b>E792</b>	Collection	Date of Posting Century is not valid	Date-of-Posting must contain digits in the CCYYMMDD

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			format.
<b>E793</b>	Collection	Date of Posting Month is not valid	The month of Date-Of-Posting must be between 01 and 12.
<b>E794</b>	Collection	Date of Posting Day is not valid for leap year	The day of Date-Of-Posting for leap year must be between 01 and 29.
<b>E795</b>	Collection	Date of Posting Day is not valid	The day of Date-Of-Posting must be between 01 and 31.
<b>E796</b>	Collection	Date of Posting is not numeric	Date-Of-Posting must contain digits in the CCYYMMDD format.
<b>E798</b>	Header	Mandatory Transaction Date is missing	Transaction-Date is required.
<b>E799</b>	Header	Mandatory Case Data Indicator is missing	Case-Data-Ind. is required.
<b>E800</b>	Header	Mandatory NCP ID Indicator is missing	NCP-Identification Ind. is required.
<b>E802</b>	Header	Mandatory NCP Locate Indicator is missing	NCP-Locate-Data-Ind. is required.
<b>E803</b>	Header	Mandatory Participant Indicator is missing	Participant-Data-Ind. is required.
<b>E804</b>	Header	Mandatory Order Data Block Indicator is missing	Order-Data-Ind. is required.
<b>E805</b>	Header	Mandatory Collection Indicator is missing	Collection-Data-Ind. is required.
<b>E806</b>	Header	Mandatory Information Indicator is missing	Information-Ind. is required.
<b>E807</b>	Header	Invalid Due Date- should be filled with spaces	Due-Date should be filled with spaces.
<b>E808</b>	Header	Invalid Response Date – should be filled with spaces	Response-Date should be filled with spaces.
<b>E809</b>	Case	Mandatory Case Status is missing	Case-Status is required.
<b>E810</b>	Case	Invalid Case Status	Case-Status must be either an O or C.
<b>E812</b>	Case	Invalid Payment Zip 2	Payment-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E813</b>	NCP-ID	Mandatory NCP First Name is	Name-First is required.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
		missing	
<b>E814</b>	NCP-ID	Mandatory SSN is missing in NCP ID block	SSN is required for the following transactions: ENF Responses; and PAT, EST, ENF Requests and Updates. PAT, EST, and COL Responses if the Mailing-Address-Line-1, Residential-Address-Line-1, and Employer-Name fields in the NCP Locate data block are blank-filled.
<b>E815</b>	NCP Locate	Mandatory res Address Ind is missing	Residential-Address-Confirmed-Ind. is required when Residential-Address-Line-1 is present.
<b>E816</b>	NCP Locate	Invalid res Address Ind	Residential-Address-Confirmed-Ind. must either be Y, N, or P.
<b>E817</b>	NCP Locate	Mandatory emp Name, Mail Address, or Res Address is missing	Either an Employer-Name, Mailing-Address-Line-1, or Residential-Address-Line-1 must be present for the following transactions: PAT and EST Requests and Updates; All Responses except COL, MSC, and CSI, if the 2 <sup>nd</sup> character in the Action Code equals S; and ENF Requests or Updates.
<b>E818</b>	NCP Locate	Mandatory Employer 2 Address is missing	Employer2-Address-Line-1 is required for ENF Requests and LO1 Responses if Employer2-Name is present.
<b>E819</b>	Participant	Mandatory Last Name is missing in Participant Block	Name-Last is required for the following transactions: PAT, EST, and CSI Requests and Updates; CSI Responses; and ENF Requests and Updates if the Relationship code equals D.
<b>E820</b>	Participant	Mandatory First Name is missing in Participant Block	Name-First is required for the following transactions: PAT, EST, and CSI Requests and

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			Updates; CSI Responses; and ENF Requests and Updates if Relationship equals D.
<b>E821</b>	Participant	Mandatory Date of Birth is missing in Participant Block	Date-Of-Birth is required for the following transactions: PAT Requests and Updates; and ENF and EST Requests and Updates if the Relationship code equals D.
<b>E824</b>	Order	Mandatory order FIPS state is missing	Order-FIPS-State is required for all transactions except CSI Responses.
<b>E825</b>	Order	Mandatory order FIPS county is missing	Order-FIPS-County is required for all transactions except CSI Responses.
<b>E826</b>	Order	Mandatory Order type is missing	Order-Type is required for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E829</b>	NCP-ID	Invalid Gender in NCP ID block	Gender in the NCP-ID data block must be M, F, or O.
<b>E830</b>	NCP-ID	Invalid Race in NCP ID block	Race in the NCP-ID data block must be W, B, I, A, S, or X.
<b>E831</b>	Header	Invalid Combination of FunctTypeCode, Act Code, and Act Reason	The combination of Functional-Type-Code, Action-Code, and Action-Reason is not valid according to the Valid Transaction Table.
<b>E832</b>	Header	Action Res. Date is not century compliant	The century of Action-Resolution-Date must be either 19 or 20.
<b>E833</b>	Header	Action Res. Date Century is not valid	Action-Resolution-Date must contain digits in the CCYYMMDD format.
<b>E834</b>	Header	Action Res. Date Month is not valid	The month of Action-Resolution-Date must be between 01 and 12.
<b>E835</b>	Header	Action Res. Date Day is not valid for leap year	The day of Action-Resolution-Date for leap year must be between 01 and 29.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E836</b>	Header	Action Res. Date Day is not valid	The day of Action-Resolution-Date must be between 01 and 31.
<b>E837</b>	Header	Action Res. Date is not numeric	Action-Resolution-Date must contain digits in the CCYYMMDD format.
<b>E838</b>	NCP Locate	Residential Address End Date is not century compliant	The century of Residential-Address-End-Date must be either 19 or 20.
<b>E839</b>	NCP Locate	Residential Address End Date Century is not valid	Residential-Address-End-Date must contain digits in the CCYYMMDD format.
<b>E840</b>	NCP Locate	Residential Address End Date Month is not valid	The month of Residential-Address-End-Date must be between 01 and 12.
<b>E841</b>	NCP Locate	Residential Address End Date Day is not valid for leap year	The day of Residential-Address-End-Date for leap year must be between 01 and 29.
<b>E842</b>	NCP Locate	Residential Address End Date Day is not valid	The day of Residential-Address-End-Date must be between 01 and 31.
<b>E844</b>	NCP Locate	Last Employer Date is not century compliant	The century of Last-Employer-Date must be either 19 or 20.
<b>E845</b>	NCP Locate	Last Employer Date Century is not valid	Last-Employer-Date must contain digits in the CCYYMMDD format.
<b>E846</b>	NCP Locate	Last Employer Date Month is not valid	The month of Last-Employer-Date must be between 01 and 12.
<b>E847</b>	NCP Locate	Last Employer Date Day is not valid for leap year	The day of Last-Employer-Date for leap year must be between 01 and 29.
<b>E848</b>	NCP Locate	Last Employer Date Day is not valid	The day of Last-Employer-Date must be between 01 and 31.
<b>E850</b>	Order	Medical Thru Date is not century compliant	The century of Medical-Thru-Date must be either 19 or 20.
<b>E851</b>	Order	Medical Thru Date Century is not valid	Medical-Thru-Date must contain digits in the CCYYMMDD format.
<b>E852</b>	Order	Medical Thru Date Month is not valid	The month of Medical-Thru-Date must be between 01 and 12.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E853</b>	Order	Medical Thru Date Day is not valid for leap year	The day of Medical-Thru-Date for leap year must be between 01 and 29.
<b>E854</b>	Order	Medical Thru Date Day is not valid	The day of Medical-Thru-Date must be between 01 and 31.
<b>E855</b>	Order	Medical Thru Date is not numeric	Medical-Thru-Date must contain digits in the CCYYMMDD format.
<b>E856</b>	Order	Medical From Date is not century compliant	The century of Medical-From-Date must be either 19 or 20.
<b>E857</b>	Order	Medical From Date Century is not valid	Medical-From-Date must contain digits in the CCYYMMDD format.
<b>E858</b>	Order	Medical From Date Month is not valid	The month of Medical-From-Date must be between 01 and 12.
<b>E859</b>	Order	Medical From Date Day is not valid for leap year	The day of Medical-From-Date for leap year must be between 01 and 29.
<b>E860</b>	Order	Medical From Date Day is not valid	The day of Medical-From-Date must be between 01 and 31.
<b>E861</b>	Order	Medical From Date is not numeric	Medical-From-Date must contain digits in the CCYYMMDD format.
<b>E862</b>	Order	Mandatory Arrears TANF from Date Missing	Arrears-TANF-From-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E863</b>	Order	Mandatory Arrears TANF Thru Date Missing	Arrears-TANF-Thru-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E864</b>	Order	Mandatory Arrears non TANF <i>Thru</i> Date Missing	Arrears-Non-TANF-Thru-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			PAT, EST, and ENF Responses.
<b>E865</b>	Order	Mandatory Foster Care Thru Date Missing	Foster-Care-Thru-Date is required if Foster-Care-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E866</b>	Order	Mandatory Foster Care From Date Missing	Foster-Care-From-Date is required if Foster-Care-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E867</b>	Order	Mandatory Medical Thru Date Missing	Medical-Thru-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, and ENF Responses.
<b>E869</b>	Header	Invalid Sent Time – Not numeric	Sent-Time must be digits only in HHMMSS format.
<b>E870</b>	Header	Invalid Sent Time – Hour must be 00-23	The Sent-Time hour must be between 00 and 23.
<b>E871</b>	Header	Invalid Sent Time – Minute must be 00-59	The Sent-Time minutes must be between 00 and 59.
<b>E872</b>	Header	Invalid Sent Time – Second must be 00-59	The Sent-Time seconds must be between 00 and 59.
<b>E873</b>	Header	Sent Date is not century compliant	The century of Sent-Date must be either 19 or 20.
<b>E875</b>	Header	Sent Date Month is not valid	The month of Sent-Date must be between 01 and 12.
<b>E876</b>	Header	Sent Date Day is not valid for leap year	The day of Sent-Date for leap year must be between 01 and 29.
<b>E877</b>	Header	Sent Date Day is not valid	The day of Sent-Date must be between 01 and 31.
<b>E878</b>	Header	Sent Date is not numeric	Sent-Date must contain digits in the CCYYMMDD format.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E881</b>	Header	Mandatory Participant data block is missing	Participant-Data-Ind. must be 1 or greater for CSI Responses. Participant-Data-Ind. must be 2 or greater for PAT, EST, and ENF Requests and Updates.
<b>E882</b>	Header	Mandatory Collection data block is missing	Collection-Data-Ind. must be 1 or greater for COL Responses.
<b>E883</b>	Participant	Relationship must be C in at least one Part block	If two Participant data blocks are present, at least one must have a Relationship code that equals C.
<b>E884</b>	Participant	Relationship must be D in at least one Part block	If two Participant data blocks are present, at least one must have a Relationship code that equals D.
<b>E885</b>	NCP Locate	Residential Address Eff Date is not century compliant	The century of Residential-Address-Effective-Date must be either 19 or 20.
<b>E886</b>	NCP Locate	Residential Address Eff Date Century is not valid	Residential-Address-Effective-Date must contain digits in the CCYYMMDD format.
<b>E887</b>	NCP Locate	Residential Address Eff Date Month is not valid	The month of Residential-Address-Effective-Date must be between 01 and 12.
<b>E888</b>	NCP Locate	Residential Address Eff Date Day is not valid for leap year	The day of Residential-Address-Effective-Date for leap year must be between 01 and 29.
<b>E889</b>	NCP Locate	Residential Address Eff Date Day is not valid	The day of Residential-Address-Effective-Date must be between 01 and 31.
<b>E891</b>	Header	Trans Serial Number <i>must be numeric</i>	Transaction-Serial-Number must contain digits only. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.
<b>E893</b>	NCP Locate	Invalid Res Zip 2	Residential-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E894</b>	NCP Locate	Invalid Mailing Zip1	Mailing-Zip-1 must be filled with digits only. Digits must not be

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			repetitive unless the value is 22222, 44444, or 55555.
<b>E895</b>	NCP Locate	Invalid Mailing Zip2	Mailing-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E896</b>	NCP Locate	Invalid Home Phone	Home-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
<b>E897</b>	NCP Locate	Invalid last Res Zip2	Last-Res.-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E898</b>	NCP Locate	Invalid last Mail Zip2	Last-Mail-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E899</b>	NCP Locate	Invalid last Emp Zip2	Last-Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E900</b>	Participant	Invalid employer EIN in participant block	Employer-EIN must be filled with digits only. Digits must not be in consecutive order.
<b>E901</b>	Participant	Invalid work phone in participant block	Work-Phone must be filled with digits only. Digits must not be in consecutive order.
<b>E902</b>	Participant	Invalid employer zip1 in participant block	Participant-Employer-Info.-Emp.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444, or 55555.
<b>E903</b>	Participant	Invalid employer zip2 in participant block	Participant-Employer-Info.-Emp.-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E904</b>	Header	Invalid Other FIPS State	Other-FIPS-State is not valid according to the IRG.
<b>E905</b>	Header	Invalid Other FIPS County	Other-FIPS-County is not valid according to the IRG.
<b>E906</b>	Header	Originating FIPS does not match Local FIPS code	Local-FIPS-State must match the originating FIPS file.
<b>E907</b>	Header	Invalid Local FIPS State Code	Local-FIPS-State is not valid

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			according to the IRG.
<b>E908</b>	Header	Invalid Local FIPS County Code	Local-FIPS-County is not valid according to the IRG.
<b>E909</b>	Header	Mandatory Attachments Ind is missing	Attachments-Ind. is required.
<b>E910</b>	Case	Invalid Contact Zip 2	Contact-Zip-2 must be filled with digits only. Digits must not equal all zeros.
<b>E911</b>	NCP Locate	Last Res Address Date is not century compliant	The century of Last-Res.-Address-Date must be either 19 or 20.
<b>E912</b>	NCP Locate	Last Res Address Date Century is not valid	Last-Res.-Address-Date must contain digits in the CCYYMMDD format.
<b>E913</b>	NCP Locate	Last Res Address Date Month is not valid	The month of Last-Res.-Address-Date must be between 01 and 12.
<b>E914</b>	NCP Locate	Last Res Address Date Day is not valid for leap year	The day of Last-Res.-Address-Date for leap year must be between 01 and 29.
<b>E915</b>	NCP Locate	Last Res Address Date Day is not valid	The day of Last-Res.-Address-Date must be between 01 and 31.
<b>E917</b>	Participant	Mandatory Participant Address Line 1 is missing	Participant-Address-Line-1 is required for PAT Requests and Updates if Payment-Address-Line-1 is not present in the Case data block and Relationship is C.
<b>E918</b>	Participant	Invalid Employer State in participant block	Participant-Employer-Info.-Emp.-State must be valid state code.
<b>E919</b>	Order	Order Cancel Date <= Order Effective Date	Order-Cancel-Date must be greater than Order-Effective-Date.
<b>E920</b>	NCP-ID	NCP_ID Block: Date of Birth is not century compliant	The century of Date-Of-Birth must be either 19 or 20.
<b>E921</b>	NCP-ID	NCP_ID Block: Date of Birth Century is not valid	Date-of-Birth in NCP-ID data block must contain digits in the CCYYMMDD format.
<b>E922</b>	NCP-ID	NCP_ID Block: Date of Birth Month is not valid	The month of Date-Of-Birth must be between 01 and 12.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E923</b>	NCP-ID	NCP_ID Block: Date of Birth Day is not valid for leap year	The day of Date-Of Birth for leap year must be between 01 and 29.
<b>E924</b>	NCP-ID	NCP_ID Block: Date of Birth Day is not valid	The day of Date-Of Birth must be between 01 and 31.
<b>E925</b>	NCP-ID	NCP_ID Block: Date of Birth is not numeric	Date-Of-Birth must contain digits in the CCYYMMDD format.
<b>E926</b>	Participant	Part. Block: Date of Birth is not century compliant	The century of Date-Of-Birth must be either 19 or 20.
<b>E927</b>	Participant	Part. Block: Date of Birth Century is not valid	Date-of-Birth in the Participant data block must contain digits in the CCYYMMDD format.
<b>E928</b>	Participant	Part. Block: Date of Birth Month is not valid	The month of Date-Of Birth must be between 01 and 12.
<b>E929</b>	Participant	Part. Block: Date of Birth Day is not valid for leap year	The day of Date-Of-Birth for leap year must be between 01 and 29.
<b>E930</b>	Participant	Part. Block: Date of Birth Day is not valid	The day of Date-Of-Birth must be between 01 and 31.
<b>E931</b>	Participant	Part. Block: Date of Birth is not numeric	Date-Of-Birth must contain digits in the CCYYMMDD format.
<b>E932</b>	NCP Locate	Invalid Wage Qtr/Wage Year/Wage Amount Combination	Wage-Qtr, Wage-Year, and Wage-Amount must be either present or blank. These fields also cannot equal all zeros.
<b>E933</b>	NCP Locate	Invalid Wage2 Qtr/Wage2 Year/Wage2 Amount Combination	Wage2-Qtr, Wage2-Year, and Wage2-Amount must be either present or blank. These fields also cannot equal all zeros.
<b>E934</b>	NCP Locate	Invalid Wage3 Qtr/Wage3 Year/Wage3 Amount Combination	Wage3-Qtr, Wage3-Year, and Wage3-Amount must be either present or blank. These fields also cannot equal all zeros.
<b>E935</b>	Header	Case ID Reconciliation Comm. Not Allowed	No valid Case-ID exchange agreement exists.(Applies only to CSI P RINIT and CSI P RRESP transactions used for ICR-CSI.)
<b>E936</b>	Header	Invalid Case-ID value	The Case ID must adhere to the following criteria: <ul style="list-style-type: none"> <li>• The first position must not be a space if the field is required.</li> </ul>

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
			<ul style="list-style-type: none"> <li>• Must not contain all zeros.</li> <li>• Must not contain an asterisk (*) or backslash (\) in any position.</li> <li>• Must not contain a combination of spaces and zeros.</li> </ul>
<b>E937</b>	Header	Invalid Other-Case-ID value	The Other Case ID must adhere to the following criteria: <ul style="list-style-type: none"> <li>• The first position must not be a space if the field is required.</li> <li>• Must not contain all zeros.</li> <li>• Must not contain an asterisk (*) or backslash (\) in any position.</li> <li>• Must not contain a combination of spaces and zeros.</li> </ul>
<b>W938</b>	Information	The first 24 positions of the Information-Text-Line-1 must not be all spaces.	The MSC P REJCT transaction must contain data from the rejected transaction within the first 24 positions of the Information-Text-Line-1 in the following order: <ul style="list-style-type: none"> <li>• Transaction-Serial-Number.</li> <li>• Action-Code.</li> <li>• Functional-Type-Code.</li> <li>• Transaction-Date.</li> <li>• Action-Reason (if applicable).</li> </ul>
<b>E939</b>	Header	Mandatory Information Data Block is Missing	The Information Data Block Indicator must equal 1 and the block must be present for MSC P REJCT and MSC P GSCAS transactions.
<b>E940</b>	NCP Locate	Res Address End Date <= Res Address Eff Date	Residential-Address-End-Date must be greater than Residential-Address-Effective-Date.

<b>CHART E-1: ACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E941</b>	Information	Invalid New Case ID Value	The New Case ID must adhere to the following criteria: <ul style="list-style-type: none"> <li>• The first position must not be a space if the field is required.</li> <li>• Must not contain all zeros.</li> <li>• Must not contain an asterisk (*) or backslash (\) in any position.</li> <li>• Must not contain a combination of spaces and zeros.</li> </ul>
<b>E942</b>	Information	Mandatory New Case ID is Missing	New Case ID must be present for MSC P GSCAS.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
E361	NCP Locate	Mandatory Res State Missing	Inactive.
E362	NCP Locate	Invalid Home/Work Phone number	Inactive.
E205	Other	Invalid Ver.3 – Check bytes	Inactive.
E206	Other	Invalid Ver.2 – Check bytes	Inactive.
E307	Header	Invalid Other FIPS code	Inactive.
E308	Header	Invalid Action Reason	Inactive.
E309	Header	Invalid Action Resolution Date	Inactive.
E305	Header	Invalid Local FIPS code	Inactive.
E326	Header	Invalid Response Date	Inactive.
E328	Case	Invalid Case-Type	Inactive.
E329	Case	Invalid Case-status	Inactive.
E333	Case	Invalid Data Indicators in header	Inactive.
E334	NCP-ID	Invalid CP State	Inactive.
E337	NCP-ID	Mandatory Gender code is Missing	Inactive.
E338	NCP-ID	Mandatory Race is Missing	Inactive.
E339	NCP-ID	Mandatory Date of Birth is Missing	Inactive.
E344	NCP-ID	Invalid Height value	Inactive.
E348	NCP Locate	Invalid Mailing zip code	Inactive.
E349	NCP Locate	Mandatory Mailing Zip is Missing	Inactive.
E356	NCP Locate	Invalid Mailing Address End Date	Inactive.
E357	NCP Locate	Mailing address End Date < Effective Date	Inactive.
E359	NCP Locate	Mandatory Res. Zip Code is Missing	Inactive.
E366	NCP Locate	Mandatory Mailing last address Date Missing	Inactive.
E367	NCP Locate	Mandatory Res last address Date Missing	Inactive.
E368	NCP Locate	Mailing addr Eff Date >= Mailing addr End. Date	Inactive.
E369	NCP Locate	Mailing addr Conf Ind. not (y,n)	Inactive.
E371	NCP Locate	Invalid Mailing Last Zip code	Inactive.
E375	NCP Locate	Invalid Res last addr Date	Inactive.
E378	NCP Locate	Mandatory Employer name is Missing	<b>Inactive.</b>
E387	NCP Locate	Employer effective Date >= Employer end Date	Inactive.
E385	NCP Locate	Mandatory Employer end Date is Missing	Inactive.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
E393	NCP Locate	Mandatory Last Res Address Date is Missing	Inactive.
E394	NCP Locate	Invalid Last Mailing address Date	Inactive.
E395	NCP Locate	Mandatory Last Mailing address Date Missing	Inactive.
E398	NCP Locate	Mandatory last employer Date is Missing	Inactive.
E402	Participant	Participant is Missing in Non-Custodial parent	Inactive.
E403	Participant	Mandatory name is Missing in Participant data	Inactive.
E405	Participant	Mandatory SSN in Participant data Missing	Inactive.
E407	Participant	Invalid Date of birth in Participant data	Inactive.
E408	Participant	Invalid Gender code in Participant data	Inactive.
E409	Participant	Mandatory Gender code in Part data Missing	Inactive.
E410	Participant	Invalid Race code in Participant data	Inactive.
E417	Order	Invalid Order FIPS code	Inactive.
E419	Order	Invalid Order Filing Date	Inactive.
E423	Order	Duplicate key in Order data block	Inactive.
E426	Order	Invalid Order effective Date	Inactive.
E427	Order	Invalid Order end Date	Inactive.
E429	Order	Invalid Order cancel Date	Inactive.
E430	Order	Order cancel Date < Order filing Date	Inactive.
E432	Order	Mandatory Medical Order Indicator Missing	Inactive.
E439	Order	Invalid Arrears TANF From Date	Inactive.
E440	Order	Invalid Arrears TANF Thru Date	Inactive.
E443	Order	Invalid Arrears Non TANF From Date	Inactive.
E444	Order	Invalid Arrears Non TANF Thru Date	Inactive.
E448	Order	Invalid Foster care From Date	Inactive.
E449	Order	Invalid Foster care Thru Date	Inactive.
E452	Order	CODE OF ACTION CODE	Inactive.
E453	Order	Invalid Medical From Date	Inactive.
E454	Order	Invalid Medical Thru Date	Inactive.
E457	Collection	Invalid Collection Date	Inactive.
E463	Collection	Invalid Posting Date	Inactive.
E470	Case	Mandatory CP Zip code Missing	Inactive.
E471	Case	Invalid CP Zip code	Inactive.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
E472	Case	Mandatory Payment Zip code is Missing	Inactive.
E474	Participant	Invalid Rel./Dependent Rel. combination	Inactive.
E475	NCP Locate	Mandatory Mailing State is Missing	Inactive.
E476	Case	Mandatory Payment State is Missing	Inactive.
E477	Case	Mandatory CP State is Missing	Inactive.
E478	Order	Mandatory Arrears From/Thru TANF Date Missing	Inactive.
E479	Order	Mandatory Arrears TANF Amount Missing	Inactive.
E480	Order	Mandatory Foster care Amount Missing	Inactive.
E481	Order	Mandatory Medical Amount Missing	Inactive.
E482	Order	Mandatory Arrears Non TANF Amount Missing	Inactive.
E483	Order	Mandatory Foster care From/Thru Date Missing	Inactive.
E485	Case	Mandatory Case-Type is Missing	Inactive.
E486	Case	Mandatory Case-status is Missing	Inactive.
E487	NCP Locate	Mandatory Mailing/Res. Address is Missing	Inactive.
E488	NCP Locate	Mandatory Residential Address is Missing	Inactive.
E498	Order	Mandatory Order End Date missing	Inactive.
E500	Header	Mandatory Other Case ID Missing	Inactive.
E501	NCP Locate	Mandatory Mailing Addr. Confirm Ind. Missing	Inactive.
E502	Order	Mandatory Order type missing	Inactive.
E504	Case	Mandatory Payment City is Missing	Inactive.
E505	Case	Mandatory CP City is Missing	Inactive.
E506	Header	Invalid Due Date	Inactive.
E516	NCP-ID	All Wage Fields must be filled or blank	Inactive.
E518	Other	Parent and Dependent Records Required	Inactive.
E519	Header	Action Resolution Date Required	Inactive.
E520	Other	Maximum Locate Requests Exceeded	Inactive.
E524	Order	Invalid Date Of Last Payment	Inactive.
E531	NCP Locate	Invalid Employer State	Inactive.
E566	Case	Invalid Payment FIPS Sub Field	Inactive.
E568	Header	Invalid Data Block Format – Coll Data Blk required	Inactive.
E573	Participant	Invalid-Participant Address Line1 required	Inactive.
E574	Participant	Invalid-Participant City required	Inactive.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
E575	Participant	Mandatory Participant State is Missing	Inactive.
E576	Case	Invalid Payment FIPS Code Required	Inactive.
E570	Header	Invalid Combo – FunctType, Reason Cd, and Action Cd	Inactive.
E578	Participant	Mandatory Participant Zip Code is Missing	Inactive.
E579	NCP Locate	ALL Wage2 Fields must be filled or blank	Inactive.
E580	NCP Locate	ALL Wage3 Fields must be filled or blank	Inactive.
E581	NCP Locate	Mandatory Employer2 Address Missing	Inactive.
E583	NCP Locate	Mandatory Employer2 End Date is Missing	Inactive.
E587	NCP Locate	Mandatory Employer3 End Date is Missing	Inactive.
E589	Header	Mandatory CASE AND/OR PARTICIPANT datablk Missing	Inactive.
E608	Header	Transaction Date Century is not valid	Inactive.
E613	Header	Sent Date is not century compliant	Inactive.
E614	Header	Sent Date Century is not valid	Inactive.
E615	Header	Sent Date Month is not valid	Inactive.
E616	Header	Medical-From-Date is required if Medical-Amount is greater than zero for the following transactions: Sent Date Day is not valid for leap year	Inactive.
E617	Header	Sent Date Day is not valid	Inactive.
E618	Header	Sent Date is not numeric	Inactive
E621	Case	Mandatory Payment State is missing	Inactive.
E627	NCP Locate	Mailing Address Eff Date is not numeric	Inactive.
E639	NCP Locate	Employer Eff Date is not numeric	Inactive.
E645	NCP Locate	Employer End Date is not numeric	Inactive.
E651	NCP Locate	Last Mail Address Date is not numeric	Inactive.
E652	NCP Locate	Last Employer Date is not century compliant	Inactive.
E653	NCP Locate	Last Employer Date Century is not valid	Inactive.
E654	NCP Locate	Last Employer Date Month is not valid	Inactive.
E655	NCP Locate	Last Employer Date Day is not valid for leap year	Inactive.
E656	NCP Locate	Last Employer Date Day is not valid	Inactive.
E657	NCP Locate	Last Employer Date is not numeric	Inactive.
E663	NCP Locate	Last Employer Eff Date is not numeric	Inactive.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E669</b>	NCP Locate	Employer2 Eff Date is not numeric	Inactive.
<b>E675</b>	NCP Locate	Employer2 End Date is not numeric	Inactive.
<b>E681</b>	NCP Locate	Employer3 Eff Date is not numeric	Inactive.
<b>E687</b>	NCP Locate	Employer3 End Date is not numeric	Inactive.
<b>E693</b>	Participant	Date Address Confirmed is not numeric	Inactive.
<b>E699</b>	Participant	Date Employer Confirmed is not numeric	Inactive.
<b>E738</b>	Order	Arrears Non TANF From Date is not century compliant	Inactive.
<b>E739</b>	Order	Arrears Non TANF From Date Century is not valid	Inactive.
<b>E740</b>	Order	Arrears Non TANF From Date Month is not valid	Inactive.
<b>E741</b>	Order	Arrears Non TANF From Date Day is not valid for leap year	Inactive.
<b>E742</b>	Order	Arrears Non TANF From Date Day is not valid	Inactive.
<b>E743</b>	Order	Arrears Non TANF From Date is not numeric	Inactive.
<b>E756</b>	Order	Arrears Non TANF Thru Date is not century compliant	Inactive.
<b>E757</b>	Order	Arrears Non TANF Thru Date Century is not valid	Inactive.
<b>E758</b>	Order	Arrears Non TANF Thru Date Month is not valid	Inactive.
<b>E759</b>	Order	Arrears Non TANF Thru Date Day is not valid for leap year	Inactive.
<b>E760</b>	Order	Arrears Non TANF Thru Date Day is not valid	Inactive.
<b>E761</b>	Order	Arrears Non TANF Thru Date is not numeric	Inactive.
<b>E780</b>	Collection	Mandatory Date of Collection is missing	Inactive.
<b>E781</b>	Collection	Mandatory Date of Posting is missing	Inactive.
<b>E782</b>	Collection	Mandatory Payment Amount is missing	Inactive.
<b>E783</b>	Collection	Mandatory Payment Source is missing	Inactive.
<b>E784</b>	Collection	Mandatory Interstate Payment Method is missing	Inactive.
<b>E797</b>	Information	Mandatory Status Change Code is missing	Inactive.
<b>E801</b>	Header	NCP ID Indicator is required	<b>Inactive.</b>
<b>E811</b>	Case	Mandatory Payment Zip 2 is missing	Inactive.
<b>E827</b>	NCP Locate	All Wage 2 fields must be filled	Inactive.
<b>E828</b>	NCP Locate	All Wage 3 field must be filled	Inactive.
<b>E843</b>	NCP Locate	Residential Address End Date is not numeric	Inactive.
<b>E849</b>	NCP Locate	Last Employer Date is not numeric	Inactive.
<b>E874</b>	Header	Sent Date Century is not valid	Inactive.

<b>CHART E-2: INACTIVE CSENET 2000 TRANSACTION ERROR CODES AND MESSAGES</b>			
<b>Error Code</b>	<b>Data Block</b>	<b>Message</b>	<b>Description</b>
<b>E868</b>	Header	Mandatory Sent Time is Missing	Inactive.
<b>E880</b>	Header	Mandatory Sent Date is Missing	Inactive.
<b>E890</b>	NCP Locate	Residential Address Eff Date is not numeric	Inactive.
<b>E892</b>	NCP Locate	Invalid CP Zip 2	Inactive.
<b>E916</b>	NCP Locate	Last Res Address Date is not numeric	Inactive.
<b>E823</b>	Participant	Mandatory Relationship is missing in Participant Block	Inactive.
<b>E868</b>	Header	Mandatory Sent Time is Missing	Inactive.