

E. TRANSACTION ERROR CODES AND MESSAGES

[A summary of changes to this appendix is located at the end of the document in Section E.1. It contains a list of error codes that have been added or whose messages have been clarified or updated, categorized by the location in this document. In addition, changes are marked throughout the document. [Opening and closing brackets] surrounding text signifies changed material.]

This appendix contains all active and inactive error codes and messages for the CSENet application. When enhancements or modifications are made to the application, the error message lists are updated to reflect the changes.

[Chart E-1 displays all potential fatal errors in a CSENet transaction. Multiple messages may be generated for a transaction unless the transaction contains a fatal error. After the first fatal error is identified, the validation process for that transaction stops and the fatal error is written to the Error Report.]

Chart E-2 lists the possible active transaction error codes and messages produced by the CSENet application when processing or validating a transaction file from a state CSE system.

Chart E-3 details the inactive transaction error codes that are not currently being used for validation.

In addition to error messages, the CSENet application can produce and send a warning code and message in the error file under certain conditions. Implemented in 2004, a warning message indicates that the transaction data fails to meet usage recommendations, but will nevertheless be routed to the destination state. A warning message code is preceded by a 'W' and is numbered in sequence with error message codes.

The description of the error message is based on the requirements specified in Appendix C, Data Block Record Layout. See this appendix also for definitions of any abbreviations, such as those for value types or functions.

Chart E-1 lists the potential fatal errors in a CSENet transaction. [There are two types of errors: non-fatal and fatal. Fatal errors differ from non-fatal errors in that the severity of the error causes validation of a transaction to stop. Examples of fatal errors include “Invalid Other FIPS County” and “Duplicate Transaction Serial Number.”]

[All the fatal errors are located in the Header data block. This chart was formerly included in the main CSENet IGD document.]

CHART E-1: POTENTIAL FATAL ERRORS IN A CSENET TRANSACTION			
Error Code	Data Block	Message	Description
E203	Header	Duplicate Transaction- Check Trans Serial Num	[The Transaction-Serial-Number must be unique and not previously used with a valid transaction.]
E204	Header	Communications not allowed	[Communications are not allowed, i.e., an Exchange Agreement has not been enabled with the state defined in the Other-FIPS-State field for the Functional Type code received.]
E301	Header	Invalid Functional type code	Functional-Type-Code must equal MSC, CSI, ENF, EST, COL, PAT or LO1.
E831	Header	Invalid Combination of Funct Type Code, Act Code and Act Reason	The combination of Functional-Type-Code, Action-Code and Action-Reason is invalid.
E904	Header	Invalid Other FIPS State	The state FIPS code specified in the Other-FIPS-State field is not a valid state FIPS code according to the IRG.
E905	Header	Invalid Other FIPS County	The county defined in the Other-FIPS-County field is not a valid county FIPS code according to the IRG.

CHART E-1: POTENTIAL FATAL ERRORS IN A CSENET TRANSACTION			
Error Code	Data Block	Message	Description
E906	Header	Originating FIPS does not match Local FIPS code	The state FIPS code from which the transaction was received does not match the value in the Local-FIPS-State field.
E907	Header	Invalid Local FIPS State Code	The state FIPS code specified in the Local-FIPS-State field is not a valid state FIPS code according to the IRG.
E908	Header	Invalid Local FIPS County Code	The county FIPS code specified in the Local-FIPS-County field is not a valid county FIPS code according to the IRG.

Chart E-2 lists the possible active transaction error codes and messages produced by the CSENet application when processing or validating a transaction file from a state CSE system.

Note: The material enclosed in [opening and closing brackets] in the following chart indicates a change to existing information.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E203	Header	Duplicate Transaction- Check Trans Serial Num	[The Transaction-Serial-Number must be unique and not previously used with a valid transaction.]
E204	Header	Communications not allowed	[Communications are not allowed, i.e., an Exchange Agreement has not been enabled with the state defined in the Other-FIPS-State field for the functional type code received.]

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E207	Header	Invalid Header byte size – should be 127	The transaction’s Header data block must contain 127 bytes.
E208	Case	Invalid Case byte size – should be 351	The transaction’s Case data block must contain 351 bytes.
E209	NCP-ID	Invalid NCP_ID byte size – should be 181	The transaction’s NCP-ID data block must contain 181 bytes.
E210	NCP Locate	Invalid NCP Locate byte size – should be 1421	The transaction’s NCP Locate data block must contain 1421 bytes.
E211	Participant	Invalid Participant byte size – should be 341	The transaction’s Participant data block must contain 341 bytes.
E212	Order	Invalid Order byte size – should be 254	The transaction’s Order data block must contain 254 bytes.
E213	Collection	Invalid Collection byte size – should be 70	The transaction’s Collection data block must contain 70 bytes.
E214	Information	Invalid Information byte size – should be 416	The transaction’s Information data block must contain 416 bytes.
E301	Header	Invalid Functional type code	Functional-Type-Code must equal MSC, CSI, ENF, EST, COL, PAT or LO1.
E302	Header	Invalid Action code	Action-Code must equal P, M, U, A, C or R.
E303	Header	Transaction Date is greater than current date	The Transaction-Date must not be greater than the current date. Current date is read internally by the system.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E306	Header	Mandatory Case ID is missing	Case-ID is required for all transactions except for LO1 Responses and Acknowledgments.
E310	Header	Invalid Attachment Indicator	Attachments-Ind. must be a Y or N.
E311	Header	Invalid Case data Indicator	Case-Data-Ind. must be a 1 or 0 for all transactions with an Action-Code equal to A, C or M, [MSC Requests, MSC Updates, CSI Requests and MSC P REJCT. For CSI Responses, this indicator must be 1 if the 2 nd character of the action reason code is S. This indicator must be 1 for MSC R GRPAY.]
E312	Header	Invalid NCP-ID-data Indicator	NCP-Identification-Ind. must be a 1 or 0.
E313	Header	Invalid NCP-Locate-data Indicator	NCP-Locate-Data-Ind. must be a 1 or 0. Value must be 1 for PAT, EST, ENF Requests and Updates and for LO1 Responses if the 2nd character of Action-Reason is S. Value may be 0 or 1 for COL, MSC and CSI transactions. [This indicator must be 1 for MSC R GRPAY and COL P CISUB.]
E314	Header	Invalid Participant data Indicator	Participant-Data-Ind. must be 0–9 inclusive.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E315	Header	Invalid Order data Indicator	Order-Data-Ind. must be 0–9 inclusive. Value must be 1 or greater for ENF Requests or Updates.
E316	Header	Invalid Collection data Indicator	Collection-Data-Ind. must be 0–9 inclusive. Value must be 1 or greater for COL Responses [except for COL P CISUB].
E317	Header	Invalid Information data Indicator	Information-Ind. must be a 1 or 0. If the Attachments-Ind. is Y, this field must be set to 1.
E318	Header	Mandatory Case data block is Missing	Case data block must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates and Responses, unless the second character of Action-Reason is S.
E319	Case	Invalid Contact Phone number	Contact-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
E320	Header	Mandatory NCP ID data block is Missing	NCP-Identification-Ind. must be present for all transactions except transactions with an Action-Code equal to A, C or M and COL, MSC, CSI Requests, Updates and Responses.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E321	Header	Mandatory NCP Locate data block is Missing	NCP-Locate-Data-Ind. must be set to 1 for the following: PAT, EST, ENF Requests and Updates. LO1 Responses must be set to 1 if the 2nd character of Action-Reason is S. This indicator can be 0 or 1 for COL, MSC and CSI transactions.
E322	Header	Mandatory Order data block is Missing	An Order-Data-Ind. greater than 1 must be present for ENF Requests or Updates. Valid values are 0–9 inclusive.
E323	Header	Reason code should be blank	Error-Reason-Code should be blank.
E324	Header	Mandatory CSENet number is missing	CSENet-Version-Number must contain a value of 003.
E327	Header	Invalid Overdue Ind – should be filled with 0	Overdue-Ind. must be 0.
E330	Case	Invalid Contact State	Contact-State must be a valid state code.
E331	Case	Invalid Contact Zip code	Contact-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E332	Case	Invalid Payment State	Payment-State must be a valid state code.
E335	NCP-ID	Mandatory NCP-ID Last Name is missing	Name-Last is required.
E336	NCP-ID	Invalid SSN	SSN must be filled with digits only. Digits must not be in consecutive order.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E340	NCP-ID	Invalid Date of Birth	Date-of-Birth must be filled with digits only. Digits must not be in consecutive order.
E341	NCP-ID and Participant	Date of Birth is greater than current date	Date-Of-Birth must be prior to the current date.
E342	Participant	Invalid Race code	Race must be either a W, B, I, A, S or X.
E343	Participant	Invalid Gender code	Gender must be M, F or O.
E345	NCP-ID	Invalid Weight value	Weight must contain digits only. Weight cannot equal 000.
E346	NCP-ID	Invalid Hair Color code	Hair-Color must be BD, BL, BK, BN, RD, GY or OT.
E347	NCP Locate	Invalid Mailing State	Mailing-State must be a valid state code.
E350	NCP Locate	Invalid Mailing Address Eff. Date	Mailing-Address-Effective-Date must contain digits only. Digits should not be in consecutive order.
E351	NCP Locate	Invalid Res. State code	Residential-State must be a valid state code.
E352	NCP Locate	Mandatory Res. Address End Date missing	Residential-Address-End-Date is required for LO1 Responses if the 2nd character of Action-Reason is U and Residential-Address-Line-1 is present.
E353	NCP Locate	Mandatory Mailing Address Eff. Date missing	Mailing-Address-Effective-Date is required if Mailing-Address-Line-1 is present for the following transactions: PAT, EST and ENF Requests and Updates; and LO1, PAT, EST and ENF Responses.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E354	NCP Locate	Mandatory Mailing Addr End Date missing	Mailing-Address-End-Date is required if the LO1 Response Action-Reason code is U and if Mailing-Address-Line-1 is present.
E355	NCP Locate	Mandatory Mail Addr Confirm Ind. missing	Mailing-Address-Confirmed-Ind. is required when Mailing-Address-Line-1 is present.
E358	NCP Locate	Invalid Mail Addr Conf Indicator	Mailing-Address-Confirmed-Ind. must be a Y, N or P.
E360	NCP Locate	Invalid Res Zip code	Residential-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E363	NCP Locate	Mandatory Res Address eff. Date missing	Residential-Address-Effective-Date is required if Residential-Address-Line-1 is present.
E364	NCP Locate	Invalid Res Addr eff. Date	Residential-Address-Effective-Date must contain digits only. Digits must not be in consecutive order.
E365	NCP Locate	Invalid Res. Addr End Date	Residential-Address-End-Date must contain digits only. Digits must not be in consecutive order.
E370	NCP Locate	Invalid Mailing Last State	Last-Mail-State must be a valid state code.
E372	NCP Locate	Invalid Mailing Last Addr Date	Last-Mail-Address-Date must contain digits only. Digits must not be in consecutive order.
E373	NCP Locate	Invalid Res Last State	Last-Res.-State must be a valid state code.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E374	NCP Locate	Invalid Res last zip	Last-Res.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E376	NCP Locate	Invalid Driver's License State	Drivers-License-State must be a valid state code.
E377	NCP Locate	Invalid Employer EIN	Employer-EIN must be filled with digits only. Digits must not be in consecutive order.
E379	NCP Locate	Invalid Employer Zip code	Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E380	NCP Locate	Invalid Employer State code	Employer-State must be a valid state code.
E381	NCP Locate	Mandatory Employer Address missing	Employer-Address-Line-1 is required if Employer-Name is present and the transaction is an ENF Request or ENF Response.
E382	NCP Locate	Invalid Employer Phone Number	Employer-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
E383	NCP Locate	Mandatory Employer effective date is missing	Employer-Effective-Date is required when the Employer-Name is present.
E384	NCP Locate	Invalid Employer effective date	Employer-Effective-Date must contain digits only. Digits must not be in consecutive order.
E386	NCP Locate	Invalid Employer end date	Employer-End-Date must contain digits only. Digits must not be in consecutive order.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E388	NCP Locate	Invalid Employer Confirm Ind	Employer-Confirmed-Ind. must be either Y or N.
E389	NCP Locate	Mandatory Employer Confirm Ind missing	Employer-Confirmed-Ind. is required when the Employer-Name is present.
E390	NCP Locate	Invalid Last Mailing State	Last-Mail-State must be a valid state code.
E391	NCP Locate	Invalid Last Res State	Last-Res.-State must be a valid state code.
E392	NCP Locate	Invalid Last Res Address Date	Last-Res.-Address-Date must contain digits only. Digits must not be in consecutive order.
E396	NCP Locate	Invalid Last Employer State	Last-Employer-State must be a valid state code.
E397	NCP Locate	Invalid Last Employer Date	Last-Employer-Date must contain digits only. Digits must not be in consecutive order.
E399	NCP Locate	Invalid Mailing last Zip code	Last-Mail-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E400	NCP Locate	Invalid Res last Zip code	Last-Res.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E401	NCP Locate	Invalid Last Employer Zip code	Last-Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E404	Participant	Invalid SSN in Participant data	SSN must be filled with digits only. Digits must not be in consecutive order.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E406	Participant	Mandatory Date of birth missing	Date-Of-Birth is required for the following transactions: PAT Requests and Updates; and EST and ENF Requests and Updates if the relationship code is D.
E411	Participant	Invalid Relationship code	Relationship code must be either an A, C, D, P or S.
E412	Participant	Mandatory Rel. missing	Relationship is required if a Participant's Name-Last and Name-First are entered for LO1, PAT, EST or ENF Requests, Updates or Responses.
E413	Participant	Invalid Participant Status	Participant-Status must either be O or C.
E414	Participant	Mandatory Participant Status missing	Participant-Status is required if a participant's Name-Last and Name-First are entered.
E415	Participant	Invalid Dependent Relation CP	Dependent-Relation-CP must be either an A, C, F, G, E, N, O, U, W or S.
E416	Participant	Mandatory Dependent Relation CP missing	Dependent-Relation-CP is required for PAT Requests or Updates if the Relationship code is D.
E418	Order	Mandatory Order ID missing	Order-ID is required.
E420	Order	Mandatory Order filing Date missing	Order-Filing-Date is required for all transactions except for CSI Requests, Updates or Responses.
E421	Order	Invalid Order type	Order-Type must be an A, J or P.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E422	Order	Invalid Debt type	Debt-Type must be a CS, SS or MS.
E424	Order	Invalid Order Freq Code	Order-Freq. must either be a W, B, S, M, Q, E or A.
E425	Order	Invalid Order Freq Amount	Order-Freq.-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E428	Order	Order end Date <= Order eff. Date	Order-End-Date must be greater than the Order-Effective-Date.
E431	Order	Invalid Medical Order Indicator	Medical-Ordered must either be Y or N.
E433	Order	Invalid Order Arrears Freq.	Order-Arrears-Freq. must either be a W, B, S, M, Q, E or A.
E434	Order	Mandatory Order Arrears Freq. missing	Order-Arrears-Freq. is required if Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E435	Order	Invalid Order Arrears Freq Amount	Order-Arrears-Freq.-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E436	Order	Mandatory Order Arrears Freq. Amount missing	Order-Arrears-Freq.-Amount is required if Order-Arrears-Freq. is present for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.
E437	Order	Invalid Order Arrears Total Amount	Order-Arrears-Total-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E438	Order	Mandatory Order Arrears Total Amount missing	Order-Arrears-Total-Amount is required if Order-Arrears-Freq. is present and Order-Arrears-Freq.-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses. Note: Order-Arrears-Freq.-Amount can equal zero dollars.
E441	Order	Arrears TANF Thru Date <= TANF From Date	Arrears-TANF-Thru-Date must be greater than Arrears-TANF-From-Date.
E442	Order	Invalid Arrears TANF Amount	Arrears-TANF-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E445	Order	Arrears Non-TANF Thru Date <= Non-TANF From Date	Arrears-Non-TANF-Thru-Date must be greater than Arrears-Non-TANF-From-Date.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E446	Order	Mandatory Non-TANF From Date missing	Arrears-Non-TANF-From-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.
E447	Order	Invalid Arrears Non-TANF Amount	Arrears-Non-TANF-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E450	Order	Foster Care Thru Date <= Foster Care From Date	Foster-Care-Thru-Date must be greater than Foster-Care-From-Date.
E451	Order	Invalid Foster Care Amount	Foster-Care-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E455	Order	Medical Thru Date <= Medical From Date	Medical-Thru-Date must be greater than Medical-From-Date.
E456	Order	Invalid Medical Amount	Medical-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.
E459	NCP-ID	Invalid Eye color	Eye-Color must be BU, BN, DK, GN, GY, HZ or OT.
E461	NCP Locate	Mandatory Res. Address Confirm Ind is missing	Residential-Address-Confirmed-Ind. is required if the Residential-Address-Line-1 is present.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E462	NCP Locate	Invalid Res. Address confirm Ind.	Residential-Address-Confirmed Ind. must be Y, N or P.
E464	Collection	Posting Date <= Collection Date	Date-Of-Posting must be equal to or greater than Date-Of-Collection if both have been entered.
E465	Collection	Invalid Payment Amount	Payment-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9. Payment-Amount cannot equal +0000000.00.
E466	Collection	Invalid Payment Source	Payment-Source must either be an A, G, I, S, U, N, O or W.
E467	Collection	Invalid Interstate Payment method	Interstate-Payment-Method must either be E, M or O.
E468	Information	Invalid Status Change code	Status-Change-Code must either be O or C.
E469	Information	Mandatory Status Change code missing	Status-Change-Code is required [except for MSC P REJECT].
E473	Case	Invalid Payment Zip code	Payment-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E484	Order	Mandatory Medical From Date missing	Medical-From-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST, ENF Responses.
E489	Order	Mandatory Debt Type missing	Debt-Type is required.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E490	Order	Mandatory Order Frequency is missing	Order-Freq. is required when the Order-Freq.-Amount is greater than zero.
E491	Order	Mandatory Order Frequency Amount is missing	Order-Freq.-Amount is required [when the Order-Arrears-Total-Amount is blank].
E492	Collection	Mandatory Collection Date is missing	Date-Of-Collection is required for all COL transactions [except for COL P CISUB].
E493	Collection	Mandatory Posting Date is missing	Date-Of-Posting is required for all COL transactions [except for COL P CISUB].
E494	Collection	Mandatory Payment Amount is missing	Payment-Amount is required for all COL transactions [except for COL P CISUB].
E495	Collection	Mandatory Payment Source is missing	Payment-Source is required for all COL transactions [except for COL P CISUB].
E496	Collection	Mandatory Interstate Payment Method missing	Interstate-Payment-Method is required for all COL transactions [except for COL P CISUB].
E497	Order	Mandatory Order Effective Date missing	Order-Effective-Date is required for the following transactions: ENF Requests and Updates; EST and ENF Responses; and PAT Responses if Order-Type does not equal P.
E499	Header	Mandatory Action Reason missing	Action-Reason is required for CSI transactions.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E503	Case	Mandatory Payment Mailing Address Line1 missing	Payment-Mail-Address-Line 1 is required for EST, ENF Requests and Updates [and the MSC R GRPAY transaction].
E509	NCP-ID	Invalid Alias 1 Social Security Number	Alias-SSN-1 must be filled with digits only. Digits must not be in consecutive order.
E510	NCP-ID	Invalid Alias 2 Social Security Number	Alias-SSN-2 must be filled with digits only. Digits must not be in consecutive order.
E511	NCP-ID	Invalid Height in Feet	Height-Ft. must be filled with digits only. Height-Ft. cannot be zero. Height-Ft. is required if Height-In. is present.
E512	NCP-ID	Invalid Height in Inches	Height-In. must be filled with digits only. Height-In. can be 00 –11 only. Height-In. is required if Height-Ft. is present.
E513	NCP Locate	Invalid Wage Quarter	Wage-Qtr must be a 1, 2, 3 or 4.
E514	NCP Locate	Invalid Wage Year	Wage-Year must be between 1900 and 2099.
E515	NCP Locate	Invalid Wage Amount	Wage-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9. Wage-Amount cannot equal +0000000.00.
E517	Header	Information Blk Required with Attachments	Information-Ind. must be 1 if the Attachments-Ind. equals Y. An Information data block must be included in the transaction.
E521	Information	Attachments List Must Be Included	Either Information-Text-Line-1, -2 or -3 must contain data if the Attachments-Ind. equals Y.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E522	Case	Invalid Fax Field	Fax must be filled with digits only. Digits must not be in consecutive order.
E523	Case	Invalid State With CEJ	State-With-CEJ must be a valid state code.
E525	Order	Invalid Controlling Order Flag	Controlling-Order-Flag must either be P or D.
E526	Participant	Invalid Participant State code	Participant-State must be a valid state code.
E527	Participant	Invalid Participant Zip 1	Participant-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E528	Participant	Invalid Participant Zip 2	Participant-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E529	Participant	Invalid Address Confirmed Field	Address-Confirmed must either be Y, N or " " (space).
E530	Participant	Invalid Date Address Confirmed Field	Date-Address-Confirmed must be filled with digits only. Digits must not be in consecutive order.
E532	NCP Locate	Invalid Employer Zip 1	Employer-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E533	NCP Locate	Invalid Employer Zip 2	Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E535	Participant	Invalid Employer Confirmed Field	Employer-Confirmed must be either a Y, N or " " (space).

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E536	Participant	Invalid Date Employer Confirmed Field	Date-Employer-Confirmed must be filled with digits only. Digits must not be in consecutive order.
E537	NCP Locate	Invalid Work Phone Field	Work-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
E538	Participant	Invalid Dependent Child State Of Residence Field	Dependent-Child-State-Of-Residence must be a valid state code.
E539	Case	Invalid Nondisclosure Findings Field	Nondisclosure-Finding must be either Y, N or " " (space).
E540	NCP-ID	Invalid Possibly Dangerous Field	Possibly-Dangerous must either be Y, N or " " (space).
E541	NCP Locate	Invalid Employer2 EIN Field	Employer2-EIN must be filled with digits only. Digits must not be in consecutive order.
E542	NCP Locate	Invalid Employer2 Zip1 Field	Employer2-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E543	NCP Locate	Invalid Employer2 Zip2 Field	Employer2-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E544	NCP Locate	Invalid Employer2 State Field	Employer2-State must be a valid state code.
E545	NCP Locate	Invalid Employer2 Phone Number Field	Employer2-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E546	NCP Locate	Invalid Employer2 Effective Date Field	Employer2-Effective-Date must be filled with digits only. Digits must not be in consecutive order.
E547	NCP Locate	Invalid Employer2 End Date Field	Employer2-End-Date must be filled with digits only. Digits must not be in consecutive order.
E548	NCP Locate	Invalid Employer2 Confirmed Indicator Field	Employer2-Confirmed-Ind. must either be Y or N.
E549	NCP Locate	Invalid Wage2 Quarter Field	Wage2-Qtr must be a 1, 2, 3 or 4.
E550	NCP Locate	Invalid Wage2 Year Field	Wage2-Year must be between 1900 and 2099 inclusive.
E551	NCP Locate	Invalid Wage2 Amount Field	Wage2-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9. Wage2-Amount cannot equal +0000000.00.
E552	NCP Locate	Invalid Employer3 EIN Field	Employer3-EIN must be filled with digits only. Digits must not be in consecutive order.
E553	NCP Locate	Invalid Employer3 Zip1 Field	Employer3-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E554	NCP Locate	Invalid Employer3 Zip2 Field	Employer3-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E555	NCP Locate	Invalid Employer3 State Field	Employer3-State must be a valid state code.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E556	NCP Locate	Invalid Employer3 Phone Number Field	Employer3-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.
E557	NCP Locate	Invalid Employer3 Effective Date Field	Employer3-Effective-Date must be filled with digits only. Digits must not be in consecutive order.
E558	NCP Locate	Invalid Employer3 End Date Field	Employer3-End-Date must be filled with digits only. Digits must not be in consecutive order.
E559	NCP Locate	Invalid Employer3 Confirmed Indicator Field	Employer3-Confirmed-Ind. must either be Y or N.
E560	NCP Locate	Invalid Wage3 Quarter Field	Wage3-Qtr must be a 1, 2, 3 or 4.
E561	NCP Locate	Invalid Wage3 Year Field	Wage3-Year must be between 1900–2099.
E562	NCP Locate	Invalid Wage3 Amount Field	Wage3-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9. Wage3-Amount cannot equal +0000000.00.
E563	Order	Invalid New Order Flag Field	New-Order-Flag must either be Y, N or " " (space).
E564	Case	Invalid Payment FIPS State Field	Payment-FIPS-State must be valid according to the IRG.
E565	Case	Invalid Payment FIPS County Field	Payment-FIPS-County must be valid according to the IRG.
E567	Participant	Invalid Dependent Paternity Status Field	Dependent-Paternity-Status must either be Y, N, [1, 2, 3, 4, 5, 6] or " " (space).

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E569	Header	Mandatory Other Case ID is missing	Other-Case-ID is required for Responses, Acknowledgments and CSI transactions.
E571	Case	Invalid Send Payments Bank Account	Send-Payments-Bank-Account must be filled with digits only. Digits must not be in consecutive order.
E572	Case	Invalid Send Payments Routing Code	Send-Payments-Routing-Code must be filled with digits only. Digits must not be in consecutive order.
E577	NCP Locate	Invalid Last Employer Effective Date Field	Last-Employer-Eff.-Date must contain digits only. Digits must not be in consecutive order.
E582	NCP Locate	Mandatory Employer2 effective Date is missing	Employer2-Effective-Date is required if Employer2-Address-Line-1 is present.
E584	NCP Locate	Mandatory Employer2 Confirm Ind. missing	Employer2-Confirmed-Ind. must be either a Y or N.
E585	NCP Locate	Mandatory Employer3 Address missing	Employer3-Address-Line-1 is required for ENF Requests and LO1 Responses if the Employer3-Name is present.
E586	NCP Locate	Mandatory Employer3 Effective Date is missing	Employer3-Effective-Date is required if Employer3-Address-Line-1 is present.
E588	NCP Locate	Mandatory Employer3 Confirm Ind. missing	Employer3-Confirmed-Ind. must be either Y or N.
E600	Header	Mandatory Local FIPS State required	Local-FIPS-State is required.
E601	Header	Mandatory Local FIPS County Required	Local-FIPS-County is required.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E602	Header	Mandatory Other FIPS State Required	Other-FIPS-State is required.
E603	Header	Mandatory Other FIPS County Required	Other-FIPS-County is required.
E604	Header	CSENet version number does not equal 003	CSENet Version-Number must equal 003.
E605	Header	Mandatory Transaction Serial Number is missing	Transaction-Serial-Number is required.
E606	Header	Transaction Serial Number must be one or greater	Transaction-Serial-Number must contain only digits and not equal all zeros. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.
E607	Header	Transaction Date is not century compliant	The century of Transaction-Date must be either 19 or 20.
E608	Header	Transaction Date Century is not valid	Transaction-Date must contain digits in the CCYYMMDD format.
E609	Header	Transaction Date Month is not valid	The month of Transaction-Date must be between 01 and 12.
E610	Header	Transaction Date Day is not valid for leap year	The day of Transaction-Date for leap year must be between 01 and 29.
E611	Header	Transaction Date Day is not valid	The day of Transaction-Date must be between 01 and 31.
E612	Header	Transaction Date is not numeric	Transaction-Date must contain digits in the CCYYMMDD format.
E619	Case	Mandatory Case Type missing	Case-Type is required.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E620	Case	Invalid Case Type	Case-Type must either be an A, N, F, R, C, V, M, S or T.
E622	NCP Locate	Mailing Address Eff Date is not century compliant	The century of Mailing-Address-Effective-Date must be either 19 or 20.
E623	NCP Locate	Mailing Address Eff Date Century is not valid	Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.
E624	NCP Locate	Mailing Address Eff Date Month is not valid	The month of Mailing-Address-Effective-Date must be between 01 and 12.
E625	NCP Locate	Mailing Address Eff Date Day is not valid for leap year	The day of Mailing-Address-Effective-Date for leap year must be between 01 and 29.
E626	NCP Locate	Mailing Address Eff Date Day is not valid	The day of Mailing-Address-Effective-Date must be between 01 and 31.
E628	NCP Locate	Mailing Address End Date is not century compliant	The century of Mailing-Address-End-Date must be either 19 or 20.
E629	NCP Locate	Mailing Address End Date Century is not valid	Mailing-Address-End-Date must contain digits in the CCYYMMDD format.
E630	NCP Locate	Mailing Address End Date Month is not valid	The month of Mailing-Address-End-Date must be between 01 and 12.
E631	NCP Locate	Mailing Address End Date Day is not valid for leap year	The day of Mailing-Address-End-Date for leap year must be between 01 and 29.
E632	NCP Locate	Mailing Address End Date Day is not valid	The day of Mailing-Address-End-Date must be between 01 and 31.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E633	NCP Locate	Mailing Address End Date is not numeric	Mailing-Address-End-Date must contain digits in the CCYYMMDD format.
E634	NCP Locate	Employer Eff Date is not century compliant	The century of Employer-Effective-Date must be either 19 or 20.
E635	NCP Locate	Employer Eff Date Century is not valid	Employer-Effective-Date must contain digits in the CCYYMMDD format.
E636	NCP Locate	Employer Eff Date Month is not valid	The month of Employer-Effective-Date must be between 01 and 12.
E637	NCP Locate	Employer Eff Date Day is not valid for leap year	The day of Employer-Effective-Date for leap year must be between 01 and 29.
E638	NCP Locate	Employer Eff Date Day is not valid	The day of Employer-Effective-Date must be between 01 and 31.
E640	NCP Locate	Employer End Date is not century compliant	The century of Employer-End-Date must be either 19 or 20.
E641	NCP Locate	Employer End Date Century is not valid	Mailing-Address-Effective-Date must contain digits in the CCYYMMDD format.
E642	NCP Locate	Employer End Date Month is not valid	The month of Employer-End-Date must be between 01 and 12.
E643	NCP Locate	Employer End Date Day is not valid for leap year	The day of Employer-End-Date for leap year must be between 01 and 29.
E644	NCP Locate	Employer End Date Day is not valid	The day of Employer-End-Date must be between 01 and 31.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E646	NCP Locate	Last Mail Address Date is not century compliant	The century of Last-Mail-Address-Date must be either 19 or 20.
E647	NCP Locate	Last Mail Address Date Century is not valid	Last-Mailing-Address-Date must contain digits in the CCYYMMDD format.
E648	NCP Locate	Last Mail Address Date Month is not valid	The month of Last-Mail-Address-Date must be between 01 and 12.
E649	NCP Locate	Last Mail Address Date Day is not valid for leap year	The day of Last-Mail-Address-Date for leap year must be between 01 and 29.
E650	NCP Locate	Last Mail Address Date Day is not valid	The day of Last-Mail-Address-Date must be between 01 and 31.
E658	NCP Locate	Last Employer Eff Date is not century compliant	The century of Last-Employer-Eff.-Date must be either 19 or 20.
E659	NCP Locate	Last Employer Eff Date Century is not valid	Last-Employer-Eff.-Date must contain digits in the CCYYMMDD format.
E660	NCP Locate	Last Employer Eff Date Month is not valid	The month of Last-Employer-Eff.-Date must be between 01 and 12.
E661	NCP Locate	Last Employer Eff Date Day is not valid for leap year	The day of Last-Employer-Eff.-Date for leap year must be between 01 and 29.
E662	NCP Locate	Last Employer Eff Date Day is not valid	The day of Last-Employer-Eff.-Date must be between 01 and 31.
E664	NCP Locate	Employer2 Eff Date is not century compliant	The century of Employer2-Effective-Date must be either 19 or 20.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E665	NCP Locate	Employer2 Eff Date Century is not valid	Employer2-Effective-Date must contain digits in the CCYYMMDD format.
E666	NCP Locate	Employer2 Eff Date Month is not valid	The month of Employer2-Effective-Date must be between 01 and 12.
E667	NCP Locate	Employer2 Eff Date Day is not valid for leap year	The day of Employer2-Effective-Date for leap year must be between 01 and 29.
E668	NCP Locate	Employer2 Eff Date Day is not valid	The day of Employer2-Effective-Date must be between 01 and 31.
E670	NCP Locate	Employer2 End Date is not century compliant	The century of Employer2-End-Date must be either 19 or 20.
E671	NCP Locate	Employer2 End Date Century is not valid	Employer2-End-Date must contain digits in the CCYYMMDD format.
E672	NCP Locate	Employer2 End Date Month is not valid	The month of Employer2-End-Date must be between 01 and 12.
E673	NCP Locate	Employer2 End Date Day is not valid for leap year	The day of Employer2-End-Date for leap year must be between 01 and 29.
E674	NCP Locate	Employer2 End Date Day is not valid	The day of Employer-End-Date must be between 01 and 31.
E676	NCP Locate	Employer3 Eff Date is not century compliant	The century of Employer3-Effective-Date must be either 19 or 20.
E677	NCP Locate	Employer3 Eff Date Century is not valid	Employer3-Effective-Date must contain digits in the CCYYMMDD format.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E678	NCP Locate	Employer3 Eff Date Month is not valid	The month of Employer3-Effective-Date must be between 01 and 12.
E679	NCP Locate	Employer3 Eff Date Day is not valid for leap year	The day of Employer3-Effective-Date for leap year must be between 01 and 29.
E680	NCP Locate	Employer3 Eff Date Day is not valid	The day of Employer3-Effective-Date must be between 01 and 31.
E682	NCP Locate	Employer3 End Date is not century compliant	The century of Employer3-End-Date must be either 19 or 20.
E683	NCP Locate	Employer3 End Date Century is not valid	Employer3-End-Date must contain digits in the CCYYMMDD format.
E684	NCP Locate	Employer3 End Date Month is not valid	The month of Employer3-End-Date must be between 01 and 12.
E685	NCP Locate	Employer3 End Date Day is not valid for leap year	The day of Employer3-End-Date for leap year must be between 01 and 29.
E686	NCP Locate	Employer3 End Date Day is not valid	The day of Employer3-End-Date must be between 01 and 31.
E688	Participant	Date Address Confirmed is not century compliant	The century of Date-Address-Confirmed must be either 19 or 20.
E689	Participant	Date Address Confirmed century is not valid	Date-Address-Confirmed must contain digits in the CCYYMMDD format.
E690	Participant	Date Address Confirmed Month is not valid	The month of Date-Address-Confirmed must be between 01 and 12.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E691	Participant	Date Address Confirmed Day is not valid for leap year	The day of Date-Address-Confirmed for leap year must be between 01 and 29.
E692	Participant	Date Address Confirmed Day is not valid	The day of Date-Address-Confirmed must be between 01 and 31.
E694	Participant	Date Employer Confirmed is not century compliant	The century of Date-Employer-Confirmed must be either 19 or 20.
E695	Participant	Date Employer Confirmed century is not valid	Date-Employer-Confirmed must contain digits in the CCYYMMDD format.
E696	Participant	Date Employer Confirmed month is not valid	The month of Date-Employer-Confirmed must be between 01 and 12.
E697	Participant	Date Employer Confirmed day is not valid for leap year	The day of Date-Employer-Confirmed for leap year must be between 01 and 29.
E698	Participant	Date Employer Confirmed day is not valid	The day of Date-Employer-Confirmed must be between 01 and 31.
E700	Order	Invalid Order FIPS State	Order-FIPS-State must be valid according to the IRG.
E701	Order	Invalid Order FIPS County	Order-FIPS-County must be valid according to the IRG.
E702	Order	Order Filing Date is not century compliant	The century of Order-Filing-Date must be either 19 or 20.
E703	Order	Order Filing Date Century is not valid	Order-Filing-Date must contain digits in the CCYYMMDD format.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E704	Order	Order Filing Date Month is not valid	The month of Order-Filing-Date must be between 01 and 12.
E705	Order	Order Filing Date Day is not valid for leap year	The day of Order-Filing-Date for leap year must be between 01 and 29.
E706	Order	Order Filing Date Day is not valid	The day of Order-Filing-Date must be between 01 and 31.
E707	Order	Order Filing Date is not numeric	Order-Filing-Date must contain digits in the CCYYMMDD format.
E708	Order	Order Effective Date is not century compliant	The century of Order-Effective-Date must be either 19 or 20.
E709	Order	Order Effective Date Century is not valid	Order-Effective-Date must contain digits in the CCYYMMDD format.
E710	Order	Order Effective Date Month is not valid	The month of Order-Effective-Date must be between 01 and 12.
E711	Order	Order Effective Date Day is not valid for leap year	The day of Order-Effective-Date for leap year must be between 01 and 29.
E712	Order	Order Effective Date Day is not valid	The day of Order-Effective-Date must be between 01 and 31.
E713	Order	Order Effective Date is not numeric	Order-Effective-Date must contain digits in the CCYYMMDD format.
E714	Order	Order End Date is not century compliant	The century of Order-End-Date must be either 19 or 20.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E715	Order	Order End Date Century is not valid	Order-End-Date must contain digits in the CCYYMMDD format.
E716	Order	Order End Date Month is not valid	The month of Order-End-Date must be between 01 and 12.
E717	Order	Order End Date Day is not valid for leap year	The day of Order-End-Date for leap year must be between 01 and 29.
E718	Order	Order End Date Day is not valid	The day of Order-End-Date must be between 01 and 31.
E719	Order	Order End Date is not numeric	Order-End-Date must contain digits in the CCYYMMDD format.
E720	Order	Order Cancel Date is not century compliant	The century of Order-Cancel-Date must be either 19 or 20.
E721	Order	Order Cancel Date Century is not valid	Order-Cancel-Date must contain digits in the CCYYMMDD format.
E722	Order	Order Cancel Date Month is not valid	The month of Order-Cancel-Date must be between 01 and 12.
E723	Order	Order Cancel Date Day is not valid for leap year	The day of Order-Cancel-Date for leap year must be between 01 and 29.
E724	Order	Order Cancel Date Day is not valid	The day of Order-Cancel-Date must be between 01 and 31.
E725	Order	Order Cancel Date is not numeric	Order-Cancel-Date must contain digits in the CCYYMMDD format.
E726	Order	Arrears TANF From Date is not century compliant	The century of Arrears-TANF-From-Date must be either 19 or 20.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E727	Order	Arrears TANF From Date Century is not valid	Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.
E728	Order	Arrears TANF From Date Month is not valid	The month of Arrears-TANF-From-Date must be between 01 and 12.
E729	Order	Arrears TANF From Date Day is not valid for leap year	The day of Arrears-TANF-From-Date for leap year must be between 01 and 29.
E730	Order	Arrears TANF From Date Day is not valid	The day of Arrears-TANF-From-Date must be between 01 and 31.
E731	Order	Arrears TANF From Date is not numeric	Arrears-TANF-From-Date must contain digits in the CCYYMMDD format.
E732	Order	Arrears TANF Thru Date is not century compliant	The century of Arrears-TANF-Thru-Date must be either 19 or 20.
E733	Order	Arrears TANF Thru Date Century is not valid	Arrears-TANF-Thru-Date must contain digits in the CCYYMMDD format.
E734	Order	Arrears TANF Thru Date Month is not valid	The month of Arrears-TANF-Thru-Date must be between 01 and 12.
E735	Order	Arrears TANF Thru Date Day is not valid for leap year	The day of Arrears-TANF-Thru-Date for leap year must be between 01 and 29.
E736	Order	Arrears TANF Thru Date Day is not valid	The day of Arrears-TANF-Thru-Date must be between 01 and 31.
E737	Order	Arrears TANF Thru Date is not numeric	Arrears-TANF-Thru-Date must contain digits in the CCYYMMDD format.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E744	Order	Arrears Non-TANF Thru Date is not century compliant	The century of Arrears-Non-TANF-Thru-Date must be either 19 or 20.
E745	Order	Arrears Non-TANF Thru Date Century is not valid	Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.
E746	Order	Arrears Non-TANF Thru Date Month is not valid	The month of Arrears-Non-TANF-Thru-Date must be between 01 and 12.
E747	Order	Arrears Non-TANF Thru Date Day is not valid for leap year	The day of Arrears-Non-TANF-Thru-Date for leap year must be between 01 and 29.
E748	Order	Arrears Non-TANF Thru Date Day is not valid	The day of Arrears-Non-TANF-Thru-Date must be between 01 and 31.
E749	Order	Arrears Non-TANF Thru Date is not numeric	Arrears-Non-TANF-Thru-Date must contain digits in the CCYYMMDD format.
E750	Order	Arrears Non-TANF From Date is not century compliant	The century of Arrears-Non-TANF-From-Date must be either 19 or 20.
E751	Order	Arrears Non-TANF From Date Century is not valid	Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.
E752	Order	Arrears Non-TANF From Date Month is not valid	The month of Arrears-Non-TANF-From-Date must be between 01 and 12.
E753	Order	Arrears Non-TANF From Date Day is not valid for leap year	The day of Arrears-Non-TANF-From-Date for leap year must be between 01 and 29.
E754	Order	Arrears Non-TANF From Date Day is not valid	The day of Arrears-Non-TANF-From-Date must be between 01 and 31.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E755	Order	Arrears Non-TANF From Date is not numeric	Arrears-Non-TANF-From-Date must contain digits in the CCYYMMDD format.
E762	Order	Foster Care From Date is not century compliant	The century of Foster-Care-From-Date must be either 19 or 20.
E763	Order	Foster Care From Date Century is not valid	Foster-Care-From-Date must contain digits in the CCYYMMDD format.
E764	Order	Foster Care From Date Month is not valid	The month of Foster-Care-From-Date must be between 01 and 12.
E765	Order	Foster Care From Date Day is not valid for leap year	The day of Foster-Care-From-Date for leap year must be between 01 and 29.
E766	Order	Foster Care From Date Day is not valid	The day of Foster-Care-From-Date for leap year must be between 01 and 31.
E767	Order	Foster Care From Date is not numeric	Foster-Care-From-Date must contain digits in the CCYYMMDD format.
E768	Order	Foster Care Thru Date is not century compliant	The century of Foster-Care-Thru-Date must be either 19 or 20.
E769	Order	Foster Care Thru Date Century is not valid	Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.
E770	Order	Foster Care Thru Date Month is not valid	The month of Foster-Care-Thru-Date must be between 01 and 12.
E771	Order	Foster Care Thru Date Day is not valid for leap year	The day of Foster-Care-Thru-Date for leap year must be between 01 and 29.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E772	Order	Foster Care Thru Date Day is not valid	The day of Foster-Care-Thru-Date must be between 01 and 31.
E773	Order	Foster Care Thru Date is not numeric	Foster-Care-Thru-Date must contain digits in the CCYYMMDD format.
E774	Order	Date of Last Payment is not century compliant	The century of Date-Of-Last-Payment must be either 19 or 20.
E775	Order	Date of Last Payment Century is not valid	Date-of-Last-Payment must contain digits in the CCYYMMDD format.
E776	Order	Date of Last Payment Month is not valid	The month of Date-Of-Last-Payment must be between 01 and 12.
E777	Order	Date of Last Payment Day is not valid for leap year	The day of Date-Of-Last-Payment for leap year must be between 01 and 29.
E778	Order	Date of Last Payment Day is not valid	The day of Date-Of-Last-Payment must be between 01 and 31.
E779	Order	Date of Last Payment is not numeric	Date-Of-Last-Payment must contain digits in the CCYYMMDD format.
E785	Collection	Date of Collection is not century compliant	The century of Date-Of-Collection must be either 19 or 20.
E786	Collection	Date of Collection Century is not valid	Date-of-Collection must contain digits in the CCYYMMDD format.
E787	Collection	Date of Collection Month is not valid	The month of Date-Of-Collection must be between 01 and 12.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E788	Collection	Date of Collection Day is not valid for leap year	The day of Date-Of-Collection for leap year must be between 01 and 29.
E789	Collection	Date of Collection Day is not valid	The day of Date-of-Collection must be between 01 and 31.
E790	Collection	Date of Collection is not numeric	Date-Of-Collection must contain digits in the CCYYMMDD format.
E791	Collection	Date of Posting is not century compliant	The century of Date-Of-Posting must be either 19 or 20.
E792	Collection	Date of Posting Century is not valid	Date-of-Posting must contain digits in the CCYYMMDD format.
E793	Collection	Date of Posting Month is not valid	The month of Date-Of-Posting must be between 01 and 12.
E794	Collection	Date of Posting Day is not valid for leap year	The day of Date-Of-Posting for leap year must be between 01 and 29.
E795	Collection	Date of Posting Day is not valid	The day of Date-Of-Posting must be between 01 and 31.
E796	Collection	Date of Posting is not numeric	Date-Of-Posting must contain digits in the CCYYMMDD format.
E798	Header	Mandatory Transaction Date is missing	Transaction-Date is required.
E799	Header	Mandatory Case Data Indicator is missing	Case-Data-Ind. is required.
E800	Header	Mandatory NCP ID Indicator is missing	NCP-Identification Ind. is required.
E802	Header	Mandatory NCP Locate Indicator is missing	NCP-Locate-Data-Ind. is required.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E803	Header	Mandatory Participant Indicator is missing	Participant-Data-Ind. is required.
E804	Header	Mandatory Order Data Block Indicator is missing	Order-Data-Ind. is required.
E805	Header	Mandatory Collection Indicator is missing	Collection-Data-Ind. is required.
E806	Header	Mandatory Information Indicator is missing	Information-Ind. is required.
E807	Header	Invalid Due Date should be filled with spaces	Due-Date should be filled with spaces.
E808	Header	Invalid Response Date should be filled with spaces	Response-Date should be filled with spaces.
E809	Case	Mandatory Case Status is missing	Case-Status is required.
E810	Case	Invalid Case Status	Case-Status must be either an O or C.
E812	Case	Invalid Payment Zip 2	Payment-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E813	NCP-ID	Mandatory NCP First Name is missing	Name-First is required.
E814	NCP-ID	Mandatory SSN is missing	SSN is required for the following transactions: ENF Responses; and PAT, EST, ENF Requests and Updates. PAT, EST and COL Responses if the Mailing-Address-Line-1, Residential-Address-Line-1 and Employer-Name fields in the NCP Locate data block are blank-filled.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E815	NCP Locate	Mandatory Res Address Ind is missing	Residential-Address-Confirmed-Ind. is required when Residential-Address-Line-1 is present.
E816	NCP Locate	Invalid Res Address Ind	Residential-Address-Confirmed-Ind. must either be Y, N or P.
E817	NCP Locate	Mandatory Emp Name, Mail Address or Res Address is missing	Either an Employer-Name, Mailing-Address-Line-1 or Residential-Address-Line-1 must be present for the following transactions: PAT and EST Requests and Updates - All Responses except COL, MSC and CSI, if the 2nd character in the Action Code equals S; and ENF Requests or Updates.
E818	NCP Locate	Mandatory Employer 2 Address is missing	Employer2-Address-Line-1 is required for ENF Requests and LO1 Responses if Employer2-Name is present.
E819	Participant	Mandatory Last Name is missing	Name-Last is required for the following transactions: PAT, EST and CSI Requests and Updates; CSI Responses; and ENF Requests and Updates if the Relationship code equals D.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E820	Participant	Mandatory First Name is missing	Name-First is required for the following transactions: PAT, EST and CSI Requests and Updates; CSI Responses; and ENF Requests and Updates if Relationship equals D.
E821	Participant	Mandatory Date of Birth is missing	Date-Of-Birth is required for the following transactions: PAT Requests and Updates; and ENF and EST Requests and Updates if the Relationship code equals D.
E824	Order	Mandatory order FIPS state is missing	Order-FIPS-State is required for all transactions except CSI Responses.
E825	Order	Mandatory order FIPS county is missing	Order-FIPS-County is required for all transactions except CSI Responses.
E826	Order	Mandatory Order type is missing	Order-Type is required for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E829	NCP-ID	Invalid Gender	Gender in the NCP-ID data block must be M, F or O.
E830	NCP-ID	Invalid Race	Race in the NCP-ID data block must be W, B, I, A, S or X.
E831	Header	Invalid Combination of Funct Type Code, Act Code and Act Reason	[The combination of Functional-Type-Code, Action-Code and Action-Reason is invalid.]

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E832	Header	Action Res. Date is not century compliant	The century of Action-Resolution-Date must be either 19 or 20.
E833	Header	Action Res. Date Century is not valid	Action-Resolution-Date must contain digits in the CCYYMMDD format.
E834	Header	Action Res. Date Month is not valid	The month of Action-Resolution-Date must be between 01 and 12.
E835	Header	Action Res. Date Day is not valid for leap year	The day of Action-Resolution-Date for leap year must be between 01 and 29.
E836	Header	Action Res. Date Day is not valid	The day of Action-Resolution-Date must be between 01 and 31.
E837	Header	Action Res. Date is not numeric	Action-Resolution-Date must contain digits in the CCYYMMDD format.
E838	NCP Locate	Residential Address End Date is not century compliant	The century of Residential-Address-End-Date must be either 19 or 20.
E839	NCP Locate	Residential Address End Date Century is not valid	Residential-Address-End-Date must contain digits in the CCYYMMDD format.
E840	NCP Locate	Residential Address End Date Month is not valid	The month of Residential-Address-End-Date must be between 01 and 12.
E841	NCP Locate	Residential Address End Date Day is not valid for leap year	The day of Residential-Address-End-Date for leap year must be between 01 and 29.
E842	NCP Locate	Residential Address End Date Day is not valid	The day of Residential-Address-End-Date must be between 01 and 31.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E844	NCP Locate	Last Employer Date is not century compliant	The century of Last-Employer-Date must be either 19 or 20.
E845	NCP Locate	Last Employer Date Century is not valid	Last-Employer-Date must contain digits in the CCYYMMDD format.
E846	NCP Locate	Last Employer Date Month is not valid	The month of Last-Employer-Date must be between 01 and 12.
E847	NCP Locate	Last Employer Date Day is not valid for leap year	The day of Last-Employer-Date for leap year must be between 01 and 29.
E848	NCP Locate	Last Employer Date Day is not valid	The day of Last-Employer-Date must be between 01 and 31.
E850	Order	Medical Thru Date is not century compliant	The century of Medical-Thru-Date must be either 19 or 20.
E851	Order	Medical Thru Date Century is not valid	Medical-Thru-Date must contain digits in the CCYYMMDD format.
E852	Order	Medical Thru Date Month is not valid	The month of Medical-Thru-Date must be between 01 and 12.
E853	Order	Medical Thru Date Day is not valid for leap year	The day of Medical-Thru-Date for leap year must be between 01 and 29.
E854	Order	Medical Thru Date Day is not valid	The day of Medical-Thru-Date must be between 01 and 31.
E855	Order	Medical Thru Date is not numeric	Medical-Thru-Date must contain digits in the CCYYMMDD format.
E856	Order	Medical From Date is not century compliant	The century of Medical-From-Date must be either 19 or 20.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E857	Order	Medical From Date Century is not valid	Medical-From-Date must contain digits in the CCYYMMDD format.
E858	Order	Medical From Date Month is not valid	The month of Medical-From-Date must be between 01 and 12.
E859	Order	Medical From Date Day is not valid for leap year	The day of Medical-From-Date for leap year must be between 01 and 29.
E860	Order	Medical From Date Day is not valid	The day of Medical-From-Date must be between 01 and 31.
E861	Order	Medical From Date is not numeric	Medical-From-Date must contain digits in the CCYYMMDD format.
E862	Order	Mandatory Arrears TANF From Date missing	Arrears-TANF-From-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E863	Order	Mandatory Arrears TANF Thru Date missing	Arrears-TANF-Thru-Date is required if Arrears-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E864	Order	Mandatory Arrears non TANF Thru Date missing	Arrears-Non-TANF-Thru-Date is required if Arrears-Non-TANF-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E865	Order	Mandatory Foster Care Thru Date missing	Foster-Care-Thru-Date is required if Foster-Care-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E866	Order	Mandatory Foster Care From Date missing	Foster-Care-From-Date is required if Foster-Care-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E867	Order	Mandatory Medical Thru Date missing	Medical-Thru-Date is required if Medical-Amount is greater than zero for the following transactions: ENF Requests and Updates; and PAT, EST and ENF Responses.
E869	Header	Invalid Sent Time is not numeric	Sent-Time must be digits only in HHMMSS format.
E870	Header	Invalid Sent Time – Hour must be 00-23	The Sent-Time hour must be between 00 and 23.
E871	Header	Invalid Sent Time – Minute must be 00-59	The Sent-Time minutes must be between 00 and 59.
E872	Header	Invalid Sent Time – Second must be 00-59	The Sent-Time seconds must be between 00 and 59.
E873	Header	Sent Date is not century compliant	The century of Sent-Date must be either 19 or 20.
E874	Header	Sent Date Century is not valid	Sent-Date must contain digits in the CCYYMMDD format.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E875	Header	Sent Date Month is not valid	The month of Sent-Date must be between 01 and 12.
E876	Header	Sent Date Day is not valid for leap year	The day of Sent-Date for leap year must be between 01 and 29.
E877	Header	Sent Date Day is not valid	The day of Sent-Date must be between 01 and 31.
E878	Header	Sent Date is not numeric	Sent-Date must contain digits in the CCYYMMDD format.
E881	Header	Mandatory Participant data block is missing	Participant-Data-Ind. must be 1 or greater for CSI Responses. Participant-Data-Ind. must be 2 or greater for PAT, EST and ENF Requests and Updates.
E882	Header	Mandatory Collection data block is missing	Collection-Data-Ind. must be 1 or greater for COL Responses.
E883	Participant	Relationship must be C in at least one Part block	If two Participant data blocks are present, at least one must have a Relationship code that equals C.
E884	Participant	Relationship must be D in at least one Part block	If two Participant data blocks are present, at least one must have a Relationship code that equals D.
E885	NCP Locate	Residential Address Eff Date is not century compliant	The century of Residential-Address-Effective-Date must be either 19 or 20.
E886	NCP Locate	Residential Address Eff Date Century is not valid	Residential-Address-Effective-Date must contain digits in the CCYYMMDD format.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E887	NCP Locate	Residential Address Eff Date Month is not valid	The month of Residential-Address-Effective-Date must be between 01 and 12.
E888	NCP Locate	Residential Address Eff Date Day is not valid for leap year	The day of Residential-Address-Effective-Date for leap year must be between 01 and 29.
E889	NCP Locate	Residential Address Eff Date Day is not valid	The day of Residential-Address-Effective-Date must be between 01 and 31.
E891	Header	Trans Serial Number must be numeric	Transaction-Serial-Number must contain digits only. The value, which is a unique sequential number assigned to each transaction, must be right-justified and zero-filled to the left.
E893	NCP Locate	Invalid Res Zip 2	Residential-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E894	NCP Locate	Invalid Mailing Zip1	Mailing-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E895	NCP Locate	Invalid Mailing Zip2	Mailing-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E896	NCP Locate	Invalid Home Phone	Home-Phone-Num. must be filled with digits only. Digits must not be in consecutive order.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E897	NCP Locate	Invalid last Res Zip2	Last-Res.-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E898	NCP Locate	Invalid last Mail Zip2	Last-Mail-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E899	NCP Locate	Invalid last Emp Zip2	Last-Employer-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E900	Participant	Invalid employer EIN	Employer-EIN must be filled with digits only. Digits must not be in consecutive order.
E901	Participant	Invalid work phone	Work-Phone must be filled with digits only. Digits must not be in consecutive order.
E902	Participant	Invalid Employer Zip1	Participant-Employer-Info.-Emp.-Zip-1 must be filled with digits only. Digits must not be repetitive unless the value is 22222, 44444 or 55555.
E903	Participant	Invalid Employer Zip2	Participant-Employer-Info.-Emp.-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E904	Header	Invalid Other FIPS State	[The state FIPS code specified in the Other-FIPS-State field is not a valid state FIPS code according to the IRG.]
E905	Header	Invalid Other FIPS County	[The county FIPS code specified in the Other-FIPS-County field is not a valid county FIPS code according to the IRG.]

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E906	Header	Originating FIPS does not match Local FIPS code	[The state FIPS code from which the transaction was received does not match the value in the Local-FIPS-State field.]
E907	Header	Invalid Local FIPS State code	[The state FIPS code specified in the Local-FIPS-State field is not a valid state FIPS code according to the IRG.]
E908	Header	Invalid Local FIPS County code	[The county FIPS code specified in the Local-FIPS-County field is not a valid county FIPS code according to the IRG.]
E909	Header	Mandatory Attachments Ind is missing	Attachments-Ind. is required.
E910	Case	Invalid Contact Zip 2	Contact-Zip-2 must be filled with digits only. Digits must not equal all zeros.
E911	NCP Locate	Last Res Address Date is not century compliant	The century of Last-Res.-Address-Date must be either 19 or 20.
E912	NCP Locate	Last Res Address Date Century is not valid	Last-Res.-Address-Date must contain digits in the CCYYMMDD format.
E913	NCP Locate	Last Res Address Date Month is not valid	The month of Last-Res.-Address-Date must be between 01 and 12.
E914	NCP Locate	Last Res Address Date Day is not valid for leap year	The day of Last-Res.-Address-Date for leap year must be between 01 and 29.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E915	NCP Locate	Last Res Address Date Day is not valid	The day of Last-Res.-Address-Date must be between 01 and 31.
E917	Participant	Mandatory Participant Address Line 1 is missing	Participant-Address-Line-1 is required for PAT Requests and Updates if Payment-Address-Line-1 is not present in the Case data block and Relationship is C.
E918	Participant	Invalid Employer State	Participant-Employer-Info.-Emp.-State must be a valid state code.
E919	Order	Order Cancel Date <= Order Effective Date	Order-Cancel-Date must be greater than Order-Effective-Date.
E920	NCP-ID	Date of Birth is not century compliant	The century of Date-Of-Birth must be either 19 or 20.
E921	NCP-ID	Date of Birth Century is not valid	Date-of-Birth in NCP-ID data block must contain digits in the CCYYMMDD format.
E922	NCP-ID	Date of Birth Month is not valid	The month of Date-Of-Birth must be between 01 and 12.
E923	NCP-ID	Date of Birth Day is not valid for leap year	The day of Date-Of Birth for leap year must be between 01 and 29.
E924	NCP-ID	Date of Birth Day is not valid	The day of Date-Of Birth must be between 01 and 31.
E925	NCP-ID	Date of Birth is not numeric	Date-Of-Birth must contain digits in the CCYYMMDD format.
E926	Participant	Date of Birth is not century compliant	The century of Date-Of-Birth must be either 19 or 20.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E927	Participant	Date of Birth Century is not valid	Date-of-Birth in the Participant data block must contain digits in the CCYYMMDD format.
E928	Participant	Date of Birth Month is not valid	The month of Date-Of Birth must be between 01 and 12.
E929	Participant	Date of Birth Day is not valid for leap year	The day of Date-Of-Birth for leap year must be between 01 and 29.
E930	Participant	Date of Birth Day is not valid	The day of Date-Of-Birth must be between 01 and 31.
E931	Participant	Date of Birth is not numeric	Date-Of-Birth must contain digits in the CCYYMMDD format.
E932	NCP Locate	Invalid Wage Qtr/Wage Year/Wage Amount Combination	Wage-Qtr, Wage-Year and Wage-Amount must be either present or blank. These fields also cannot equal all zeros.
E933	NCP Locate	Invalid Wage2 Qtr/Wage2 Year/Wage2 Amount Combination	Wage2-Qtr, Wage2-Year and Wage2-Amount must be either present or blank. These fields also cannot equal all zeros.
E934	NCP Locate	Invalid Wage3 Qtr/Wage3 Year/Wage3 Amount Combination	Wage3-Qtr, Wage3-Year and Wage3-Amount must be either present or blank. These fields also cannot equal all zeros.
E936	Header	Invalid Case-ID value	The Case-ID must adhere to the following criteria: The first position must not be a space if the field is required. Must not contain all zeros. Must not contain an asterisk (*) or backslash (\) in any position. Must not contain a combination of spaces and zeros.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E937	Header	Invalid Other-Case-ID value	The Other-Case-ID must adhere to the following criteria: The first position must not be a space if the field is required. Must not contain all zeros. Must not contain an asterisk (*) or backslash (\) in any position. Must not contain a combination of spaces and zeros.
W938	Information	The first 24 positions of the Information-Text-Line-1 must not be all spaces.	The MSC P REJCT transaction must contain data from the rejected transaction within the first 24 positions of the Information-Text-Line-1 in the following order: <ul style="list-style-type: none"> • Transaction-Serial-Number • Action-Code • Functional-Type-Code • Transaction-Date • Action-Reason (if applicable)
E939	Header	Mandatory Information Data Block is missing	The Information Data Block Indicator must equal 1 and the block must be present for MSC P REJCT, MSC P GSCAS and [MSC P GSTAI] transactions.
E940	NCP Locate	Res Address End Date <= Res Address Eff Date	Residential-Address-End-Date must be greater than Residential-Address-Effective-Date.

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
E941	Information	Invalid New Case ID Value	The New-Case-ID must adhere to the following criteria: <ul style="list-style-type: none"> • The first position must not be a space if the field is required. • Must not contain all zeros. • Must not contain an asterisk (*) or backslash (\) in any position. • Must not contain a combination of spaces and zeros.
E942	Information	Mandatory New Case ID is missing	New Case ID must be present for MSC P GSCAS.
[E943]	Information	Mandatory As of Date is missing	As-of-Date must be present within Information-Text-Line-1 for MSC P GSTAI.]
[E944]	Information	As of Date is greater than Current Date	As-of-Date cannot be greater than the current date.]
[E945]	Information	As of Date is not century compliant	The century of As-of-Date must be either 19 or 20.]
[E946]	Information	As of Date Month is not valid	The month of As-of-Date must be between 01 and 12.]
[E947]	Information	As of Date Day is not valid for leap year	The day of As-of-Date for leap year must be between 01 and 29.]
[E948]	Information	As of Date Day is not valid	The day of As-of-Date must be between 01 and 31.]
[E949]	Information	As of Date is not numeric	As-of-Date must contain digits in the CCYYMMDD format.]
[E950]	Information	Mandatory Total Arrears Owed Amount is missing	Total-Arrears-Owed-Amount must be present within Information-Text-Line-1 for MSC P GSTAI.]

CHART E-2: ACTIVE CSENET TRANSACTION ERROR CODES AND MESSAGES			
Error Code	Data Block	Message	Description
[E951]	Information	Invalid Total Arrears Owed Amount	Total-Arrears-Owed-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.]
[E952]	Information	Mandatory Total Interest Owed Amount is missing	Total-Interest-Owed-Amount must be present within Information-Text-Line-1 for MSC P GSTAI.]
[E953]	Information	Invalid Total Interest Owed Amount	Total-Interest-Owed-Amount must be in S99999999.99 format. The S denotes a +, - and " " (space). The 9 denotes a digit between 0 and 9.]
[E954]	N/A	Error Message Left Intentionally Blank	Error code and message are reserved for a future date.]
[E955]	N/A	Error Message Left Intentionally Blank	Error code and message are reserved for a future date.]
[E956]	N/A	Error Message Left Intentionally Blank	Error code and message are reserved for a future date.]
[E957]	Information	As of Date Century is not valid	As-of-Date must contain digits in the CCYYMMDD format.]

Chart E-3 lists error codes and messages that are currently not in use.

Note: [Opening and closing brackets] surrounding text signify changed material.

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E205	Other	Invalid Ver.3 – Check bytes
E206	Other	Invalid Ver.2 – Check bytes
E305	Header	Invalid Local FIPS code
E307	Header	Invalid Other FIPS code
E308	Header	Invalid Action Reason
E309	Header	Invalid Action Resolution Date
E326	Header	Invalid Response Date
E328	Case	Invalid Case-Type
E329	Case	Invalid Case-status
E333	Case	Invalid Data Indicators in header
E334	NCP-ID	Invalid CP State
E337	NCP-ID	Mandatory Gender code is Missing
E338	NCP-ID	Mandatory Race is Missing
E339	NCP-ID	Mandatory Date of Birth is Missing
E344	NCP-ID	Invalid Height value
E348	NCP Locate	Invalid Mailing zip code
E349	NCP Locate	Mandatory Mailing Zip is Missing
E356	NCP Locate	Invalid Mailing Address End Date
E357	NCP Locate	Mailing address End Date < Effective Date
E359	NCP Locate	Mandatory Res. Zip Code is Missing

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E361	NCP Locate	Mandatory Res State Missing
E362	NCP Locate	Invalid Home/Work Phone number
E366	NCP Locate	Mandatory Mailing last address Date Missing
E367	NCP Locate	Mandatory Res last address Date Missing
E368	NCP Locate	Mailing Addr Eff Date >= Mailing Addr End. Date
E369	NCP Locate	Mailing Addr Conf Ind. not (y, n)
E371	NCP Locate	Invalid Mailing Last Zip code
E375	NCP Locate	Invalid Res last Addr Date
E378	NCP Locate	Mandatory Employer name is Missing
E385	NCP Locate	Mandatory Employer end Date is Missing
E387	NCP Locate	Employer effective Date >= Employer end Date
E393	NCP Locate	Mandatory Last Res Address Date is Missing
E394	NCP Locate	Invalid Last Mailing address Date
E395	NCP Locate	Mandatory Last Mailing address Date Missing
E398	NCP Locate	Mandatory last employer Date is Missing
E402	Participant	Participant is Missing in Non-Custodial parent
E403	Participant	Mandatory name is Missing in Participant data
E405	Participant	Mandatory SSN in Participant data Missing
E407	Participant	Invalid Date of birth in Participant data
E408	Participant	Invalid Gender code in Participant data
E409	Participant	Mandatory Gender code in Part data Missing
E410	Participant	Invalid Race code in Participant data
E417	Order	Invalid Order FIPS code
E419	Order	Invalid Order Filing Date

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E423	Order	Duplicate key in Order data block
E426	Order	Invalid Order effective Date
E427	Order	Invalid Order end Date
E429	Order	Invalid Order cancel Date
E430	Order	Order cancel Date < Order filing Date
E432	Order	Mandatory Medical Order Indicator Missing
E439	Order	Invalid Arrears TANF From Date
E440	Order	Invalid Arrears TANF Thru Date
E443	Order	Invalid Arrears Non TANF From Date
E444	Order	Invalid Arrears Non TANF Thru Date
E448	Order	Invalid Foster care From Date
E449	Order	Invalid Foster care Thru Date
E452	Order	CODE OF ACTION CODE
E453	Order	Invalid Medical From Date
E454	Order	Invalid Medical Thru Date
E457	Collection	Invalid Collection Date
E463	Collection	Invalid Posting Date
E470	Case	Mandatory CP Zip code Missing
E471	Case	Invalid CP Zip code
E472	Case	Mandatory Payment Zip code is Missing
E474	Participant	Invalid Rel./Dependent Rel. combination
E475	NCP Locate	Mandatory Mailing State is Missing
E476	Case	Mandatory Payment State is Missing
E477	Case	Mandatory CP State is Missing

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E478	Order	Mandatory Arrears From/Thru TANF Date Missing
E479	Order	Mandatory Arrears TANF Amount Missing
E480	Order	Mandatory Foster care Amount Missing
E481	Order	Mandatory Medical Amount Missing
E482	Order	Mandatory Arrears Non TANF Amount Missing
E483	Order	Mandatory Foster care From/Thru Date Missing
E485	Case	Mandatory Case-Type is Missing
E486	Case	Mandatory Case-status is Missing
E487	NCP Locate	Mandatory Mailing/Res. Address is Missing
E488	NCP Locate	Mandatory Residential Address is Missing
E498	Order	Mandatory Order End Date missing
E500	Header	Mandatory Other Case ID Missing
E501	NCP Locate	Mandatory Mailing Addr. Confirm Ind. Missing
E502	Order	Mandatory Order type missing
E504	Case	Mandatory Payment City is Missing
E505	Case	Mandatory CP City is Missing
E506	Header	Invalid Due Date
E516	NCP-ID	All Wage Fields must be filled or blank
E518	Other	Parent and Dependent Records Required
E519	Header	Action Resolution Date Required
E520	Other	Maximum Locate Requests Exceeded
E524	Order	Invalid Date Of Last Payment
E531	NCP Locate	Invalid Employer State
E566	Case	Invalid Payment FIPS Sub Field

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E568	Header	Invalid Data Block Format – Coll Data Blk required
E573	Participant	Invalid-Participant Address Line1 required
E574	Participant	Invalid-Participant City required
E575	Participant	Mandatory Participant State is Missing
E576	Case	Invalid Payment FIPS Code Required
E570	Header	Invalid Combo – FunctType, Reason Cd and Action Cd
E578	Participant	Mandatory Participant Zip Code is Missing
E579	NCP Locate	ALL Wage2 Fields must be filled or blank
E580	NCP Locate	ALL Wage3 Fields must be filled or blank
E581	NCP Locate	Mandatory Employer2 Address Missing
E583	NCP Locate	Mandatory Employer2 End Date is Missing
E587	NCP Locate	Mandatory Employer3 End Date is Missing
E589	Header	Mandatory CASE AND/OR PARTICIPANT datablk Missing
E613	Header	Sent Date is not century compliant
E614	Header	Sent Date Century is not valid
E615	Header	Sent Date Month is not valid
E616	Header	Sent Date Day is not valid for leap year
E617	Header	Sent Date Day is not valid
E618	Header	Sent Date is not numeric
E621	Case	Mandatory Payment State is missing
E627	NCP Locate	Mailing Address Eff Date is not numeric
E639	NCP Locate	Employer Eff Date is not numeric
E645	NCP Locate	Employer End Date is not numeric
E651	NCP Locate	Last Mail Address Date is not numeric

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E652	NCP Locate	Last Employer Date is not century compliant
E653	NCP Locate	Last Employer Date Century is not valid
E654	NCP Locate	Last Employer Date Month is not valid
E655	NCP Locate	Last Employer Date Day is not valid for leap year
E656	NCP Locate	Last Employer Date Day is not valid
E657	NCP Locate	Last Employer Date is not numeric
E663	NCP Locate	Last Employer Eff Date is not numeric
E669	NCP Locate	Employer2 Eff Date is not numeric
E675	NCP Locate	Employer2 End Date is not numeric
E681	NCP Locate	Employer3 Eff Date is not numeric
E687	NCP Locate	Employer3 End Date is not numeric
E693	Participant	Date Address Confirmed is not numeric
E699	Participant	Date Employer Confirmed is not numeric
E738	Order	Arrears Non TANF From Date is not century compliant
E739	Order	Arrears Non TANF From Date Century is not valid
E740	Order	Arrears Non TANF From Date Month is not valid
E741	Order	Arrears Non TANF From Date Day is not valid for leap year
E742	Order	Arrears Non TANF From Date Day is not valid
E743	Order	Arrears Non TANF From Date is not numeric
E756	Order	Arrears Non TANF Thru Date is not century compliant
E757	Order	Arrears Non TANF Thru Date Century is not valid
E758	Order	Arrears Non TANF Thru Date Month is not valid
E759	Order	Arrears Non TANF Thru Date Day is not valid for leap year
E760	Order	Arrears Non TANF Thru Date Day is not valid

CHART E-3: INACTIVE CSENET TRANSACTIONS ERROR CODES AND MESSAGES		
Error Code	Data Block	Message
E761	Order	Arrears Non TANF Thru Date is not numeric
E780	Collection	Mandatory Date of Collection is missing
E781	Collection	Mandatory Date of Posting is missing
E782	Collection	Mandatory Payment Amount is missing
E783	Collection	Mandatory Payment Source is missing
E784	Collection	Mandatory Interstate Payment Method is missing
E797	Information	Mandatory Status Change Code is missing
E801	Header	NCP ID Indicator is required
E811	Case	Mandatory Payment Zip 2 is missing
E823	Participant	Mandatory Relationship is missing in Participant Block
E827	NCP Locate	All Wage 2 fields must be filled
E828	NCP Locate	All Wage 3 field must be filled
E843	NCP Locate	Residential Address End Date is not numeric
E849	NCP Locate	Last Employer Date is not numeric
E868	Header	Mandatory Sent Time is Missing
E880	Header	Mandatory Sent Date is Missing
E890	NCP Locate	Residential Address Eff Date is not numeric
E892	NCP Locate	Invalid CP Zip 2
E916	NCP Locate	Last Res Address Date is not numeric
[E935	Header	Case ID Reconciliation Comm. Not Allowed]

E.1 [Changes to the Error Codes and Messages]

Chart E-4 lists the location in this document of error codes for which the messages have been modified or that have been added to support new transactions. Within the document, [opening and closing brackets] surrounding text signify changed material.

CHART E-4: CHANGES TO APPENDIX E – ERROR CODES AND MESSAGES	
Location	Error Code
Chart E-1: Potential Fatal Errors in a CSENet Transaction	Moved to this appendix from the IGD main document E203 (clarified wording) E204 (clarified wording)
Chart E-2: Active CSENet Transaction Error Codes and Messages	E203 (clarified wording) E204 (clarified wording) E311 (Match Data Block Record Layout) E313 (Match Data Block Record Layout) E316 (Match Data Block Record Layout) E469 (Match Data Block Record Layout) E491 (Match Data Block Record Layout) E492 (Match Data Block Record Layout) E493 (Match Data Block Record Layout) E494 (Match Data Block Record Layout) E495 (Match Data Block Record Layout) E496 (Match Data Block Record Layout) E503 (Match Data Block Record Layout) E657 (Match Data Block Record Layout) E831 (Match Data Block Record Layout) E904 (Match Data Block Record Layout) E905 (Match Data Block Record Layout) E906 (Match Data Block Record Layout) E907 (Match Data Block Record Layout) E908 (Match Data Block Record Layout) E939 (Match Data Block Record Layout) E943 (added) E944 (added) E945 (added) E946 (added) E947 (added) E948 (added)

CHART E-4: CHANGES TO APPENDIX E – ERROR CODES AND MESSAGES	
Location	Error Code
Chart E-2: Active CSENet Transaction Error Codes and Messages (Continued)	E949 (added) E950 (added) E951 (added) E952 (added) E953 (added) E954 (reserved for future use) E955 (reserved for future use) E956 (reserved for future use) E957 (added)
Chart E-3: Inactive CSENet Transactions Error Codes and Messages	E935 (deactivated)