

OCSE Federal Parent Locator Service

# Federal Case Registry

## Interface Guidance Document

April 30, 2015

### TABLE OF CONTENTS

<b>E.</b>	<b>Data Dictionary .....</b>	<b>E-1</b>
<b>E.1</b>	<b>Version History .....</b>	<b>E-200</b>

## E. DATA DICTIONARY

This appendix has the data definitions and descriptions for fields in the FCR input and output transaction layouts.

Appendix G, “FCR Input Transaction Layouts,” defines the input transaction layouts. Appendix H, “FCR Output Transaction Layouts,” defines the output transaction layouts.

This appendix lists the data fields in alphabetic order.

We offer this information for each data field:

- **Name** – The name of the field as shown on the transaction layout description
- **Type** – If the field is an input field, output field, or both
- **Condition** – If the field is required for specified inputs. Fields on input transactions are required, conditionally required, or optional. Fields on the output transactions are required or conditional. Conditional fields are present based on the information received on the input or available on the FCR database.
- **Length** – The size of the field on the record layout
- **Format** – If the field is alphabetic, numeric, or alphanumeric
- **Values** – The acceptable values for the field
- **Description** – A narrative explanation of the data field

These charts include the data fields the FCR accepts and returns.

Name	Explanation
<b>Name</b>	<b>ACKNOWLEDGEMENT CODE</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> </ul>
Length	5
Format	Alphanumeric
Values	AAAAA – transaction accepted HOLDS – transaction pending SSN verification REJCT – transaction rejected
Description	This shows the record as accepted, pending SSN verification, or rejected. Refer to Appendix J, “Error Messages,” for the FCR-assigned error codes. If the FCR rejects a record, the error code shows the specific reason for rejection.
<b>Name</b>	<b>ACTION TYPE CODE</b>
Type	Input and Output field
Condition	Required for these input records: <ul style="list-style-type: none"> <li>• FCR Input Case record</li> <li>• FCR Input Query record</li> <li>• FCR Input Person/Locate Request record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	<p>FCR Input Case record and related Acknowledgement/Error record:            A – Add a new case to the FCR            C – Change a case on the FCR            D – Delete a case from the FCR</p> <p>When you close a case on your system, you must send a Delete transaction to the FCR showing the case is closed.</p> <p>FCR Input Person/Locate Request and related Acknowledgement/Error record:            A – Add a person to a case on the FCR            C – Change a person previously added to the FCR            D – Delete a person from a case previously added to the FCR            L – Start a Locate request when you are not adding a person to the FCR            T – Terminate an open Locate request</p> <p>FCR Input Query record and related output records:            A – FCR Query request for all FCR information on the person            F – FCR Query request for other states' information on the person FCR Query/Proactive Match Response record            C – Proactive FCR response for a new case, a change to, or deletion of, an existing case            D – SSA Date of Death file update            F – FCR Query response            P – Proactive FCR response for a new person, a change to, or deletion of, an existing person</p>
Description	<p>For an input transaction, this shows the action the FCR takes for the transaction.            For an Acknowledgement/Error Output record, this is the value on the input transaction.</p> <p>For the FCR Query/Proactive Match Response record, this is the reason the FCR generates the output transaction (a Query response or Proactive Match results).</p>
<b>Name</b>	<p><b>ADDITIONAL FIRST NAME 1 through            ADDITIONAL FIRST NAME 4 or            ADDITIONAL FIRST NAME 1 TEXT through            ADDITIONAL FIRST NAME 4 TEXT</b></p>
Type	Input and Output field

Name	Explanation
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person Reconciliation record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is an additional first name you associate with the person sent to the FCR, which may be useful in locating or identifying the person.
<b>Name</b>	<b>ADDITIONAL LAST NAME 1 through ADDITIONAL LAST NAME 4 or ADDITIONAL LAST NAME 1 TEXT through ADDITIONAL LAST NAME 4 TEXT</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person Reconciliation record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is an additional last name you associate with the person sent to the FCR, which may be useful in locating or identifying the person.

Name	Explanation
<b>Name</b>	<b>ADDITIONAL MIDDLE NAME 1 through ADDITIONAL MIDDLE NAME 4 or ADDITIONAL MIDDLE NAME 1 TEXT through ADDITIONAL MIDDLE NAME 4 TEXT</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person Reconciliation record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is an additional middle name you associate with the person sent to the FCR, which may be useful in locating or identifying the person.
<b>Name</b>	<b>ADDITIONAL SSN 1 or ADDITIONAL SSN 2</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘C’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is an additional SSN you associate with the person sent to the FCR, which may be useful in locating or identifying the person.
<b>Name</b>	<b>ADDITIONAL SSN 1 VALIDITY CODE or ADDITIONAL SSN 2 VALIDITY CODE</b>

Name	Explanation
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	1
Format	Alphanumeric
Values	This shows the validity of the additional SSN(s) sent: N – The SSA’s SSN verification routines did not verify the additional SSN-name combination sent for this person, but another routine found it as a probable name match V – The SSA’s SSN verification routines did verify the additional SSN1 or SSN2 with the primary name sent U – The SSA’s SSN verification routines did not verify the additional SSN1 or SSN2 with the primary name combination sent
Description	This shows the results of the SSA SSN verification for the person’s additional SSN1 or SSN2 you associate with the person sent to the FCR, which may be useful in locating or identifying the person.
<b>Name</b>	<b>ADDRESS FORMAT INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	C – City, state, and ZIP code breakdown F – Free format: Lines separated by a ‘\’ with an isolated ZIP code when present X – Fixed format: Street address lines 1 through 4, city, state, and ZIP code breakdown Space – No address
Description	This is the format of the street address lines 1 through 4, city, state, and ZIP code in the Returned Address field.
<b>Name</b>	<b>ADDRESS INDICATOR TYPE</b>
Type	Output field

Name	Explanation
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – Employer address 2 – Employee address 3 – Employer optional address Space – Information not supplied
Description	This shows if the address supplied is the employer’s, the employee’s, or the employer’s optional address.
<b>Name</b>	<b>ADDRESS SCRUB INDICATOR 1</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign address GA – Good address IA – Unrecognized address format indicator
Description	This is the general status of the edited address. For FCR Locate responses: ‘BA,’ ‘CH,’ ‘EA,’ ‘FA,’ ‘GA,’ and ‘IA’ For NDNH Locate responses: ‘BA,’ ‘CH,’ ‘EA,’ ‘FA,’ and ‘GA’ For NDNH Proactive Match responses: ‘CH,’ ‘FA,’ and ‘GA’
<b>Name</b>	<b>ADDRESS SCRUB INDICATOR 2 or ADDRESS SCRUB INDICATOR 3</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>

Name	Explanation
Length	2
Format	Alphanumeric
Values	BR – Bad range BU – Bad unit number BX – Missing state code or missing both state code and ZIP code CA – Correction of a misspelled or non-standard street name was successful CC – Correction of a misspelled or non-standard city name was successful CZ – Correction of ZIP code was successful MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name NZ – Non-determined ZIP code Spaces – If the address scrub indicator 1 is ‘EA,’ ‘FA,’ ‘GA,’ or ‘IA,’ this is all spaces
Description	This further details the status of the edited address.
<b>Name</b>	<b>ANNUAL SALARY</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	7
Format	Numeric
Values	0000000 through 9999999
Description	This is the employee’s annual salary (dollars only). If a salary is not available, this is all zeros.
<b>Name</b>	<b>ANNUAL SALARY – DoD</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	6
Format	Numeric
Values	000000 through 999999
Description	This is the employee’s annual salary (dollars only). If a salary is not available, this is all zeros.

Name	Explanation
<b>Name</b>	<b>APO-FPO INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	Y – Address supplied is an APO or FPO Space – Address supplied is not an APO or FPO, or information not available
Description	This shows the supplied city, state, and ZIP code are a military Army Post Office or Fleet Post Office overseas address.
<b>Name</b>	<b>ASSOCIATED PERSON 1 DATE OF BIRTH through ASSOCIATED PERSON 3 DATE OF BIRTH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date of birth of an associated person in a matched case on the FCR. If the associated person does not exist, this is all spaces.
<b>Name</b>	<b>ASSOCIATED PERSON 1 DATE OF DEATH through ASSOCIATED PERSON 3 DATE OF DEATH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	If applicable, this is the SSA-recorded date of death, for an associated person. If not applicable, this is all spaces.

Name	Explanation
<b>Name</b>	<b>ASSOCIATED PERSON 1 FIRST NAME through ASSOCIATED PERSON 3 FIRST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the first name of an associated person in a matched case on the FCR. If the associated person does not exist, this is all spaces.
<b>Name</b>	<b>ASSOCIATED PERSON 1 LAST NAME through ASSOCIATED PERSON 3 LAST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, or all spaces No imbedded spaces or special characters, other than hyphen (-)
Description	This is the last name of an associated person in a matched case on the FCR. If the associated person does not exist, this is all spaces.
<b>Name</b>	<b>ASSOCIATED PERSON 1 MIDDLE NAME through ASSOCIATED PERSON 3 MIDDLE NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters

Name	Explanation
Description	<p>This is the middle name of an associated person in a matched case on the FCR. If the associated person does not exist, this is all spaces. If a middle name is not on file for the associated person, this is all spaces.</p>
<b>Name</b>	<b>ASSOCIATED PERSON 1 OTHER STATE OR TERRITORY MEMBER ID through ASSOCIATED PERSON 3 OTHER STATE OR TERRITORY MEMBER ID</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	<p>This is the receiving state's member ID, assigned to the associated person in a matched case on the FCR. If the associated person does not exist, this is all spaces.</p>
<b>Name</b>	<b>ASSOCIATED PERSON 1 PARTICIPANT TYPE through ASSOCIATED PERSON 3 PARTICIPANT TYPE</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>CH – Child CP – Custodial party NP – Noncustodial parent PF – Putative father Spaces – The associated person does not exist</p>
Description	This is the participant type of an associated person in a matched case on the FCR.
<b>Name</b>	<b>ASSOCIATED PERSON 1 SEX CODE through ASSOCIATED PERSON 3 SEX CODE</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>

Name	Explanation
Length	1
Format	Alphanumeric
Values	F – Female M – Male Space – The associated person does not exist, or a sex code is not on file
Description	This is the gender of an associated person on the FCR-matched record.
<b>Name</b>	<b>ASSOCIATED PERSON 1 SSN through ASSOCIATED PERSON 3 SSN</b>
Type	Output field
Condition	Conditional for this output record: • FCR Query/Proactive Match Response record
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the verified SSN for an associated person on the FCR matched record. If the associated person does not exist, this is all spaces.
<b>Name</b>	<b>ASSOCIATED PERSON 1 STATE MEMBER ID through ASSOCIATED PERSON 3 STATE MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: • FCR Query/Proactive Match Response record
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is the receiving state’s member ID for an associated person who matched an associated person in the matched case. If the associated person does not exist, this is all spaces. If this is not in the receiving states’ case, this is all spaces.
<b>Name</b>	<b>ATTORNEY ADDRESS CITY NAME</b>
Type	Output field

Name	Explanation
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the city name for the attorney.
<b>Name</b>	<b>ATTORNEY ADDRESS FOREIGN COUNTRY INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the attorney is in a foreign country Space – The address of the attorney is in the US
Description	This shows if the attorney address supplied is a US or foreign address.
<b>Name</b>	<b>ATTORNEY ADDRESS FOREIGN COUNTRY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	25
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the foreign country name of the address for the attorney.
<b>Name</b>	<b>ATTORNEY ADDRESS SCRUB 1 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic, A through Z

Name	Explanation
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign address GA – Good address
Description	This is the result of the address editing of the address information returned in the response.
<b>Name</b>	<b>ATTORNEY ADDRESS SCRUB 2 CODE or ATTORNEY ADDRESS SCRUB 3 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	If the attorney address scrub code 1 is ‘BA,’ this is one of these codes: BR – Bad range BU – Bad unit number BX – Missing state code or missing state code and ZIP code MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name NZ – Non-determined ZIP code If the attorney address scrub code 1 is ‘CH,’ this is one of these codes: BU – Bad unit number BX – Missing state code or missing state code and ZIP code CA – Corrected address CC – Corrected city name CZ – Corrected ZIP code MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name If the attorney address scrub 1 code is ‘EA,’ ‘FA,’ or ‘GA,’ this is spaces.
Description	This further defines the results of address editing of the address information returned in the response.
<b>Name</b>	<b>ATTORNEY ADDRESS STATE CODE</b>
Type	Output field

Name	Explanation
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic
Values	Standard state abbreviation value
Description	This is the state code for the attorney.
<b>Name</b>	<b>ATTORNEY ADDRESS STREET 1 TEXT or ATTORNEY ADDRESS STREET 2 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-) or spaces
Description	This is the first line of the street address of the attorney.
<b>Name</b>	<b>ATTORNEY ADDRESS ZIP CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the ZIP code (domestic or foreign) for the attorney.
<b>Name</b>	<b>ATTORNEY FIRST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	20
Format	Alphanumeric

Name	Explanation
Values	A through Z, or spaces
Description	This is the first 20 characters of the first name of the attorney.
<b>Name</b>	<b>ATTORNEY LAST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the first 30 characters of the last name of the attorney.
<b>Name</b>	<b>ATTORNEY PHONE EXTENSION NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	6
Format	Numeric
Values	0 through 9
Description	This is the phone number extension of the attorney.
<b>Name</b>	<b>ATTORNEY PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the phone number of the attorney.
<b>Name</b>	<b>AWR CORP DIV</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the employee's SSA corporate division.
<b>Name</b>	<b>AWR CYCLE DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	7
Format	Alphanumeric
Values	0 through 9, or all spaces The format is CCYYwww, where www is '001' through '053.' Example: 2015009 shows SSA updated the record during the ninth week of year 2015.
Description	This is the year and week SSA updated the record.
<b>Name</b>	<b>AWR EMPLOYMENT INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	SE – Self employed Spaces – Not self-employed
Description	This is the employee's employment type.
<b>Name</b>	<b>AWR WAGE AMOUNT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	9

Name	Explanation
Format	Alphanumeric
Values	000000000 through 999999999, or all spaces
Description	This is the wage amount.
<b>Name</b>	<b>BATCH ERROR CODE 1 through BATCH ERROR CODE 5</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> </ul>
Length	4
Format	Alphanumeric
Values	5000 through 5999 or spaces
Description	The FCR returns this code to show the error detected in a batch sent to the FCR. There are two classes of error codes. A warning code shows FCR detected an error but it was not sufficiently critical to force rejection of the entire batch. A rejection error code shows FCR detected a critical error and rejected the batch. Refer to Appendix J, "Error Messages," for the FCR-assigned error codes.
<b>Name</b>	<b>BATCH NUMBER</b>
Type	Input and Output field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>• FCR Transmission Header record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record with an action type code 'F'</li> </ul>
Length	6
Format	Alphanumeric
Values	000000 through 999999, or spaces
Description	This is unique number you assign to FCR input transactions to find the batch of transactions sent. You cannot duplicate batch numbers between transmissions. The FCR returns your batch number in the related FCR output records. On an FCR Query/Proactive Match Response record with an action type code of 'C,' 'D,' or 'P,' this is all spaces.

Name	Explanation
<b>Name</b>	<b>BENEFIT AMOUNT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	11
Format	Signed numeric (in COBOL format S9(9)V99)
Values	00000000000 through 99999999999
Description	This is the monetary Unemployment Insurance benefits, which a person received during a reporting period. The last two positions are to the right of the decimal point. If the information is not available, this is always positive, or is all zeros.
<b>Name</b>	<b>BLACK LUNG ENTITLEMENT CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	D – Death termination E – Entitled N – Nonpayment P – Pending entitlement T – Terminated (other than death) Space – No Black Lung entitlement
Description	This is the Title II beneficiary’s Black Lung entitlement code.
<b>Name</b>	<b>BLACK LUNG PAYMENT AMOUNT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Numeric (in COBOL format 9(4)V99)
Values	0 through 9

Name	Explanation
Description	This is the Title II beneficiary's Black Lung payment amount.
<b>Name</b>	<b>CAN and BIC</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	12
Format	Alphanumeric
Values	<p>This is the first nine characters of the claim account number (CAN). The last three characters are the beneficiary identification code (BIC), or spaces. BIC codes from SSA are two-bytes or three-bytes. The BIC codes SSA returns are at: <a href="http://policynet.ba.ssa.gov/poms.nsf/lrx/0800550010">http://policynet.ba.ssa.gov/poms.nsf/lrx/0800550010</a></p> <p><b>Note:</b> Some BICs may appear as a three-position code (For example, 'B01,' 'C01,' and 'D09' can be interpreted as 'B1,' 'C3,' and 'D9').</p> <p>If the second and third characters in the BIC are zeros, they can be interpreted as spaces (for example, 'B00' can be interpreted as 'B.')</p>
Description	This is the claim account number and beneficiary identification code assigned to the Title II beneficiary.
<b>Name</b>	<b>CASE CHANGE TYPE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record with an action type code 'C'</li> </ul>
Length	1
Format	Alphanumeric
Values	<p>1 – Case type change (non-IV-D to IV-D)</p> <p>2 – Case ID change</p> <p>3 – Order indicator change ('N' to 'Y')</p> <p>4 – Case is closed, or the person is deleted</p> <p>Spaces – Information is not available.</p>
Description	<p>This type of case change started the generation of a Proactive Match Response record with an action type code of 'C.'</p> <p>For an FCR Query/Proactive Match Response record with an action type code of 'F' or 'P,' this is a space.</p>
<b>Name</b>	<b>CASE ID</b>
Type	Input and Output field

Name	Explanation
Condition	<p>Required for these input records:</p> <ul style="list-style-type: none"> <li>• FCR Input Case record</li> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘D’</li> <li>• FCR Input Query record</li> </ul> <p>Conditionally required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘L’</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘T’</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR MSFIDM Response record</li> <li>• FCR Case Reconciliation record</li> <li>• FCR Person Reconciliation record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	<p>This is your assigned identifier for a IV-D case or a non-IV-D order, which the FCR will add, or the ID received from the Federal Collections and Enforcement (FCE) file, or the ID on a Locate request.</p> <p>The case ID sent to the FCR should be unique for you and should link to the case or order information stored on your system.</p> <p>If present, it must not be all zeros, not have an asterisk or backslash, and the first position cannot be a space.</p>
<b>Name</b>	<b>CASE RECORDS ACCEPTED</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric

Name	Explanation
Values	00000000 through 99999999
Description	This is the number of accepted FCR Case Acknowledgement/Error records included in the FCR batch response. The FCR finds accepted records with an acknowledgement code of 'AAAAA.'
<b>Name</b>	<b>CASE RECORDS PENDING</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Case Acknowledgement/Error records included in the FCR batch response with an acknowledgement code of 'HOLDS' to show the acceptance or rejection of the case record sent is pending the SSN verification or identification of a related Person record or records.
<b>Name</b>	<b>CASE RECORDS RECEIVED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Input Case records received in the batch.
<b>Name</b>	<b>CASE RECORDS REJECTED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999

Name	Explanation
Description	This is the number of FCR Case Acknowledgement/Error records included in the FCR batch response with an FCR acknowledgement code of 'REJCT.'
<b>Name</b>	<b>CASE RECORDS RETURNED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Case Reconciliation records on the file.
<b>Name</b>	<b>CASE TYPE</b>
Type	Input and Output field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>FCR Input Case record with an action type code of 'A'</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>FCR Input Case record with an action type code of 'C'</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>FCR Case Acknowledgement/Error record</li> <li>FCR Case Reconciliation record</li> </ul>
Length	1
Format	Alphanumeric
Values	F – IV-D N – Non-IV-D Space – Information not available
Description	This shows if the child support case sent to the FCR is a IV-D case or a non-IV-D order.
<b>Name</b>	<b>CATEGORY OF ASSISTANCE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	1

Name	Explanation
Format	Alphanumeric
Values	A – Aged B – Blind C – Aid to Families with Dependent Children (AFDC) D – Disabled F – Food Stamps H – Health maintenance I – Income maintenance J – AFDC or Family Services K – Medicaid and Food Stamps N – Title XIX Medicaid P – Child Support Enforcement S – Statement of consent U – Unemployment Compensation Space – None
Description	This is the Title II beneficiary’s state exchange categorical assistance code.
<b>Name</b>	<b>CHANGE OF ADDRESS EFFECTIVE DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	Date in format CCYYMM or spaces
Description	If supplied by the NCOA, this is the date the address change became effective.
<b>Name</b>	<b>CHANGE OF ADDRESS VERIFICATION RESPONSE CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	01 – Request record not processed because there is no current, signed NCOA agreement with OCSE, or the FCR rejected the entire Input Batch file because of errors. 02 – Request record rejected because one or both of these fields were missing or invalid: Verification Request Indicator, or Transmitter State or Territory Code. 03 – Request record rejected because the SSN is missing or invalid. 04 – Request record rejected because the name is missing or invalid. 05 – Request record rejected because the address is foreign or the address information is missing, invalid, or incomplete. 06 – Request record rejected because the person is not in a IV-D case or the person’s SSN-name combination is unverified. 10 – No match found at NCOA. 28 – Address not available at NCOA 39 – Disclosure prohibited, person associated with family violence. Spaces – NCOA found a match.
Description	This clarifies the response the NCOA interface sent to you.
<b>Name</b>	<b>CH FIRST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is the first name of the child. The FCR recorded this name.
<b>Name</b>	<b>CH LAST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is the last name of the child you supplied and the FCR recorded.

Name	Explanation
<b>Name</b>	<b>CH MEDICAL COVERAGE BEGIN DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format or spaces
Description	This DMDC-supplied field is the date the child became eligible for medical coverage. If DMDC does not have a CH medical coverage begin date for a child, this is all spaces.
<b>Name</b>	<b>CH MEDICAL COVERAGE END DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format or spaces
Description	This DMDC-supplied field is the date the child's medical coverage ended, or will end (this can be a future date). If DMDC does not have a CH medical coverage end date for a child, this is all spaces.
<b>Name</b>	<b>CH MEDICAL COVERAGE INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	Y – The child has medical coverage. N – The child does not have medical coverage.
Description	This shows if DMDC record has the child with medical coverage.

Name	Explanation
<b>Name</b>	<b>CH MEDICAL COVERAGE SPONSOR CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	<ul style="list-style-type: none"> <li>1 – The NCP is, or was, the sponsor for the child’s medical coverage.</li> <li>2 – The CP is, or was, the sponsor for the child’s medical coverage.</li> <li>3 – The PF is, or was, the sponsor for the child’s medical coverage.</li> <li>4 – Someone other than the NCP, CP, or PF is, or was, supplying the child’s medical coverage</li> </ul>
Description	This shows the child’s medical coverage sponsor code.
<b>Name</b>	<b>CH MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the state-assigned member ID stored on the FCR for the child.
<b>Name</b>	<b>CH MIDDLE NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is the middle name of the child. The FCR recorded this name.
<b>Name</b>	<b>CH SSN</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the SSN stored on the FCR as the child's primary SSN, corrected, additional, or verified multiple SSN.
<b>Name</b>	<b>CH SSN MATCH CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Verified additional SSN-name combination C – State-submitted SSN-name combination corrected or found M – Multiple SSN issued by SSA V – State-submitted verified SSN-name combination X – Additional SSN-name combination corrected or found
Description	This shows which CH SSN the FCR used in the match.
<b>Name</b>	<b>CH SSN VERIFIED INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – Unverified SSN-name Y – Verified SSN-name
Description	This shows the child's SSN is verified or unverified on the FCR.
<b>Name</b>	<b>CITY</b>
Type	Output field

Name	Explanation
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the name of the city for the person, or person’s employer, in the format the address format indicator designated. Refer to the Returned Address field for format examples.
<b>Name</b>	<b>CITY OF BIRTH</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces (no imbedded spaces)
Description	This is the name of the birth city of the person. FCR uses this information to find the SSN, but it is not stored.
<b>Name</b>	<b>CLAIMANT ADDRESS CITY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the city name for the claimant.
<b>Name</b>	<b>CLAIMANT ADDRESS FOREIGN COUNTRY INDICATOR</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the claimant is in a foreign country. Space – The address of the claimant is in the US.
Description	This shows if the claimant address supplied is a US or foreign address.
<b>Name</b>	<b>CLAIMANT ADDRESS FOREIGN COUNTRY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	25
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the foreign country name of the address for the claimant contact.
<b>Name</b>	<b>CLAIMANT ADDRESS SCRUB 1 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign address GA – Good address
Description	This is the result of the address editing of the address information returned in the response.
<b>Name</b>	<b>CLAIMANT ADDRESS SCRUB 2 CODE or CLAIMANT ADDRESS SCRUB 3 CODE</b>
Type	Output

Name	Explanation
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	<p>If the claimant address scrub code 1 is ‘BA,’ this is one of these codes:            BR – Bad range            BU – Bad unit number            BX – Missing state code or missing state code and ZIP code            MA – Mismatched address            MX – Mismatched state and ZIP code            NC – Non-determined city name            NZ – Non-determined ZIP code</p> <p>If the claimant address scrub code 1 is ‘CH,’ this is one of these codes:            BU – Bad unit number            BX – Missing state code or missing state code and ZIP code            CA – Corrected address            CC – Corrected city name            CZ – Corrected ZIP code            MA – Mismatched address            MX – Mismatched state and ZIP code            NC – Non-determined city name</p> <p>If the claimant address scrub 1 code is ‘EA,’ ‘FA,’ or ‘GA,’ this is spaces.</p>
Description	This further defines the results of address editing of the address information returned in the response.
<b>Name</b>	<b>CLAIMANT ADDRESS STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic
Values	Standard state abbreviation value
Description	This is the state code of the claimant.
<b>Name</b>	<b>CLAIMANT ADDRESS STREET 1 TEXT</b>
Type	Output field

Name	Explanation
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-) or spaces
Description	This is the first line of the street address of the claimant.
<b>Name</b>	<b>CLAIMANT ADDRESS STREET 2 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-) or spaces
Description	This is the second line of the street address of the claimant.
<b>Name</b>	<b>CLAIMANT ADDRESS ZIP CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the ZIP code (domestic or foreign) of the claimant.
<b>Name</b>	<b>CLAIMANT BIRTH DATE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	8
Format	Numeric
Values	Valid date in CCYYMMDD format

Name	Explanation
Description	This is the date of birth of the claimant from the insurance data match.
<b>Name</b>	<b>CLAIMANT BUSINESS PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the business phone number of the claimant.
<b>Name</b>	<b>CLAIMANT BUSINESS PHONE EXTENSION NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	6
Format	Numeric
Values	0 through 9
Description	This is the business phone extension of the claimant.
<b>Name</b>	<b>CLAIMANT CELL PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the cell phone number of the claimant.
<b>Name</b>	<b>CLAIMANT DRIVER LICENSE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>

Name	Explanation
Length	20
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the driver license number of the claimant.
<b>Name</b>	<b>CLAIMANT DRIVER LICENSE STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphabetic
Values	Standard state abbreviation value
Description	This is the state code on the claimant’s driver license.
<b>Name</b>	<b>CLAIMANT FIRST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	20
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the first 20 characters of the first name of the claimant.
<b>Name</b>	<b>CLAIMANT GENDER CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	F – Female M – Male Space – Information not available

Name	Explanation
Description	This is the claimant's gender.
<b>Name</b>	<b>CLAIMANT HOME PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the phone number of the claimant.
<b>Name</b>	<b>CLAIMANT ITIN NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	9
Format	Numeric
Values	000000000-999999999
Description	This is the Individual Taxpayer Identification Number (ITIN) of the claimant.
<b>Name</b>	<b>CLAIMANT LAST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the first 30 characters of the last name of the claimant.
<b>Name</b>	<b>CLAIMANT MIDDLE NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>

Name	Explanation
Length	16
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the first 16 characters of the middle name of the claimant.
<b>Name</b>	<b>CLAIMANT OCCUPATION TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the occupation of the claimant.
<b>Name</b>	<b>CLAIMANT PROFESSIONAL LICENSE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the professional license number of the claimant.
<b>Name</b>	<b>CLAIM TYPE CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	AU – Auxiliary DI – Disability RI – Retirement SU – Survivor benefits Spaces – The claim type is unavailable
Description	This is the beneficiary’s claim type on the Title II pending claim.
<b>Name</b>	<b>CLAIM UPDATE INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – Updated information on previously supplied insurance claim match Space – New insurance claim match
Description	This shows if this is an update to previously supplied information on a claim. The Insurance Match system sets this value.
<b>Name</b>	<b>COA CARRIER ROUTE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	Change of address carrier route code, or spaces
Description	If the NCOA database supplied this, it is the COA carrier route code used for the POSTNET barcoding.
<b>Name</b>	<b>COA CHECK DIGIT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	COA check digit, or space
Description	If the NCOA database supplied this, it is the COA check digit used for the POSTNET barcoding.
<b>Name</b>	<b>COA DELIVERY POINT DIGITS</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	COA delivery point digits, or spaces
Description	If the NCOA vendor supplied these, they are the COA delivery point digits used to generate a delivery point barcode.
<b>Name</b>	<b>COA LINE OF TRAVEL NUMBER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	All numbers, or all spaces
Description	If the NCOA database supplied this, it is the COA Line of travel (LOT) number for carrier route mailings used for POSTNET barcoding.
<b>Name</b>	<b>COA LOT SORT FLAG CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – ascending D – descending Space – change of address not found on NCOA database.

Name	Explanation
Description	This is the COA line of travel (LOT) sort flag used for POSTNET barcoding.
<b>Name</b>	<b>COA STREET ADDRESS LINE 1 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li data-bbox="391 489 1122 520">• FCR Change of Address Verification Response record</li> </ul>
Length	50
Format	Alphanumeric
Values	Change of address (COA) street address line 1, or spaces
Description	This is the COA street address line 1, if found on the NCOA database.
<b>Name</b>	<b>COA STREET ADDRESS LINE 2 TEXT or COA STREET ADDRESS LINE 3 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li data-bbox="391 978 1122 1010">• FCR Change of Address Verification Response record</li> </ul>
Length	50
Format	Alphanumeric
Values	Change of address (COA) street address line 2, or spaces
Description	This is the COA street address line 2 or line 3, if found on the NCOA database.
<b>Name</b>	<b>COA CITY NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li data-bbox="391 1440 1122 1472">• FCR Change of Address Verification Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	Change of address (COA) city name, or spaces
Description	This is the COA city name, if found on the NCOA database.
<b>Name</b>	<b>COA STATE CODE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	Change of address (COA) state code, or spaces
Description	This is the COA state code, if found on the NCOA database.
<b>Name</b>	<b>COA ZIP CODE</b>
Type	Output field
Condition	Conditional for this record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	Change of address (COA) ZIP code, or all spaces
Description	This is the COA ZIP code, if found on the NCOA database.
<b>Name</b>	<b>COMPETENCY CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Recipient is competent and the payee is the legal guardian B – Recipient is competent and there is no legal guardian C – Recipient is competent and the legal guardian is someone other than payee D – Recipient is incompetent and the payee is the legal guardian E – Recipient is incompetent and there is no legal guardian F – Recipient is incompetent and the legal guardian is someone other than the payee L – Payee is a financial institution with whom the beneficiary has entered into a living trust agreement N – There is no legal guardian O – Someone other than the payee is the legal guardian Y – Payee is the legal guardian Spaces – Not available

Name	Explanation
Description	This is the representative payee's status for legal guardianship or the competency of the recipient.
<b>Name</b>	<b>CORRECTED OR ADDITIONAL OR MULTIPLE SSN</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prisoner Locate Response record</li> <li>• FCR SVES Not Found Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces (the original SSN was used for this Locate request)
Description	This is the corrected, additional, or multiple SSN used in the database search record. The SSN match code shows if SSA corrected the SSN, or it is an additional, or multiple SSN.
<b>Name</b>	<b>COUNTY CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	001 through 999 or spaces; refer to <a href="#">FIPS County Codes</a>
Description	This is the FIPS code for the county responsible for any required or optional supplemental payment. This is the Title II beneficiary's county of residence unless another county has jurisdiction.
<b>Name</b>	<b>CP DEATH INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>

Name	Explanation
Length	1
Format	Alphanumeric
Values	N – CP is not deceased. Y – CP is deceased.
Description	This DMDC-supplied field shows the DMDC record has the CP as deceased.
<b>Name</b>	<b>CP FIRST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is the first name of the CP you supplied and the FCR recorded.
<b>Name</b>	<b>CP LAST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces No imbedded spaces or special characters other than a hyphen (-)
Description	This is the last name of the CP you supplied and the FCR recorded.
<b>Name</b>	<b>CP MEDICAL COVERAGE INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N –The CP is not in the military as active duty, retiree, or special civilian. Y –The CP is in the military as active duty, retiree, or special civilian.

Name	Explanation
Description	This shows if DMDC records have the CP with medical coverage.
<b>Name</b>	<b>CP MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the state-assigned member ID stored on the FCR for the CP.
<b>Name</b>	<b>CP MIDDLE NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is the middle name of the CP you supplied and the FCR recorded.
<b>Name</b>	<b>CP SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the SSN stored on the FCR as the CP's primary SSN, corrected, additional, or a verified multiple SSN.
<b>Name</b>	<b>CP SSN MATCH CODE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Verified additional SSA-name combination C – State-submitted SSN-name combination corrected or found M – Multiple SSN issued by SSA V – State-submitted verified SSN-name combination X – Additional SSN-name combination corrected or found
Description	This shows the CP SSN used in the match.
<b>Name</b>	<b>CP SSN VERIFIED INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – Unverified SSN-name Y – Verified SSN-name
Description	This shows the CP SSN as verified or unverified on the FCR.
<b>Name</b>	<b>CURRENT PAYMENT STATUS CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	This is the SSI code. Refer to the values in the Payment Status Code field.
Description	This is the Title XVI recipient's current payment status code.
<b>Name</b>	<b>CUSTODY CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>

Name	Explanation
Length	3
Format	Alphanumeric
Values	AGY – Social agency CHD – Natural, adopted or stepchild (as payee for a parent) ESP – Essential person is payee FDM – Federal mental institution FDO – Federal non-mental institution FIN – Financial organization FTH – Natural or adoptive father GPR – Grandparent MTH – Natural or adoptive mother NPM – Nonprofit mental institution NPO – Nonprofit non-mental institution OFF – Public official OTH – Other PRM – Proprietary mental institution PRO – Proprietary non-mental institution PYE – Payee has custody REL – Other relative (includes in-laws) RPD – Representative payee is being developed SEL – Living by self SFT – Stepfather SLM – State or local mental institution SLO – State or local non-mental institution SMT – Stepmother SPO – Spouse Spaces – Not applicable
Description	This shows who has physical custody of the Title XVI recipient.
<b>Name</b>	<b>DATE OF ADDRESS</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in the format shown in the date of address format indicator 00000000 – Date not available
Description	This is the date that the Locate source supplied this address.

Name	Explanation
<b>Name</b>	<b>DATE OF ADDRESS FORMAT INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – 00000000, date not available 1 – CCYYMM00, century, year, month 2 – CCYYQ000, century, year, quarter 3 – CCYY0000, century, year 4 – CCYYMMDD, century, year, month, day
Description	This shows the format of the date of address.
<b>Name</b>	<b>DATE OF BIRTH</b>
Type	Input and Output field
Condition	Conditionally required for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘L’</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘C’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Source Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces

Name	Explanation
Description	<p>This is the DOB for a person the FCR will add, or change, or who is the subject of a Locate request. The DOB in the Locate Request Response record and the NDNH Locate/Proactive Match Response record is the DOB in the Locate source's records.</p> <p>If this is not a valid date, this is all spaces.</p> <p>If the information is not available, this is all spaces.</p>
<b>Name</b>	<b>DATE OF CONFINEMENT</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	<p>This is the prisoner's first date of confinement, the prison reported to SVES.</p> <p>If this is not a valid date, it is all spaces.</p>
<b>Name</b>	<b>DATE OF CURRENT TITLE II ENTITLEMENT</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	<p>This is the date the Title II beneficiary was first eligible for Title II benefits for the current period of entitlement.</p> <p>If this is not a valid date, it is all spaces.</p>
<b>Name</b>	<b>DATE OF DEATH</b>
Type	Output field
Condition	<p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	8

Name	Explanation
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the person's DOD on the Locate Response record, or the DOD in the Locate source's records. If the DOD does not apply to the person, is not available, or is invalid, this is all spaces. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DATE OF DEATH SOURCE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – SSA District Office (DO) notification or manual adjustment 2 – Electronic death registration notification 3 – Master Beneficiary record (MBR) notification 4 – Treasury returned check notification 5 – Returned check from Treasury with no date of death shown 6 – State notification Space – Not applicable
Description	This is the source of the Title XVI recipient's date of death.
<b>Name</b>	<b>DATE OF HIRE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the hire date for the employee.
<b>Name</b>	<b>DATE OF INITIAL TITLE II ENTITLEMENT</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the date the Title II beneficiary was first eligible for Title II benefits. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DATE OF TITLE II SUSPENSION OR TERMINATION</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the date the event the occurred, causing the suspension or termination of Title II benefits for this beneficiary. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DATE OF TITLE XVI APPEAL</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	If applicable, this is the current appeal action date for the Title XVI recipient. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DATE OF TITLE XVI ELIGIBILITY</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>

Name	Explanation
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or spaces
Description	If applicable, this is the latest of the application date, final onset date, or date the Title XVI recipient attained the age of 65 years. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DATE STAMP</b>
Type	Input and Output field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>• FCR Transmission Header record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Reconciliation/Data Inconsistency File Header record</li> <li>• FCR Pending Resolution Batch Response Header record</li> <li>• FCR Locate Response Batch Header record</li> </ul>
Length	8
Format	Numeric
Values	A valid date in CCYYMMDD format
Description	This is the date you sent the batch of input transactions to the FCR. This is the date the FCR returned the batch of output transactions. You must make sure the date stamp in the FCR Transmission Header is the current date. Transmissions should not be pre- or post-dated.
<b>Name</b>	<b>DEFERRED PAYMENT DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or spaces
Description	This is the Title II beneficiary's date on which the first, or next, deferred payment can be made. If this is not a valid date, it is all spaces.

Name	Explanation
<b>Name</b>	<b>DIRECT DEPOSIT INDICATOR</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphabetic
Values	C – Checking E – Electronic Benefits Transfer S – Savings Space – None
Description	This is the method used to send direct deposit payments to the Title II or Title XVI beneficiary.
<b>Name</b>	<b>DISABILITY OR BLINDNESS ONSET DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the date of disability onset this applicant alleged. It is retained on the Title XVI Supplemental Security Record (SSR) during the period in which the case is awaiting a medical decision, or in the case of a medical denial. After a final disability or blindness allowance, the date of onset displayed is either: <ul style="list-style-type: none"> <li>• The date of disability onset established for Title II purposes in concurrent Title II or Title XVI allowance; or</li> <li>• The date of onset established for Title XVI only medical allowances. This date will be no earlier than the effective month of the SSI application unless information in the medical file supports an earlier onset.</li> </ul>
<b>Name</b>	<b>DISABILITY ONSET DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>

Name	Explanation
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the first date of the onset of disability. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>DISTRICT OFFICE MAILING ADDRESS LINE 1 through DISTRICT OFFICE MAILING ADDRESS LINE 4 or DISTRICT OFFICE MAILING ADDRESS LINE 1 TEXT through DISTRICT OFFICE MAILING ADDRESS LINE 4 TEXT</b>
Type	Output field
Condition	Conditional for these output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	22
Format	Alphanumeric
Values	Alphanumeric characters
Description	This is the SSA's DO mailing address for the recipient. If Title II returns no address, these fields are all spaces.
<b>Name</b>	<b>DISTRICT OFFICE MAILING ADDRESS CITY or DISTRICT OFFICE MAILING ADDRESS CITY NAME</b>
Type	Output field
Condition	Conditional for these output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	28
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	This is the city name for the SSA District Office address. If not applicable, this is all spaces.
<b>Name</b>	<b>DISTRICT OFFICE MAILING ADDRESS STATE or DISTRICT OFFICE MAILING ADDRESS STATE CODE</b>

Name	Explanation
Type	Output field
Condition	Conditional for these output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	A two-character alphabetic FIPS state code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the FIPS state abbreviation for the DO mailing address. If not applicable, this is all spaces.
<b>Name</b>	<b>DISTRICT OFFICE MAILING ADDRESS ZIP CODE</b>
Type	Output field
Condition	Conditional for these output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	9
Format	Alphanumeric, or all spaces
Values	A valid ZIP code
Description	This is the ZIP code for the SSA DO mailing address. If not applicable, this is all spaces.
<b>Name</b>	<b>DoD AGENCY STATUS INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Active duty employee C – Civilian employee R – Reserve employee Space – DoD did not report QW or NH, or information is not available
Description	This code is a DoD employee’s employment type.

Name	Explanation
<b>Name</b>	<b>DoD PAY GRADE OR RANK</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	The codes are defined in the OPM's Guide to Personnel Data, located at: <a href="#">Military Rank-Civilian Pay Grade</a>
Description	This is the military pay grade or rank, or the civilian or reserve pay grade for the person.
<b>Name</b>	<b>DoD SERVICE OR AGENCY CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	If the DoD Status Code is '7,' this is a four-character code as defined in: <a href="#">Table M-3, Service Agency Codes</a>
Description	This is the service branch or agency within DoD that employs the person.
<b>Name</b>	<b>DoD STATUS CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	1 –Civilian DoD 2 – Active duty military 3 – Retired military (pay status) 4 – Reserve military (pay status) 6 – Administrative Office of U.S. Courts (AOUSC) 7 – Civilian Non-DoD 8 – Civilian retiree B – Executive Office of the President (EXOP) employee E – Retired military (non-pay status) F – Reserve military (non-pay status) G – Army Non-Appropriated Fund (Army NAF) employee M – Marine Corps Non-Appropriated Fund (Marine Corps NAF) employee P – Bureau of Personnel Non-Appropriated Fund (BUPERS NAF) T – Army and Air Force Exchange Service (AAFES) X – Navy Exchange Commission Non-Appropriated Fund (NEXCOM) Y – Navy Non-Appropriated Funds (Navy NAF) employee Z – Air Force Moral Welfare Recreation (AFMWR NAF) Space – Information is not available.
Description	This is the status of the person’s employment with DoD.
<b>Name</b>	<b>EARNED INCOME – NET COUNTABLE AMOUNT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	6
Format	Signed numeric (in COBOL format S9(4)V99)
Values	Negative values can be present. If no amount is available, this is all zeros.
Description	This is the current month’s earned income after all exclusions are applied. It is used to decide eligibility and to compute the payment.
<b>Name</b>	<b>EMPLOYER ADDRESS CITY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	30
Format	Alphabetic

Name	Explanation
Values	A through Z, hyphen (-) or spaces
Description	This is the city name for the employer.
<b>Name</b>	<b>EMPLOYER ADDRESS FOREIGN COUNTRY INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the employer is in a foreign country. Space – The address of the employer is in the US.
Description	This shows if the employer address supplied is a US or foreign address.
<b>Name</b>	<b>EMPLOYER ADDRESS FOREIGN COUNTRY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	25
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the foreign country name of the address for the employer.
<b>Name</b>	<b>EMPLOYER ADDRESS SCRUB 1 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign address GA – Good address

Name	Explanation
Description	This is the result of the address editing of the address information returned in the response.
<b>Name</b>	<b>EMPLOYER ADDRESS SCRUB 2 CODE or EMPLOYER ADDRESS SCRUB 3 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	<p>If the employer address scrub code 1 is ‘BA,’ this is one of these codes:</p> <p>BR – Bad range            BU – Bad unit number            BX – Missing state code or missing state code and ZIP code            MA – Mismatched address            MX – Mismatched state and ZIP code            NC – Non-determined city name            NZ – Non-determined ZIP code</p> <p>If the employer address scrub code 1 is ‘CH,’ this is one of these:</p> <p>BU – Bad unit number            BX – Missing state code or missing state code and ZIP code            CA – Corrected address            CC – Corrected city name            CZ – Corrected ZIP code            MA – Mismatched address            MX – Mismatched state and ZIP code            NC – Non-determined city name</p> <p>If the employer address scrub 1 code is ‘EA,’ ‘FA,’ or ‘GA,’ this is spaces.</p>
Description	This further defines the results of address editing of the address information returned in the response.
<b>Name</b>	<b>EMPLOYER ADDRESS STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	2
Format	Alphabetic

Name	Explanation
Values	Standard state abbreviation value
Description	This is the state code of the employer.
<b>Name</b>	<b>EMPLOYER ADDRESS STREET 1 TEXT or EMPLOYER ADDRESS STREET 2 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	This is the first line or second line of the street address of the employer.
<b>Name</b>	<b>EMPLOYER ADDRESS POSTAL CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the ZIP code (domestic or foreign) of the employer.
<b>Name</b>	<b>EMPLOYER NAME</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• Insurance Match Standard Interface record</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul> Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	45
Format	Alphanumeric

Name	Explanation
Values	A through Z, 0 through 9, hyphens, or spaces
Description	This is the name of the person's employer on the NDNH QW or NH files, or as associated with an insurance claimant.
<b>Name</b>	<b>EMPLOYER PHONE EXTENSION NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	6
Format	Numeric
Values	0 through 9
Description	This is the phone number extension of the employer's contact.
<b>Name</b>	<b>EMPLOYER PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 2</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the phone number of the employer's contact.
<b>Name</b>	<b>EMPLOYMENT INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	I – Independent contractor C – Consultant P – Permanent T – Temporary Space – Not available

Name	Explanation
Description	This code is the person's employment type.
<b>Name</b>	<b>EMPLOYMENT STATUS</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Active I – Inactive L – On annual leave M – On military leave R – Retired V – Vacation Space – Not available
Description	This is the person's employment status.
<b>Name</b>	<b>ERROR CODE 1 through ERROR CODE 5</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> </ul>
Length	5
Format	Alphanumeric
Values	LE001 through LE999 – Rejection errors found for a request for Locate PE001 through PE999 – Rejection errors found for a person or case record QE001 through QE999 – Rejection errors found for a Query TE001 through TE999 – Rejection errors found during input transaction verification LW001 through LW999 – Warning codes found for a request for Locate PW001 through PW999 – Warning codes found for a person or case record QW001 through QW999 – Warning codes found for a query TW001 through TW999 – Non-critical errors found during input transaction verification Spaces – No rejection error or warning code found

Name	Explanation
Description	<p>The FCR returns this code to show the types of errors detected during processing of the transaction. There are two classes of error codes: warning and rejection. A warning code shows FCR detected an error but it was not sufficiently critical to force rejection of the record. The rejection error code shows FCR detected a critical error and rejected the record. The second position of the code is a 'W' for warning codes and an 'E' for rejection errors.</p> <p>Refer to Appendix J, "Error Messages," for a complete list of the error codes.</p>
<b>Name</b>	<b>ESTIMATED SELF EMPLOYMENT AMOUNT</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	6
Format	Numeric (in COBOL format 9999V99)
Values	0 through 9
Description	This is the Title XVI recipient's self-employment estimated net income.
<b>Name</b>	<b>FAMILY VIOLENCE</b>
Type	Input and Output field
Condition	<p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record for records with an action type code of 'A' or 'C'</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>FV – Designate the person as associated with child abuse or domestic violence</p> <p>XX – Remove the designation that the person is associated with child abuse or domestic violence</p> <p>Spaces – No Family Violence</p>
Description	<p>Use this to show if there is reasonable evidence that the related person is associated with family violence. The FCR uses a value of 'FV' to prevent the release of information for the associated person.</p> <p>A court order may override a family violence indicator, with information on the person released in conjunction with the court order.</p>

Name	Explanation
<b>Name</b>	<b>FATHER'S FIRST NAME</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'A,' 'C,' or 'L'</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or spaces; no imbedded spaces or special characters
Description	This is the first name of the father of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for the person. The FCR uses this information to find the SSN but it is not stored.
<b>Name</b>	<b>FATHER'S LAST NAME</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'A,' 'C,' or 'L'</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is the surname of the father of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for that person. The FCR uses this information to find the SSN but it is not stored.
<b>Name</b>	<b>FATHER'S MIDDLE INITIAL</b>
Type	Input and Output field

Name	Explanation
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	1
Format	Alphanumeric
Values	A through Z, or space; no special characters
Description	This is the middle initial of the father of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for that person. The FCR uses this information to find the SSN but it is not stored.
<b>Name</b>	<b>FCR PRIMARY FIRST NAME</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the first name stored on the FCR as the person’s primary first name, based on the SSN-name combination verification process.
<b>Name</b>	<b>FCR PRIMARY LAST NAME</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	30
Format	Alphanumeric

Name	Explanation
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is the last name stored on the FCR as the person's primary last name based on the SSN-name combination verification process.
<b>Name</b>	<b>FCR PRIMARY MIDDLE NAME</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the middle name stored on the FCR as the person's primary middle name based on the SSN-name combination verification process.
<b>Name</b>	<b>FCR PRIMARY SSN</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the SSN stored on the FCR as the person's primary SSN, based on the SSN-name combination verification process.
<b>Name</b>	<b>FCR QUERY/PROACTIVE MATCH RESPONSE RECORDS</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>

Name	Explanation
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Query/Proactive Match Response records returned in the batch from the FCR.
<b>Name</b>	<b>FCR QUERY RECORDS ACCEPTED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Query Acknowledgement/Error records included in the FCR batch response with an acknowledgement code of 'AAAAA' to show the FCR accepted the record for processing.
<b>Name</b>	<b>FCR QUERY RECORDS RECEIVED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Input Query records included in the batch sent to the FCR.
<b>Name</b>	<b>FCR QUERY RECORDS REJECTED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric

Name	Explanation
Values	00000000 through 99999999
Description	This is the number of FCR Query Acknowledgement/Error records included in the FCR batch response with an FCR acknowledgement code of 'REJCT.'
<b>Name</b>	<b>FEDERAL ENFORCEMENT AND COLLECTIONS FILE LOCAL CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	001 through 999 or spaces; refer to <a href="#">FIPS County Codes</a>
Description	This is the state-assigned local code for the case from the Federal Enforcement and Collections file. This may include a valid FIPS county code or another state-assigned code.
<b>Name</b>	<b>FEDERAL ENFORCEMENT AND COLLECTIONS FIRST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, special characters, or spaces (but not all spaces)
Description	This is the person's first name from the Federal Enforcement and Collections (FCE) file. This may include hyphens or imbedded spaces. <b>Note:</b> The first name available from the FCE file is only 10 positions. This field is 15 positions to be consistent with the specifications for submission of FCE records.
<b>NAME</b>	<b>FEDERAL ENFORCEMENT AND COLLECTIONS LAST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	20
Format	Alphanumeric

Name	Explanation
Values	A through Z, special characters, or spaces (but not all spaces) This may include hyphens.
Description	This is the person's last name from the Federal Enforcement and Collections file.
<b>Name</b>	<b>FEIN</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	A through Z, 0 through 9, or all spaces
Description	This is the employer's Federal Employer Identification Number (FEIN) as reported from the federal agency or NDNH Quarterly Wage or New Hire file. If the information is not available, this is all spaces.
<b>Name</b>	<b>FIPS COUNTY CODE</b>
Type	Input and Output field
Condition	Optional for these input records: <ul style="list-style-type: none"> <li>• FCR Input Case record</li> <li>• FCR Input Person/Locate Request record</li> <li>• FCR Input Query record</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR DMDC/Proactive Match Response record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Case Reconciliation record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	3

Name	Explanation
Format	Alphanumeric
Values	001 through 999 or spaces; refer to <a href="#">FIPS County Codes</a>
Description	This is the FIPS county code (positions 3-5) that manages the FCR case.
<b>Name</b>	<b>FIRST NAME or FIRST NAME TEXT</b>
Type	Input and Output field
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘L’</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘C’</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the first name of the person the FCR will add or change, or who is on a Locate request.
<b>Name</b>	<b>FOREIGN COUNTRY CODE</b>
Type	Output field
Condition	<p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The two-digit alphabetic FIPS code for a foreign country or all spaces Refer to <a href="#">FIPS Country Codes</a> .

Name	Explanation
Description	This is the FIPS code of the foreign country for a person or the person's employer in the format the address format indicator designated. Refer to the Returned Address field for examples of the formats.
<b>Name</b>	<b>FOREIGN COUNTRY NAME</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	25
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	This is the name of the foreign country for a person, or the person's employer, in the format the address format indicator designated. Refer to the Returned Address field for examples of the formats.
<b>Name</b>	<b>FPLS NAME SENT OR MATCHED INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – First name, middle name, last name 2 – Additional first name 1, additional middle name 1, additional last name 1 3 – Additional first name 2, additional middle name 2, additional last name 2 Space – The name or additional names did not match the name on the Locate source, or information is not available. (only for Locate response codes of '06,' '10,' and '39')
Description	This shows which name was sent to the external Locate source, and if a match was found.
<b>Name</b>	<b>FPLS RESPONSE RECORDS</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>

Name	Explanation
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FPLS Locate Response records returned in the batch from the FCR.
<b>Name</b>	<b>HEALTH INSURANCE BENEFIT INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	F – Family I – Individual Space – Not available
Description	This is the type of health insurance coverage for an employee.
<b>Name</b>	<b>HI OPTION CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	C – None (Cessation of disability) D – None (Coverage denied) E – Yes (Automatic; no premium needed) F – None (Invalid enrollment terminated) G – Yes (Good cause) H – None (Not eligible or did not enroll) N – Obsolete P – Railroad Board has jurisdiction R – None (Refused coverage) S – None (No longer under renal disease provision) T – None (Terminated for nonpayment of premiums) W – None (Withdrawal) X – None (Title II termination) Y – Supplemental insurance (Part B) is payable Space – Not applicable
Description	This is the Title II beneficiary’s health insurance (HI) option code.
<b>Name</b>	<b>HI START DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	This is a valid date in CCYYMM format, or all spaces
Description	This is the date the Title II beneficiary became eligible for health insurance (HI).
<b>Name</b>	<b>HI STOP DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	This is a valid date in CCYYMM format, or all spaces
Description	This is the end date for the Title II beneficiary’s health insurance benefits. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>HOUSE RESOURCE CODE</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Possession of a home (principal residence not to be disposed of) F – Unverified (obsolete) J – Possession of a home (principal residence to be disposed of) S – Equity in property T – Home and equity in property Z – None * – First claims exception Space – Not decided
Description	This shows whether the recipient owns a house.
<b>Name</b>	<b>INSURANCE CLAIM BENEFICIARY INDICATOR</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	N – No, a beneficiary is not associated with this insurance claim. Y – Yes, a beneficiary is associated with this insurance claim.
Description	This specifies whether a beneficiary is associated with this claim.
<b>Name</b>	<b>INSURANCE CLAIM LOSS DATE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format
Description	This is the date of the claimant’s insurance claim loss.

Name	Explanation
<b>Name</b>	<b>INSURANCE CLAIM PAYOUT FREQUENCY CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – One-time 2 – Weekly 3 – Bi-weekly 4 – Monthly 5 – Quarterly 6 – Annually 7 – Other
Description	This code is associated with the frequency of the insurer claim payout.
<b>Name</b>	<b>INSURANCE CLAIM REPORTED DATE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	8
Format	Alphanumeric
Values	CCYYMMDD
Description	This is the date the claimant reported the claim to the insurer.
<b>Name</b>	<b>INSURANCE CLAIM STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphanumeric
Values	Standard alphabetic state abbreviation value
Description	This is the state where the insurance loss occurred.
<b>Name</b>	<b>INSURANCE CLAIM STATUS CODE</b>

Name	Explanation
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – Matched claim open at the time of the match by the insurance matcher. 1 – Matched claim closed at the time of the match by the insurance matcher. 9 – The insurer did not report the status of the matched claim.
Description	This is the status of the claim.
<b>Name</b>	<b>INSURANCE PRODUCT CLAIM TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphanumeric
Values	00 – Life 01 – Automobile 02 – Automobile – No fault 03 – Automobile – Medical 04 – Property liability 05 – Workers’ Compensation 06 – Personal injury 07 – General liability 08 – Homeowners liability 09 – Medical premise or Owners policy 10 – Product liability 11 – Slip, trip, and fall 12 – Other 13 – Unknown
Description	This is the type of claim matched by the insurance matcher.
<b>Name</b>	<b>INSURANCE RESOURCE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>

Name	Explanation
Length	1
Format	Alphanumeric
Values	C – Face value over \$1,500 H – Unverified resource L – Agreement to dispose Z – None Space – Not decided
Description	This shows whether this recipient has insurance and if so, it shows whether the individual must dispose of the insurance.
<b>Name</b>	<b>INSURER ADDRESS STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Alphanumeric
Values	Standard state abbreviation value
Description	This is the state code of the insurer’s contact.
<b>Name</b>	<b>INSURER ADDRESS STREET 1 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	This is the first line of the street address of the insurer’s contact.
<b>Name</b>	<b>INSURER ADDRESS STREET 2 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	40

Name	Explanation
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	This is the second line of the street address of the insurer's contact.
<b>Name</b>	<b>INSURER ADDRESS CITY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	This is the city name of the insurer's contact.
<b>Name</b>	<b>INSURER CLAIM NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the insurance claim number.
<b>Name</b>	<b>INSURER CONTACT EMAIL TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, period (.) or @
Description	This is the e-mail address of the insurer's contact.
<b>Name</b>	<b>INSURER CONTACT FAX NUMBER</b>

Name	Explanation
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Alphanumeric
Values	0 through 9
Description	This is the fax number of the insurer's contact.
<b>Name</b>	<b>INSURER CONTACT FIRST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	20
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the first 20 characters of the first name of the insurer's contact.
<b>Name</b>	<b>INSURER CONTACT LAST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the first 30 characters of the last name of the insurer's contact.
<b>Name</b>	<b>INSURER CONTACT PHONE EXTENSION NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	6
Format	Alphanumeric

Name	Explanation
Values	0 through 9
Description	This is the phone number extension of the insurer's contact.
<b>Name</b>	<b>INSURER CONTACT PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	10
Format	Alphanumeric
Values	0 through 9
Description	This is the phone number of the insurer's contact.
<b>Name</b>	<b>INSURER NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	45
Format	Alphanumeric
Values	Variable, A through Z, 0 through 9, or spaces
Description	This is the name of the insurer that keeps the insurance claim, and to whom the state directed to send the insurance intercept request for processing.
<b>Name</b>	<b>INSURER PROVIDED SSN</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998, or all spaces
Description	This is the insurer-supplied SSN.
<b>Name</b>	<b>INSURER RESPONSE DATE</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format
Description	This is the date we created or updated the Insurer Response record.
<b>Name</b>	<b>INSURER IDENTIFIER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR Insurance Match Response record – Part 1</li> </ul>
Length	9
Format	Alphanumeric
Values	A valid nine-digit taxpayer identification number, 000000000-999999999
Description	This is the TIN assigned to the insurer. This identifier is the Federal Employer Identification Number (FEIN).
<b>Name</b>	<b>IRS 2ND NAME RETURNED</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Locate Response record</li> </ul>
Length	62
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces
Description	This is the name of the person subject to the Locate as found on the IRS joint tax return. The format varies based on the IRS 2nd Name Returned Format Indicator. <ul style="list-style-type: none"> <li>Free format: Name returned, format unknown (62)</li> <li>Fixed format, single name: first name (16), middle name (16), last name + suffix (30)</li> <li>Free format, joint name: first name + middle initial &amp; first name + middle initial (32), last name + suffix (30). Example: Joe E. &amp; Mary Smith</li> </ul>
<b>Name</b>	<b>IRS 2ND NAME RETURNED FORMAT INDICATOR</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – No name 1 – Name in free format 2 – Fixed format, single name 3 – Free format, joint name Space – Locate source does not have the SSN on File
Description	This is the format of the IRS 2nd name returned.
<b>Name</b>	<b>IRS NAME CONTROL</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces
Description	This is the first six positions of the IRS name returned for a Locate search. If the information is not available, this is all spaces.
<b>Name</b>	<b>IRS-U SSN</b>
Type	Input and Output field
Condition	Conditionally required for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘L’</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘C’</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999999, or all spaces

Name	Explanation
Description	This is the SSN of a spouse of the person sent to the FCR. This information is sent to the IRS to supply an SSN for the person, and the spouse whose SSN is entered is the custodial parent. The FCR uses this information to find the SSN but it is not stored.
<b>Name</b>	<b>IW001 WARNING CODE COUNT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the total number of records on the FCR Data Inconsistency file with a warning code of <b>IW001</b> (Participant type is 'PF' and order indicator is 'Y').
<b>Name</b>	<b>IW002 WARNING CODE COUNT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the total number of records on the FCR Data Inconsistency file with a warning code of <b>IW002</b> (Participant type is 'CP,' 'NP,' or 'PF,' and the participant age is less than 11 years).
<b>Name</b>	<b>IW003 WARNING CODE COUNT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999

Name	Explanation
Description	This is the total number of records on the FCR Data Inconsistency file with a warning code of <b>IW003</b> (Sex code is not 'F' or 'M').
<b>Name</b>	<b>IW004 WARNING CODE COUNT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the total number of records on the FCR Data Inconsistency file with a warning code of <b>IW004</b> (Participant type is 'PF,' and the sex code is 'F').
<b>Name</b>	<b>KNOWN INCORRECT SSN</b>
Type	Input and Output field
Condition	Optional for this input records: <ul style="list-style-type: none"> <li>FCR Input Person/Locate Request record with an action type code of 'A' or 'C'</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000000 through 999999999 or spaces
Description	This SSN does not belong to your case participant, and you are telling the FCR it is incorrect. If this does not apply, this is all spaces.
<b>Name</b>	<b>LAF CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title II Locate Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	This code is the Ledger Account file code (LAF), which reflects the Master Beneficiary Record (MBR-Title II), payment status for this beneficiary. LAF values are in Attachment A, Appendix E at: <a href="http://onlineresources.wnylc.net/nychra/docs/pb11-30-sys.pdf">http://onlineresources.wnylc.net/nychra/docs/pb11-30-sys.pdf</a>
Description	This is the Title II beneficiary's ledger account file code.
<b>Name</b>	<b>LAST NAME OR LAST NAME TEXT</b>
Type	Input and Output field
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'A' or 'L'</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'C'</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is the last name of the person the FCR will add or change, or who is on Locate request.
<b>Name</b>	<b>LOCATE CLOSED INDICATOR</b>
Type	Output field
Condition	<p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>

Name	Explanation
Length	1
Format	Alphabetic
Values	C – This is the last Locate response for this person for this requestor. Space – This is not the last Locate response for this person for this requestor.
Description	This shows if this Locate response is the last response for this Locate request.
<b>Name</b>	<b>LOCATE REQUEST TYPE</b>
Type	Input and Output field
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘L’ or ‘T’</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘C’</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	2
Format	Alphanumeric
Values	AD – Request for Adoption or Foster Care purposes CS – Request for IV-D purposes CV – Request for Custody and Visitation Establishment or Enforcement purposes LC – Request for Locate Only for Child Support purposes PK – Request for Parental Kidnapping purposes Spaces – Information not available
Description	<p>This is the purpose of the Locate request. It decides which information the NDNH and the FPLS external Locate sources return.</p> <p>Refer to Chart 6-14, “Types of Locate Requests,” for an explanation of the authorization required for each Locate request type and the information available.</p> <p>If the response is due to a Proactive Match, this is all spaces.</p>

Name	Explanation
<b>Name</b>	<b>LOCATE RESPONSE CODE</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	02 – Beneficiary or person deceased (FBI, NSA, or SSA) 03 – Beneficiary suspended (SSA) 05 – SSN identified, no IRS address (IRS) 06 – FCR case type changed from IV-D to non-IV-D, the FCR closed the IV-D case, or the FCR deleted the person while Locate request was pending: no information returned (All Locate sources except Title II pending claim). 08 – SVES could not verify the sent SSN for SVES Locate. The FCR does not return this Locate response code; it is an internal FCR code. 09 – The source’s database is offline or in maintenance status and is not accessible (SVES). 10 – Locate source does not have the SSN on File (All Locate sources except Title II pending claim). 12 – Sent name does not agree with Locate source name (DoD, DVA, FBI, IRS, NSA, or SSA). 19 – Address not on the SSA automated system (SSA) 22 – Good SSN, no record of earnings (SSA) 28 – Address not available from Locate source (DoD, SSA, FBI) 30 – SSN matched, no address returned (DoD, FBI, NDNH) 39 – Disclosure prohibited, person associated with family violence (All Locate sources except Title II pending claim. The FCR does not return the Locate response code ‘39’ for a Title II pending claim). 40 – SSN identified, address supplied (IRS) 46 – SSN matched the NDNH Verified database, the name returned differs from your submitted name. 47 – SSN matched the QW Non-Verifiable database. The QW name returned is incomplete or missing and may or may not match your submitted name. 48 – SSN matched the NDNH Unverified database. The NDNH response SSN is an unverified SSN-name combination with a probable name match. The name returned may or may not match your submitted name. Space – SSN and your submitted name matched the NDNH Verified database and FCR returned the address to the state.
Description	This further clarifies the responses received from the Locate source.
<b>Name</b>	<b>LOCATE SOURCE 1 through LOCATE SOURCE 8</b>
Type	Input and Output field

Name	Explanation
Condition	Conditionally required for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘L’ or ‘T’</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’ or ‘C’</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	3
Format	Alphanumeric
Values	ALL – Send search request to all available Locate sources A01 – Send a search request to the DoD. A02 – Send a search request to the FBI for their employees A03 – Send a search request to the NSA for their employees C01 – Send a search request to the IRS for their employees E01 – Send a search request to the SSA for their employees F01 – Send a search request to the DVA for their employees H01 – Request a search of the NDNH Spaces – Information not available
Description	These are the sources to search for a request for Locate.
<b>Name</b>	<b>LOCATE SOURCE RESPONSE AGENCY CODE</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	3
Format	Alphanumeric

Name	Explanation
Values	A01 – Response from DoD A02 – Response from FBI A03 – Response from NSA C01 – Response from IRS C03 – Response from AWR E04 – FCR Title II Pending Claim Response record E05 – FCR SVES Title II Locate Response record E06 – FCR SVES Title XVI Locate Response record E07 – FCR SVES Prisoner Locate Response record E10 – FCR SVES Not Found Response record F01 – Response from DVA H01 – Response from NDNH – NDNH data not available (Only for an NDNH match type of ‘L’ when the Locate response code is ‘06,’ ‘10,’ or ‘39’) H97 – Response from NDNH UI H98 – Response from NDNH QW H99 – Response from NDNH NH
Description	This is the source of the Locate information returned in the Locate Response record.
<b>Name</b>	<b>LOCATE SOURCE SPECIFIC INFORMATION</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	220
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), or spaces
Description	These are subset fields of specific information received from the Locate sources. The format of this field varies for each specific Locate source as shown in the Locate Source Response Agency Code field.
<b>Name</b>	<b>MATCHED CASE ID</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric

Name	Explanation
Values	A through Z, 0 through 9, or special characters
Description	This is the state case ID on the FCR for the matched record.
<b>Name</b>	<b>MATCHED CASE ORDER INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – The state system has no record of a support order for this case. Y – The state system has a record of a support order for a child, or a parent with whom the child is living that applies to this case. Space – If the action type code is a ‘D’
Description	This is the order indicator on the FCR for the matched record.
<b>Name</b>	<b>MATCHED CASE STATE OR TERRITORY CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The two-position numeric FIPS state or territory code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the FIPS code for the state or territory on the matched record.
<b>Name</b>	<b>MATCHED CASE TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	F – IV-D case N – Non-IV-D case Space – If the action type code is ‘D’

Name	Explanation
Description	This is the case type of the matched case on the FCR.
<b>Name</b>	<b>MATCHED FCR CASE REGISTRATION DATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format
Description	This is the date the FCR added the matched record.
<b>Name</b>	<b>MATCHED FCR FIPS COUNTY CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	001 through 999 or spaces; refer to <a href="#">FIPS County Codes</a>
Description	This is the FIPS county code on the FCR for the matched record. For the FCR Query response when the FIPS county code is not present on the FCR for the person, this is all spaces.
<b>Name</b>	<b>MATCHED MEMBER ID</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the state member ID of the person matched on the FCR.
<b>Name</b>	<b>MATCHED PARTICIPANT TYPE</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	CH – Child CP – Custodial party NP – Noncustodial parent PF – Putative father Spaces – If the action type code is a ‘D’
Description	This is the participant type of the person matched on the FCR.
<b>Name</b>	<b>MATCHED PERSON ADDITIONAL FIRST NAME 1 through MATCHED PERSON ADDITIONAL FIRST NAME 4</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is an additional first name on the FCR for the matched person.
<b>Name</b>	<b>MATCHED PERSON ADDITIONAL LAST NAME 1 through MATCHED PERSON ADDITIONAL LAST NAME 4</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-) or all spaces No imbedded spaces or special characters other than hyphen (-)
Description	This is an additional last name on the FCR for the matched person.
<b>Name</b>	<b>MATCHED PERSON ADDITIONAL MIDDLE NAME 1 through MATCHED PERSON ADDITIONAL MIDDLE NAME 4</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is an additional middle name on the FCR for the matched person.
<b>Name</b>	<b>MATCH TYPE CODE</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	FCR Title II Pending Claim Response record: N – Title II Pending Claim-to-FCR proactive response for new information added to the Title II Pending Claim File. FCR Locate Response record: L – A Locate request started the response. P – A Proactive request started the response.
Description	FCR Title II Pending Claim Response record: This action started the generation of the Title II Pending Claim-to-FCR. FCR Locate Response record: This action started the generation of the FCR Locate Response record.
<b>Name</b>	<b>MATCHED PERSON DATE OF DEATH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	8
Format	Alphanumeric

Name	Explanation
Values	A valid date in CCYYMMDD format 99999999 – SSA removed an erroneous date of death Spaces – A valid date of death does not apply to the matched person, or a valid date of death is not available.
Description	This is the date of death for the person matched in the FCR.
<b>Name</b>	<b>MBC AMOUNT 1 through MBC AMOUNT 8</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Numeric in COBOL format 9999V99
Values	0 through 9
Description	This is the Title II beneficiary’s first through eighth Monthly Benefit Credited (MBC) amounts. The monthly Title II benefit is due after any appropriate dollar rounding but before the actual collection of any obligation of the beneficiary. If not applicable, this is all spaces.
<b>Name</b>	<b>MBC DATE 1 through MBC DATE 8</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the Title II beneficiary’s first through eighth MBC dates. The MBC pays this amount in the month after this date. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>MBC NUMBER OF ENTRIES</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1

Name	Explanation
Format	Numeric
Values	0 through 8
Description	This is the Title II beneficiary's number of MBC Amount, Date, and Type fields.
<b>Name</b>	<b>MBC TYPE 1 through MBC TYPE 8</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	C – Benefits paid (credited) E – Benefits not paid (not credited), due to delayed or pending or suspense N – Benefits not paid (not credited) Space – Benefits not paid (not credited) or not applicable
Description	This is the Title II beneficiary's first through eighth Monthly Benefit Credited (MBC) benefit type.
<b>Name</b>	<b>MEMBER ID or MEMBER IDENTIFIER</b>
Type	Input and Output field

Name	Explanation
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘D’</li> </ul> <p>Conditionally required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Query record</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘L’</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is your unique identifier for a participant in a case that is on the FCR or the FCR will add, or who is on a Locate request.
<b>Name</b>	<b>MIDDLE NAME or MIDDLE NAME TEXT</b>
Type	Input and Output field

Name	Explanation
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'A,' 'C,' or 'L'</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the middle name of the person.
<b>Name</b>	<b>MISSING PRIOR QW RECORD INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record with an NDNH match type of 'N' and Locate source response agency code of 'H98'</li> </ul>
Length	1
Format	Alphanumeric
Values	X – The prior QW record was not found for an NDNH match type of 'N.' Space – The prior QW record was found for an NDNH match type of 'N,' or the QW file was not searched for NDNH match types of 'L' or 'P.'
Description	This shows if the system found a prior QW record for comparison to the current QW record.
<b>Name</b>	<b>MISSING W-4 RECORD INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record with an NDNH match type of 'N' and Locate source response agency code of 'H98'</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	<p>X – The NH was not found on NDNH file for an NDNH match type of ‘N.’                      Space – For an NDNH match type of ‘N,’ the system did not search the NH file because the system found a prior QW record, or the system found the NH record on file. For NDNH match types of ‘L’ or ‘P,’ the system did not search the NH file.</p>
Description	This shows if the system found a prior NH record.
<b>Name</b>	<b>MOTHER’S FIRST NAME</b>
Type	Input and Output field
Condition	<p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> <p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	<p>This is the given name of the mother of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for that person.                      The FCR uses this information to find the SSN, but it is not stored.</p>
<b>Name</b>	<b>MOTHER’S MAIDEN NAME</b>
Type	Input and Output field
Condition	<p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> <p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error/ record</li> </ul>
Length	16
Format	Alphanumeric
Values	<p>A through Z, hyphen (-), or all spaces                      No imbedded spaces or special characters other than hyphen (-)</p>
Description	<p>This is the maiden name of the mother of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for that person.                      The FCR uses this information to find the SSN, but it is not stored.</p>

Name	Explanation
<b>Name</b>	<b>MOTHER'S MIDDLE INITIAL</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'A,' 'C,' or 'L'</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	1
Format	Alphanumeric
Values	A through Z, or space; no special characters
Description	This is the middle initial of the mother of the person sent to the FCR. The FCR sends this information to SSA to supply an SSN for that person. The FCR uses this information to find the SSN, but it is not stored.
<b>Name</b>	<b>MSFI ACCOUNT BALANCE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	7
Format	Signed numeric
Values	0000000 through 9999999
Description	This is the whole dollar balance or value of the matched MSFI account. The account balance may be a negative amount. The sign is in the last position. Brokerage firms that report margin accounts may report the balance as either the value of the payee's equity position, or the value of the account minus any borrowed amount. Zeros show the account is closed, or the MSFI chose not to supply the balance of the account. If the MSFI chose not to supply the balance of the account, the MSFI account balance indicator is '0.'
<b>Name</b>	<b>MSFI ACCOUNT BALANCE INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	1

Name	Explanation
Format	Alphanumeric
Values	0 – The account balance was not supplied by the MSFI 1 – The average account balance supplied (whether daily, monthly, etc.) 2 – The account balance supplied was as of the day of the MSFIDM
Description	This shows the MSFI-supplied the contents of the MSFI Account Balance field.
<b>Name</b>	<b>MSFI ACCOUNT FULL LEGAL TITLE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	100
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is the full title associated with the payee’s account matched by the MSFI. The MSFI may supply this information for trust accounts or accounts with other legal titles (“Law Office of...”) to assist in the processing of lien or levy requests. This may include special characters (hyphen) or imbedded spaces.
<b>Name</b>	<b>MSFI ACCOUNT TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	00 – Not applicable 01 – Savings account 04 – Checking Demand Deposit account 05 – Term deposit certificate 06 – Collateral account 11 – Money Market Account 12 – IRA or Keogh account 14 – ERISA Plan account 16 – Cash balances 17 – Compound Account, includes investment accounts where parts of the balance are in differing funds – stocks, money market funds, bonds, etc. 18 – Other

Name	Explanation
Description	This defines the type of account matched by the MSFI.
<b>Name</b>	<b>MSFI ADDRESS SCRUB INDICATOR 1</b>
Type	Output field
Condition	Required for this record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	GA – Good address
Description	This describes the status of the edited address.
<b>Name</b>	<b>MSFI ADDRESS SCRUB INDICATOR 2 or MSFI ADDRESS SCRUB INDICATOR 3</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	Spaces
Description	This is reserved for future use.
<b>Name</b>	<b>MSFI CITY</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	29
Format	Alphabetic
Values	A through Z, or spaces (but not all spaces)
Description	This is the city the MSFI asked states to direct request for liens or levies for MSFIDM responses. This may include imbedded blanks.
<b>Name</b>	<b>MSFI FOREIGN COUNTRY INDICATOR</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the MSFI is in a foreign country. Space – The address of the MSFI is in the US.
Description	This is the MSFI address is in a foreign country.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT 2ND PAYEE SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 or spaces
Description	This is the SSN of a secondary account holder on the MSFI matched account.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT FOREIGN COUNTRY INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the payee is in a foreign country. Space – The address of the payee is in the US.
Description	This is the payee address is in a foreign country.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT LOCATION STATE CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphabetic

Name	Explanation
Values	A valid two-position state code
Description	This is the state where the matched MSFI account is, or opened. The FCR can use the state where the account is to find the state, or states, authorized to send lien or levy requests to the MSFI.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, special characters, or spaces (but not all spaces)
Description	This is the payee's name on the matched MSFI account. The MSFI payee indicator shows if this name is the primary account owner or a secondary account owner. The FCR returns the name in the format the MSFI stored for the account (last name and first name, or, first name, middle initial, and last name). The may include special characters (comma, dash, etc.) or imbedded spaces.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE ADDRESS SCRUB INDICATOR 1</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign address GA – Good address
Description	This is the general status of the edited address.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE ADDRESS SCRUB INDICATOR 2 or MSFI MATCHED ACCOUNT PAYEE ADDRESS SCRUB INDICATOR 3</b>
Type	Output field

Name	Explanation
Condition	Conditional for this record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BR – Bad range BU – Bad unit number BX – Missing state code or missing both state code and ZIP code CA – We tried to correct a misspelled or non-standard street name. CC – We tried to correct a misspelled or non-standard city name. CZ – We tried to correction the ZIP code. MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name NZ – Non-determined ZIP code Spaces – The MSFI matched account payee address scrub indicator 1 is ‘EA,’ ‘FA,’ or ‘GA.’
Description	This further details the status of the edited address. Refer to Section 10.1.4, “Address Editing of MSFIDM Responses.”
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE CITY</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	29
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the city of a payee’s address on the matched MSFI account. This may include imbedded spaces. If the MSFI had the address of the MSFI Matched SSN, it is here. If the MSFI did not have the address of the MSFI matched SSN, it may return the address of the other account owner.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE DATE OF BIRTH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>

Name	Explanation
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all zeros
Description	This is the date of birth of the MSFI matched account owner. All zeros show the MSFI did not supply a date of birth.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE STATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	A two position state code
Description	This is the payee's address state on the matched MSFI account. If the MSFI had the address of the MSFI matched SSN, it is here. If the MSFI did not have the address of the MSFI matched SSN, it may return the address of the other account owner. If the MSFI matched account foreign country indicator is a space, the MSFI matched account payee state is in the US. If the MSFI matched account foreign country indicator is a '1,' the MSFI matched account payee state is in a foreign country.
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE STREET ADDRESS</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is the payee's street address on the matched MSFI account. This may include special characters or imbedded spaces. If the MSFI had the address of the MSFI matched SSN, it is here. If the MSFI did not have the address of the MSFI matched SSN, it may return the address of the other account owner.

Name	Explanation
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PAYEE ZIP CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	0 through 9, or all spaces
Description	<p>This is the ZIP code of a payee on the matched MSFI account. The ZIP code is in two parts. The last four positions may be spaces.</p> <p>If the MSFI had the address of the MSFI matched SSN, it is here.</p> <p>If the MSFI did not have the address of the MSFI matched SSN, it may return the address of the other account owner.</p> <p>If a '1' is present in the MSFI foreign country indicator, the ZIP code may include alphabetic characters.</p>
<b>Name</b>	<b>MSFI MATCHED ACCOUNT PRIMARY SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998, or all spaces
Description	<p>This is the SSN of the primary owner of the MSFI matched account if the primary owner is not the MSFI matched SSN and the MSFI supplied the information.</p>
<b>Name</b>	<b>MSFI MATCHED ACCOUNT STATUS INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	1
Format	Numeric

Name	Explanation
Values	0 – Matched account open at the time of the MSFI match 1 – Matched account closed at the time of the MSFI match 2 – Matched account inactive at the time of the MSFI match 9 – MSFI did not report the status of the matched account
Description	This describes the status of the payee’s account.
<b>Name</b>	<b>MSFI MATCHED SSN</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	9
Format	Numeric
Values	000000001 through 999999998
Description	This is the SSN from the Federal Collections and Enforcement file, sent to the MSFI, and matched a payee account on the MSFI database.
<b>Name</b>	<b>MSFI MATCH YEAR AND MONTH</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	6
Format	Numeric
Values	A valid date in CCYYMM format
Description	This is the century, year, and month the FCR generated the quarterly MSFIDM Inquiry file for the MSFI.
<b>Name</b>	<b>MSFI NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces (but not all spaces) This may include special characters (hyphen) or imbedded spaces.

Name	Explanation
Description	<p>This is the name of the institution where the account is for the MSFI responding to the MSFIDM.</p> <p>Use the name to direct the request for liens or levies for MSFIDM responses.</p>
<b>Name</b>	<b>MSFI NAME MATCH FLAG</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	<p>0 – The MSFI was unable, or chose not, to match the payee’s last name.</p> <p>1 – The first four positions of the matched account’s payee last name matched the first four positions of the last name on the MSFIDM Inquiry file.</p> <p>2 – The first four positions of the matched account’s payee last name did not match the first four positions of the last name on the MSFIDM Inquiry file.</p>
Description	<p>This shows if, in addition to the SSN match, the MSFI successfully matched the first four positions of the Inquiry file last name to the matched account on the MSFI database.</p>
<b>Name</b>	<b>MSFI OTHER PAYEE ACCOUNT NAME</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, special characters, or spaces
Description	<p>This is the name of a secondary or other payee associated with a matched MSFI account if the MSFI-matched SSN is the primary account owner.</p> <p>This may include special characters (comma, dash, etc.) or imbedded spaces.</p> <p>If the MSFI-matched SSN is not the primary account owner, this may be the name of the primary account owner.</p> <p>The FCR returned the name in the format the MSFI stored the account (last name and first name, or, first name, middle initial, and last name).</p>
<b>Name</b>	<b>MSFI PAYEE ACCOUNT NUMBER</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	20
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces (but not all spaces) May include special characters (hyphens) or imbedded spaces
Description	This is the unique number the MSFI assigned to the payee's account.
<b>Name</b>	<b>MSFI PAYEE INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – The SSN matched the account owner who is the sole owner of the account. 1 – The SSN matched the secondary account owner. 2 – The SSN matched the primary account owner and there is a secondary owner(s) on the account.
Description	This defines the SSN's ownership on the account matched by the MSFI.
<b>Name</b>	<b>MSFI PAYEE LAST NAME CONTROL</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	4
Format	Alphabetic
Values	A through Z, or spaces
Description	This is the first four positions of the MSFI account holder's name the MSFI compared to the name sent on the MSFIDM Inquiry file.
<b>Name</b>	<b>MSFI SECOND FINANCIAL INSTITUTION NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>

Name	Explanation
Length	40
Format	Alphabetic
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is the name or company designation used for a location to route requests.
<b>Name</b>	<b>MSFI STATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	2
Format	Alphabetic
Values	A valid alphabetic FIPS state code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the state the MSFI asked states to direct the request for liens or levies for MSFIDM responses. If the MSFI foreign country indicator is a space, the state is in the US. If the MSFI foreign country indicator is a '1,' the state is in a foreign country.
<b>Name</b>	<b>MSFI STREET ADDRESS</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces (but not all spaces) May include special characters (hyphens) or imbedded spaces
Description	This is the street address the MSFI asked states to direct the request for liens or levies for MSFIDM data matches.
<b>Name</b>	<b>MSFI TIN</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR MSFIDM Response record</li> </ul>

Name	Explanation
Length	9
Format	Numeric
Values	000000001 through 999999999
Description	This is the federal Tax Identification Number for the multistate financial institution where the account is located.
<b>Name</b>	<b>MSFI TRUST FUND INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – Not a registered trust or escrow account or the account is closed 1 – UTMA or UGMA account 2 – IOLTA account 3 – Mortgage escrow account 4 – Security deposits (including real estate) 5 – Other trust or escrow 6 – Information not available
Description	This shows if the MSFI-matched account is a registered escrow or trust account.
<b>Name</b>	<b>MSFI ZIP CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the ZIP code the MSFI asked states to direct the request for liens or levies for MSFIDM data matches. The ZIP code is in two parts. The last four positions may be spaces. If the MSFI foreign country indicator is a '1,' the ZIP code may include alphabetic characters.
<b>Name</b>	<b>MSFIDM RESPONSE DATE</b>

Name	Explanation
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	8
Format	Numeric
Values	A valid date in CCYYMMDD format
Description	This is the century, year, month, and day the FCR created the MSFIDM Response record for a MSFI's quarterly match against the Federal Collections and Enforcement file.
<b>Name</b>	<b>MSFIDM RESPONSE RECORDS</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the total number of MSFIDM Locate Response records returned in the batch from the FCR.
<b>Name</b>	<b>MULTIPLE SSN 1 through MULTIPLE SSN 3</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the valid additional SSN SSA associates with the person. Spaces show SSA found no valid multiple SSNs for the person.
<b>Name</b>	<b>NAME MATCHED CODE</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	<p>1 – First letter of the first name, first four letters of the last name</p> <p>2 – First letter of the additional first name 1, first four letters of the additional last name 1</p> <p>3 – First letter of the additional first name 2, first four letters of the additional last name 2</p> <p>Space – The name or additional names did not match the name on the Title II Pending Claim record</p>
Description	This shows which FCR name matched the Title II Pending Claim record’s name.
<b>Name</b>	<b>NAME RETURNED</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	62
Format	Alphanumeric
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than hyphen (-)
Description	<p>The Locate source returned this name. The format varies as noted in the Name Returned Indicator field. The formats are:</p> <ul style="list-style-type: none"> <li>• Free format: 62 positions for any name or names</li> <li>• Fixed format, single name: 16 position first name, 16 position middle name, 30 position last name and suffix</li> <li>• Free format, joint name: 32-position first name, middle initial &amp; first name, middle initial, 30 position last name and suffix. Example: Joe E. &amp; Mary Smith</li> </ul> <p>If the Locate response code is ‘06’ or ‘10,’ this is all spaces.</p>
<b>Name</b>	<b>NAME RETURNED INDICATOR</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>

Name	Explanation
Length	1
Format	Alphanumeric
Values	0 – No name returned 1 – Free format name, arrangement of name fields unknown 2 – Fixed format name, single name 3 – Free format name, joint name (surname appears in fixed location)
Description	This is the format of the Name Returned field.
<b>Name</b>	<b>NCOA ADDRESS MOVE TYPE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	B – Business F – Family I – Individual R – LACS match S – Suite match Space – NCOA did not return this field
Description	This is the type of address move.
<b>Name</b>	<b>NCOA CMRA INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – New address is not a CMRA Y – New address is a CMRA Space – Record not presented to CMRA, or NCOA did not return this field
Description	NCOA returned s this Commercial Mail Receiving Agency (CMRA) code.
<b>Name</b>	<b>NCOA LACS CODE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – Address searched with LACS but not converted S – LACS conversion was made, but secondary information was dropped Y – LACS converted the address Space – We did not try a LACS lookup
Description	The NCOA returned this Locatable Address Conversion System (LACS) code.
<b>Name</b>	<b>NCOA RETURN CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	A – Change of Address (COA) match. New address furnished 00 – No match 01 – Found COA. Foreign move 02 – Found COA. Moved left no address 03 – Found COA. Box closed, no forwarding address 04 – Cannot match COA. Input address needs secondary information 05 – Found COA. New delivery point is ambiguous 06 – Cannot match COA. Middle name conflict 07 – Cannot match COA. Gender related 08 – Cannot match COA. Conflicting orders 09 – Cannot match COA. High-rise default 10 – Cannot match COA. Rural default 11 – Cannot match COA. Insufficient COA name for match 12 – Cannot match COA. Middle name test failed 13 – Cannot match COA. Gender test failed. 14 – Found COA. New address not deliverable 15 – Cannot match COA. Insufficient first name on input 16 – Cannot match COA. Secondary number discrepancy 17 – Cannot match COA. Input name different or insufficient 18 – Cannot match COA. Individual name does not match 19 – Found COA. New address not ZIP+ 4 coded 20 – Cannot match COA. Multiple potential matches 66 – COA pending delete, mail cannot not be forwarded 91 – COA match. Secondary number dropped from COA 92 – COA match. Secondary number dropped from input address
Description	This is the NCOA <sup>Link®</sup> return code. The values are from the NCOA <sup>Link®</sup> documentation.
<b>Name</b>	<b>NCP DEATH INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – NCP is not deceased. Y – NCP is deceased.
Description	This DMDC-supplied field has a value that shows DMDC records have the NCP as deceased.
<b>Name</b>	<b>NCP FIRST NAME</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the first name of the NCP. The FCR stored this name.
<b>Name</b>	<b>NCP LAST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than a hyphen (-)
Description	This is the last name of the NCP you supplied and the FCR stored.
<b>Name</b>	<b>NCP MEDICAL COVERAGE INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N –The NCP is not in the military as active duty, retiree, or special civilian. Y –The NCP is in the military as active duty, retiree, or special civilian.
Description	This shows if DMDC records have the NCP with medical coverage.
<b>Name</b>	<b>NCP MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>

Name	Explanation
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the state-assigned member ID stored on the FCR for the NCP.
<b>Name</b>	<b>NCP MIDDLE NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces' no imbedded spaces or special characters
Description	This is the middle name of the NCP. The FCR stored this name.
<b>Name</b>	<b>NCP SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the SSN stored on the FCR as the NCP's primary SSN, corrected, additional, or a verified multiple SSN.
<b>Name</b>	<b>NCP SSN MATCH CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	A – Verified additional SSN/name combination C – State-submitted SSN-name combination corrected or found M – Multiple SSN issued by SSA V – State-submitted verified SSA-name combination X – Additional SSN-name combination corrected or found
Description	This shows the NCP SSN used in match.
<b>Name</b>	<b>NCP SSN VERIFIED INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – Unverified SSN-name Y – Verified SSN-name
Description	This shows if the NCP SSN was verified or unverified on the FCR.
<b>Name</b>	<b>NDNH MATCH TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	L – NDNH Locate Request Response N – NDNH-to-FCR Proactive Response for new data added to the NDNH P – FCR-to-NDNH Proactive Response for a new person, or a change to an existing person, on the FCR, or a change in case type on the FCR from non-IV-D to IV-D
Description	This action started the generation of the FCR NDNH Locate/Proactive Match Response record.
<b>Name</b>	<b>NDNH NAME SENT OR MATCHED INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	1

Name	Explanation
Format	Alphanumeric
Values	1 – First letter of first name, first four letters of last name 2 – First letter of additional first name 1, first four letters of additional last name 1 3 – First letter of additional first name 2, first four letters of additional last name 2 4 – Name from QW incomplete, or missing name not used in the match Space – The name or additional names did not match the name on an NDNH record.
Description	This shows the name sent to the NDNH or the name that matched the NDNH record.
<b>Name</b>	<b>NDNH RESPONSE RECORDS</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the total number of NDNH Locate Response records returned in the batch from the FCR.
<b>Name</b>	<b>NET MONTHLY TITLE II BENEFIT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	6
Format	Numeric in COBOL format 9999V99
Values	0 through 9
Description	This is the Title II beneficiary's net (of all deductions) monthly benefit.
<b>Name</b>	<b>NEW MEMBER ID</b>
Type	Input and Output field

Name	Explanation
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘C’</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is used to change the member ID for a person added on the FCR. Refer to the Member ID field for a further explanation.
<b>Name</b>	<b>OBLIGOR MATCH CODE</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• Insurance Match Standard Interface record</li> </ul> Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record – Part 1</li> </ul>
Length	2
Format	Numeric
Values	00 – Name and address 01 – Name and DOB 02 – Name and SSN 03 – SSN 04 – SSN and address 05 – SSN and DOB 06 – Name, SSN and address 07 – Name, SSN and DOB 08 – SSN, address and DOB 09 – Name, SSN, address and DOB 10 – Name, Address, and DOB 11 – Name, DOB, and altered insurer SSN 12 – Name, Address, and altered insurer SSN 13 – Name, Address, DOB, and altered insurer SSN
Description	This is the result of the insurer match of the obligor’s identifying data to insurance claim data from the Insurance Match process.
<b>Name</b>	<b>ORDER INDICATOR</b>
Type	Input and Output field

Name	Explanation
Condition	Required for this input records: <ul style="list-style-type: none"> <li>• FCR Input Case record with an action type code of ‘A’</li> </ul> Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Case record with an action type code of ‘C’</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Case Reconciliation record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR DMDC/Proactive Match Response record</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – The state system has no record of a support order for this case. Y – The state system has a record of a support order for a child, or a parent with whom the child is living, which applies to this case. Space – Information not available
Description	This shows if there is a support order associated with this case.
<b>Name</b>	<b>OTHER NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the other name used by the Title XVI recipient.
<b>Name</b>	<b>OTHER RESOURCE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	E – Over limit N – Agreement to dispose Z – None Space – Not decided
Description	This shows if this recipient owns other resources.
<b>Name</b>	<b>OTHER SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the additional or multiple SSN associated with the person sent to the FCR, and used in the match process. If the SSN match code is an ‘M,’ this is the additional or multiple SSN used in the match. This SSN is different from the SSN in the SSN field on the FCR Title II Pending Claim Response record.
<b>Name</b>	<b>PARTICIPANT TYPE or PARTICIPANT TYPE CODE</b>
Type	Input and Output field

Name	Explanation
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A’</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘C’</li> </ul> <p>Conditional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘L’</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Locate Response record (on AWR Sweep)</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> <li>• FCR SVES Title II Locate Response record (on FCR-to-SVES proactive matches)</li> <li>• FCR SVES Title XVI Locate Response record (on FCR-to-SVES proactive matches)</li> <li>• FCR SVES Prisoner Locate Response record (on FCR-to-SVES proactive matches)</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>CH – Child            CP – Custodial party            NP – Noncustodial parent            PF – Putative father (allowed for IV-D cases only)            Spaces – Information not available</p>
Description	This defines the participant’s relationship in the child support case.
<b>Name</b>	<b>PAYEE ADDRESS SCRUB INDICATOR 1</b>
Type	Output field
Condition	<p>Required for this record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	BA – Bad address CH – Changed address EA – Empty address GA – Good address
Description	This is the general status of the edited address.
<b>Name</b>	<b>PAYEE ADDRESS SCRUB INDICATOR 2 and PAYEE ADDRESS SCRUB INDICATOR 3</b>
Type	Output field
Condition	Conditional for this record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BR – Bad range BU – Bad unit number BX – Missing state code, or missing both state code and ZIP code CA – We tried to correct a misspelled or non-standard street name. CC – We tried to correct a misspelled or non-standard city name. CZ – We tried to correct the ZIP code. MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name NZ – Non-determined ZIP code Spaces – The payee address scrub indicator 1 is ‘EA’ or ‘GA.’
Description	This further details the status of the edited address.
<b>Name</b>	<b>PAYEE COUNTY OF JURISDICTION</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	001 through 999 or spaces; refer to <a href="#">FIPS County Codes</a>
Description	This is the Title XVI payee’s county of jurisdiction responsible for payment. This is the Title XVI payee’s county of residence unless another county has jurisdiction.

Name	Explanation
<b>Name</b>	<b>PAYEE DISTRICT OFFICE CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	Alphanumeric characters
Description	This SSA District Office (DO) services the Title XVI recipient's claim.
<b>Name</b>	<b>PAYEE MAILING ADDRESS CITY</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, hyphen (-) or spaces
Description	The city associated with the payee's mailing address. This is the Title XVI payee's city of residence. If not applicable, this is all spaces.
<b>Name</b>	<b>PAYEE MAILING ADDRESS LINE 1 through PAYEE MAILING ADDRESS LINE 3</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	Alphanumeric characters

Name	Explanation
Description	<p>This is the payee name and mailing address of the recipient or their representative payee. This is the SVES-supplied edited street address. The three edited street address lines are top justified as follows:</p> <ul style="list-style-type: none"> <li>• Payee name and non-standard address lines (if present in the input address) followed by:</li> <li>• The urbanization name for Puerto Rican addresses (if present in the input address and if requiring URB) followed by:</li> <li>• The standardized and scrubbed street address line.</li> </ul> <p>If Title XVI does not return an address, these fields are all spaces.</p>
<b>Name</b>	<b>PAYEE MAILING ADDRESS STATE</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>The two-character alphabetic FIPS state code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a></p>
Description	<p>This is the FIPS state code Title XVI associates with the payee’s mailing address. If not applicable, this is all spaces.</p>
<b>Name</b>	<b>PAYEE STATE OF JURISDICTION</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>A two-character FIPS state code, or all spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a></p>
Description	<p>This is the Title XVI recipient’s state of jurisdiction responsible for payment. This is the Title XVI recipient’s state of residence unless another state has jurisdiction.</p>
<b>Name</b>	<b>PAYEE ZIP CODE</b>
Type	Output field

Name	Explanation
Condition	Required for this output records: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	Nine numeric digits, or five numeric characters followed by spaces
Description	This is the ZIP code of the Title XVI recipient's mailing address ZIP code. If available, the last four positions are the ZIP+4 part. Otherwise, the last four positions are spaces.
<b>Name</b>	<b>PAYMENT STATUS CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	The values are in SM 01305.001 Payment Status Code <a href="#">G. List of Payment Status Code</a>
Description	This is a three-position code with two elements; the first position reflects the status of the Title XVI recipient's SSI or state supplement payment. The second and third reflect the reason for the status. If not applicable, this is all spaces.
<b>Name</b>	<b>PAYMENT STATUS DATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	If applicable, this is the date of the last change to the Title XVI recipient's payment status code. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>PERSON DELETE INDICATOR</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	C – Proactive Match started when the matched state deleted the case for the person P – Proactive Match started when the matched state deleted the person from the case Space – Proactive Match was not the result of a Case or Person Delete transaction
Description	This shows the person was deleted from the FCR, and if it was a case deletion or a person deletion.
<b>Name</b>	<b>PERSON OR LOCATE RECORDS ACCEPTED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Person/Locate Request Acknowledgement/Error records in the FCR batch response with an acknowledgement code of 'AAAAA' (Accepted).
<b>Name</b>	<b>PERSON OR LOCATE RECORDS PENDING</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999

Name	Explanation
Description	This is the number of FCR Case Acknowledgement/Error records in the FCR batch response with an acknowledgement code of 'HOLDS' to show the Person record is pending SSN verification.
<b>Name</b>	<b>PERSON OR LOCATE RECORDS RECEIVED</b>
Type	Output field
Condition	Required for these output record: <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Input Person/Locate Request records sent to the FCR in the batch.
<b>Name</b>	<b>PERSON OR LOCATE RECORDS REJECTED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Case Acknowledgement/Error records in the FCR batch response with an acknowledgement code of 'REJCT.'
<b>Name</b>	<b>PERSON RECORDS RETURNED</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Reconciliation/Data Inconsistency File Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000000 through 99999999
Description	This is the number of FCR Person Reconciliation records (record ID of 'RS'), or FCR Data Inconsistency file records (record ID of 'RC') on the file.

Name	Explanation
<b>Name</b>	<b>PF DEATH INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – PF is not deceased. Y – PF is deceased
Description	This DMDC-supplied field shows if DMDC records have the PF as deceased.
<b>Name</b>	<b>PF FIRST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the first name of the PF. The FCR stored this name.
<b>Name</b>	<b>PF LAST NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or all spaces No imbedded spaces or special characters other than a hyphen (-)
Description	This is the last name of the PF you supplied and the FCR stored.
<b>Name</b>	<b>PF MEDICAL COVERAGE INDICATOR</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N –The PF is not in the military as active duty, retiree, or special civilian. Y –The PF is in the military as active duty, retiree, or special civilian.
Description	This shows if DMDC records have the PF with medical coverage.
<b>Name</b>	<b>PF MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces (but not all spaces)
Description	This is the state-assigned member ID stored on the FCR for the PF.
<b>Name</b>	<b>PF MIDDLE NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the middle name of the PF. The FCR stored this name.
<b>Name</b>	<b>PF SSN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric

Name	Explanation
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the SSN stored on the FCR as the PF's primary SSN or a verified multiple SSN.
<b>Name</b>	<b>PF SSN MATCH CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Verified additional SSA-name combination C – State-submitted SSN-name combination corrected or found M – Multiple SSA issued by SSA V – State-submitted verified SSA-name combination X – Additional SSN-name combination corrected or found
Description	This shows the PF SSN that SSA used in match.
<b>Name</b>	<b>PF SSN VERIFIED INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR DMDC/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – Unverified SSN-name Y – Verified SSN-name
Description	This shows if the PF SSN was verified or unverified on the FCR.
<b>Name</b>	<b>PHIST-NUMBER OF ENTRIES</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Numeric
Values	0 through 8

Name	Explanation
Description	This is the number of occurrences of the Title XVI recipient's payment history (PHIST) fields.
<b>Name</b>	<b>PHIST-PAYMENT DATE 1 through PHIST-PAYMENT DATE 8</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	If applicable, this is the first through eighth dates of payment to, or recovery from, the Title XVI recipient. If this does not have a valid date, it is all spaces.
<b>Name</b>	<b>PHIST-PAYMENT PAY FLAG 1 through PHIST-PAYMENT PAY FLAG 8</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	0 – No payment made 1 – Recurring payment dated the first of the month 2 – Regular daily payment (underpayment) 3 – Supplemental payment dated the first of the month 4 – One-time payment 5 – Advance payment or overpayment recovered (amount recovered shown in check amount column) 6 – No receipt indicator for recurring payment (overlays code ‘1’) 7 – No receipt indicator for regular daily payment (underpayment) (overlays code ‘2’) 8 – No receipt indicator for special supplemental payment (overlays code ‘3’) 9 – Replacement check issued as a result of no receipt claim for original check with the same date, and code ‘6’ or ‘8.’ Both original and substitute checks were cashed if pay flag 3 is spaces or ‘U.’ A – Recurring payment returned by FO and Treasury B – Regular daily payment (underpayment) returned by FO and Treasury C – Special supplemental payment returned by FO and Treasury D – One-time payment (OTP) returned by FO and Treasury J – Recurring payment returned by FO only K – Regular daily payment (underpayment) returned by FO only L – Special supplemental payment returned by FO only M – OTP returned by FO only S – Regular daily payment (underpayment) returned by Treasury only T – Special supplemental payment returned by Treasury only U – OTP returned by Treasury only V – Recovery action voided / – Recurring payment returned by Treasury only
Description	This is the first through eighth payment codes for the Title XVI recipient.
<b>Name</b>	<b>PREVIOUS CASE ID</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>• FCR Input Case record with an action type code of ‘C’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces

Name	Explanation
Description	<p>This is your assigned identifier for the child support case or non-IV-D order originally used to add the case to the FCR. You only send this to change the case ID on the FCR.</p> <p>If present, it must not be all spaces, all zeros, must not have an asterisk or backslash, and the first position cannot be a space.</p>
<b>Name</b>	<b>PREVIOUS SSN</b>
Type	Input and Output field
Condition	<p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of 'C'</li> </ul> <p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	<p>This shows the SSN for the person on the FCR when you send a change to the person's SSN. You should send SSN changes when FCR returns the original FCR Person/Locate Request Acknowledgement/Error record for the person with a warning message showing the SSN was unverified.</p>
<b>Name</b>	<b>PRISON-REPORTED DATE OF BIRTH</b>
Type	Output field
Condition	<p>Conditional for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date (in CCYYMMDD format) or all spaces
Description	<p>This is the prisoner's date of birth as the prison reported to SVES.</p> <p>If this does not have a valid date, it is all spaces.</p>
<b>Name</b>	<b>PRISON-REPORTED FIRST NAME</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	15

Name	Explanation
Format	Alphanumeric
Values	A through Z
Description	The prison reported this first name of the prisoner to SVES.
<b>Name</b>	<b>PRISON-REPORTED LAST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	20
Format	Alphanumeric
Values	A through Z, hyphen
Description	This is the last name of the prisoner the prison reported to SVES.
<b>Name</b>	<b>PRISON-REPORTED MIDDLE NAME or MIDDLE INITIAL</b>
Type	Output field
Condition	Conditional for this output records: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the middle initial or name of the prisoner the prison reported to SVES.
<b>Name</b>	<b>PRISON-REPORTED SEX CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	1
Format	Alphabetic
Values	F – Female M – Male U – Unknown
Description	The prison reported this prisoner’s gender to SVES.

Name	Explanation
<b>Name</b>	<b>PRISON-REPORTED SUFFIX</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Prison Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	A through Z, or spaces
Description	The prison reported this as the suffix name of the prisoner to SVES.
<b>Name</b>	<b>PRISON OR FACILITY ADDRESS LINE 1</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Prison Locate Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	Valid alphanumeric characters
Description	This is the first line of the address of the prison or facility where the prisoner is confined.
<b>Name</b>	<b>PRISON OR FACILITY ADDRESS LINE 2 through PRISON OR FACILITY ADDRESS LINE 4</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Prison Locate Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	Valid alphanumeric characters, or spaces
Description	If applicable, these are the additional lines of the address of the prison or facility where the prisoner is confined.
<b>Name</b>	<b>PRISON OR FACILITY ADDRESS SCRUB INDICATOR 1</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BA – Bad original address CH – Original address was corrected in the address scrubbing process EA – An address is not included in the response GA – Original address was correct as the Locate source supplied
Description	This is the general status of the prison or facility address.
<b>Name</b>	<b>PRISON OR FACILITY ADDRESS SCRUB INDICATOR 2 or PRISON OR FACILITY ADDRESS SCRUB INDICATOR 3</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	If the prison or facility address scrub indicator 1 is ‘BA,’ this is one of these: BR – Bad range BU – Bad unit number BX – Missing state code, or missing both state code and ZIP code CA – We tried to correct a misspelled or non-standard street name. CC – We tried to correct a misspelled or non-standard city name. CZ – We tried to correct the ZIP code. MA – Mismatched address MX – Mismatched state and ZIP code NC – Non-determined city name NZ – Non-determined ZIP code Spaces – No additional errors were detected
Description	If the prison or facility address scrub indicator 1 is ‘EA’ or ‘GA,’ this is all spaces. This is a second, or third, description of the results of scrubbing the prison or facility address.
<b>Name</b>	<b>PRISON OR FACILITY CITY</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	19
Format	Alphanumeric
Values	Valid alphabetic characters
Description	This is the city associated with the prison or facility address.
<b>Name</b>	<b>PRISON OR FACILITY CONTACT NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	35
Format	Alphanumeric
Values	Alphanumeric characters, or spaces
Description	This is the name of the contact person for the prison or facility.
<b>Name</b>	<b>PRISON OR FACILITY FAX NUMBER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Prison Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	0 through 9, or spaces
Description	This is the area code and phone number for the prison or facility FAX machine. If unavailable, this is all spaces.
<b>Name</b>	<b>PRISON OR FACILITY NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	60
Format	Alphanumeric

Name	Explanation
Values	Valid alphanumeric characters
Description	This is the name of the prison or facility where the prisoner is confined.
<b>Name</b>	<b>PRISON OR FACILITY PHONE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	0 through 9, or spaces
Description	This is the area code and phone number of the prison or facility.
<b>Name</b>	<b>PRISON OR FACILITY STATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	A valid two-character FIPS alphabetic code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the state associated with the prison or facility address.
<b>Name</b>	<b>PRISON OR FACILITY TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	01 – State prison 02 – County prison 03 – Federal correctional institute 04 – Mental correctional institute 05 – Boot camp 06 – Medical correctional institute 07 – Work camp 08 – Detention center 09 – Juvenile detention center 10 – Half-way house 11 – City prison
Description	This is the type of prison or facility where the prisoner is confined.
<b>Name</b>	<b>PRISON OR FACILITY ZIP CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	Numeric, or five numeric characters followed by spaces
Description	This is the five-character numeric ZIP code associated with the prison or facility address. If available, the last four positions are the ZIP+4 part. Otherwise, the last four positions are spaces.
<b>Name</b>	<b>PRISONER ID NUMBER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	Alphanumeric characters (including hyphens or periods), or spaces
Description	This is the prisoner’s ID number the prison reported to SVES.
<b>Name</b>	<b>PRISONER REPORTER NAME</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Prison Locate Response record</li> </ul>
Length	60
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the supplier of prisoner information to SSA.
<b>Name</b>	<b>PROPERTY RESOURCE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	D – Income producing property M – Agreement to dispose O – Under or over limit Z – None Space – Not decided
Description	This shows if this recipient owns income-producing property.
<b>Name</b>	<b>PROVIDED OR CORRECTED SSN</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>FCR Person/Locate Request Acknowledgement/Error record</li> <li>FCR Person Reconciliation record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999999, or all spaces

Name	Explanation
Description	This is the person's SSN or corrected SSN found during the SSN verification process. The FCR may find an SSN for a person if you did not send one but you supplied additional personal information. SSA may correct the SSN when the SSN-name combination sent was not consistent with SSA's records, but the additional information supplied allowed the identification of the correct number. The FCR uses this SSN to store the person on the FCR or to start the Locate for the person. Spaces show SSA did not find an SSN change for the person and FCR uses the sent SSN store the person or to start a Locate for the person.
<b>Name</b>	<b>QW AMOUNT OF CHANGE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR NDNH Locate/Proactive Match Response record with an NDNH match type of 'N' and Locate source response agency code of 'H98'</li> </ul>
Length	11
Format	Signed numeric in COBOL format 9(9)V99
Values	00000000000 through 99999999999 For an NDNH match type of 'L' or 'P,' this is all zeros.
Description	This is the change between the current and a prior QW amount.
<b>Name</b>	<b>QW PERCENTAGE OF CHANGE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR NDNH Locate/Proactive Match Response record with an NDNH match type of 'N' and Locate source response agency code of 'H98'</li> </ul>
Length	4
Format	Signed numeric in COBOL format 9999
Values	0 through 9999 If the QW percent of change, rounded to the nearest whole number, is less than one percent (positive or negative), or the NDNH match type is 'L' or 'P,' this is all zeros.
Description	This is the percentage of change between the current and prior QW amounts.
<b>Name</b>	<b>RACE CODE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Asian B – Black H – Hispanic I – North American Indian N – Negro O – Other U – Not decided W – White Space – Not supplied
Description	This is the Title XVI recipient’s race.
<b>Name</b>	<b>RAILROAD INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Active claim T – Terminated claim S – Suspended Space – No railroad claim
Description	This is the Title II beneficiary’s railroad claim indicator.
<b>Name</b>	<b>RECORD COUNT</b>
Type	Input field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>• FCR Input Trailer record</li> </ul>
Length	8
Format	Numeric
Values	00000001 through 99999999

Name	Explanation
Description	This is the total number of records in a sent batch, including the FCR Transmission Header record, all detailed FCR input records, plus the FCR Input Trailer record.
<b>Name</b>	<b>RECORD ESTABLISHMENT DATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date Title XVI established the SSI record for this recipient. If this does not have a valid date, it is all spaces.
<b>Name</b>	<b>RECORD IDENTIFIER</b>
Type	Input and Output field

Name	Explanation
Condition	<p>Required for these input records:</p> <ul style="list-style-type: none"> <li>• FCR Transmission Header record</li> <li>• FCR Input Case record</li> <li>• FCR Input Person/Locate Request record</li> <li>• FCR Input Query record</li> <li>• FCR Input Trailer record</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Pending Resolution Batch Response Header record</li> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Reconciliation/Data Inconsistency File Header record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR Reconciliation/Data Inconsistency File Trailer record</li> <li>• FCR Case Reconciliation record</li> <li>• FCR Person Reconciliation record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Response Trailer record</li> <li>• FCR Locate Response Batch Header record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR MSFIDM Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Insurance Match Response record (Parts 1 and 2)</li> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	FA – FCR Transmission Header record FB – FCR Routine Batch Response Header record FC – FCR Input Case record FD – FCR Case Acknowledgement/Error record FE – FCR Pending Resolution Batch Response Header record FF – FCR Locate Response record FG – FCR Query Acknowledgement/Error record FK – FCR SVES Title II Locate Response record FK – FCR SVES Title XVI Locate Response record FK – FCR SVES Prison Locate Response record FK – FCR SVES Not Found Locate Response record FK – FCR Title II Pending Claim Response record FL – FCR Locate Response Batch Header record FN – FCR NDNH Locate/Proactive Match Response record FP – FCR Input Person/Locate Request record FR – FCR Input Query record FS – FCR Person/Locate Request Acknowledgement/Error record FT – FCR Query/Proactive Match Response record FX – FCR Response Trailer record FW – FCR DMDC/Proactive Match Response record FZ – FCR Input Trailer record IM – FCR Insurance Match Response record (Parts 1 and 2) MC – FCR MSFIDM Response record NC – FCR Change of Address Verification Request or Response record RB – FCR Reconciliation File/Data Inconsistency Header record RC – FCR Data Inconsistency File record RD – FCR Case Reconciliation record RS – FCR Person Reconciliation record RX – FCR Reconciliation File/Data Inconsistency Trailer record
Description	The record identifier defines the type of input record sent or the type of output record sent by the FCR.
<b>Name</b>	<b>RECORD SEQUENCE NUMBER</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Parts 1 and 2</li> </ul>
Length	3
Format	Numeric
Values	000 through 999

Name	Explanation
Description	This is the sequence of an insurance match supplied on the FCR Insurance Match Response record for a given SSN on a specific file creation date.
<b>Name</b>	<b>REGISTERED DATE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Reconciliation record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format
Description	This is the date the FCR added the case or person to the database.
<b>Name</b>	<b>RELEASE DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date prison released the prisoner, reported to SVES. If the prisoner is still confined, this is all spaces. If this does not have a valid date, it is all spaces.
<b>Name</b>	<b>REPORT DATE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date the prison reported this prisoner's information to SVES. If this does not have a valid date, it is all spaces.

Name	Explanation
<b>Name</b>	<b>REPORTING FEDERAL AGENCY</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This federal agency reported the data. If a state or territory reported the data, this is all spaces. If the information is not available, this is all spaces.
<b>Name</b>	<b>REPORTING QUARTER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	5
Format	Alphanumeric
Values	A valid date in CCYYQ format: CC – Century YY – Year Q – Reporting quarter: 1 – January 1 through March 31 2 – April 1 through June 30 3 – July 1 through September 30 4 – October 1 through December 31 Space – Information not available
Description	This is the period of the reported NDNH QW or UI data.
<b>Name</b>	<b>REPORTING STATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2

Name	Explanation
Format	Alphanumeric
Values	The two-digit FIPS state or territory code or spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This state or territory sent QW, UI, or NH data to the NDNH. If a federal agency sent the QW or NH data to the NDNH, this is all spaces.
<b>Name</b>	<b>REPRESENTATIVE PAYEE INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – There is no representative payee. Y – There is a representative payee. Space – Not applicable
Description	This shows the presence or absence of a representative payee for the Title XVI recipient’s benefits.
<b>Name</b>	<b>REQUEST TYPE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Reconciliation/Data Inconsistency File Header record</li> </ul>
Length	1
Format	Alphanumeric
Values	I – Request for the FCR Data Inconsistency file Space – Request for the FCR Reconciliation file
Description	This request type started the generation of the record.
<b>Name</b>	<b>RESIDENCE ADDRESS CITY</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	16

Name	Explanation
Format	Alphanumeric
Values	The Title II or Title XVI recipient's city of residence
Description	This is the city associated with the Title II or Title XVI recipient's residence address. If not applicable, this is all spaces.
<b>Name</b>	<b>RESIDENCE ADDRESS LINE 1 through RESIDENCE ADDRESS LINE 3</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	Alphanumeric characters
Description	These are the edited street address SVES supplied. They are top-justified as follows: <ul style="list-style-type: none"> <li>• Recipient's name and non-standard address information (if present in the input address) followed by:</li> <li>• The urbanization name for Puerto Rican addresses (if present in the input address and if requiring URB) followed by:</li> <li>• The standardized and scrubbed street address line.</li> </ul> If SVES did not return an address, these are all spaces.
<b>Name</b>	<b>RESIDENCE ADDRESS SCRUB INDICATOR 1</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	BA – Bad original address, scrubbing could not correct the address. CH – Original address was corrected in the address scrubbing process EA – An address is not included in the response GA – The Locate source supplied original address was correct

Name	Explanation
Description	This is the general status of the residence address.
<b>Name</b>	<b>RESIDENCE ADDRESS SCRUB INDICATOR 2 and RESIDENCE ADDRESS SCRUB INDICATOR 3</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>This further defines the results of the scrubbing for the residence address information returned in the response.</p> <p>If the residence address scrub indicator 1 is a 'BA' this is one of these codes:</p> <p>BR – Bad range  BU – Bad unit number  BX – Missing state code, or missing both state code and ZIP code  CA – We tried to correct a misspelled or non-standard street name.  CC – We tried to correct a misspelled or non-standard city name.  CZ – We tried to correct the ZIP code.  MA – Mismatched address  MX – Mismatched state and ZIP code  NC – Non-determined city name  NZ – Non-determined ZIP code  Spaces – FINALIST did not detect any additional errors.</p>
Description	<p>If the residence address scrub indicator 1 is 'EA' or 'GA,' this is all spaces.</p> <p>This is a second, or third, description of the results of scrubbing the Title II or Title XVI residence address.</p>
<b>Name</b>	<b>RESIDENCE ADDRESS STATE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>A two-character alphabetic FIPS state code, or all spaces</p> <p>Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a></p>

Name	Explanation
Description	<p>This is the Title II or Title XVI recipient's state of residence. This is the FIPS state code for the recipient's residence address. If not applicable, this is all spaces.</p>
<b>Name</b>	<b>RESIDENCE ZIP CODE</b>
Type	Output field
Condition	<p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	Numeric, or five numeric characters followed by spaces
Description	<p>This is the Title II or Title XVI residence ZIP code. If applicable, it is a five-character numeric ZIP code. If available, the last four positions are the ZIP+4 part. Otherwise, the last four positions are spaces.</p>
<b>Name</b>	<b>RESPONSE CODE</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	<p>MA – Match made to one or more cases on the FCR for the person, and one to three persons were associated with the matched case. MM – Match made to one or more cases on the FCR for the person, and more than three persons were associated with the matched case.</p>
Description	<p>This shows the result of an FCR Query or the Proactive Match:</p> <p>MA – the person who is the subject of an FCR Query, or an FCR Proactive Match matched a person on one or more cases, and because there are fewer than four persons associated with the case in this Response record, the FCR sends only a single Response record.</p> <p>MM – the person who is the subject of an FCR Query or an FCR Proactive Match matched to a person on one or more cases, and that the FCR sends multiple Response records for this case because there are four or more persons associated.</p>

Name	Explanation
<b>Name</b>	<b>RESPONSE DATE</b>
Type	Output field
Condition	Conditional for this output records: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date Title II returned the response to the FCR.
<b>Name</b>	<b>RESPONSE RECORD COUNT</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Response Trailer record</li> <li>• FCR Reconciliation/Data Inconsistency Trailer record</li> </ul>
Length	11
Format	Numeric
Values	0000000001 through 9999999999
Description	This is the total number of records in a batch the FCR sent, including the FCR Batch Response Header record or FCR Reconciliation/Data Inconsistency File Header record, all detailed Response records, plus FCR Response Trailer record or the FCR Reconciliation/Data Inconsistency File Trailer record.
<b>Name</b>	<b>RETURNED ADDRESS</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	234
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-) or spaces

Name	Explanation
Description	<p>This is the address of the person or the person's employer. The format of this field varies based on the address format indicator:</p> <p>C – City, state and ZIP code breakdown</p> <p>F – Free format: Lines separated by a '/' with an isolated ZIP code when present</p> <p>X – Fixed format: Street address lines 1 through 4, city, state, ZIP code breakdown</p> <p>Space – Address not available</p>
<b>Name</b>	<b>RETURNED FIRST NAME TEXT</b>
Type	Output field
Condition	<p>Required for this output records:</p> <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces' no imbedded spaces or special characters
Description	This is the first name of the person on the Title II Pending Claim record.
<b>Name</b>	<b>RETURNED MIDDLE NAME TEXT</b>
Type	Output field
Condition	<p>Conditionally required for this output records:</p> <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	16
Format	Alphanumeric
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	<p>This is the middle name of the person on the Title II Pending Claim record.</p> <p>If no middle name is present, this is all spaces.</p>
<b>Name</b>	<b>RETURNED LAST NAME TEXT</b>
Type	Output field
Condition	<p>Required for this output records:</p> <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	16
Format	Alphanumeric

Name	Explanation
Values	A through Z, or all spaces; no imbedded spaces or special characters
Description	This is the last name of the person on the Title II Pending Claim record.
<b>Name</b>	<b>SEX CODE</b>
Type	Input and Output field
Condition	Conditionally required for this input record: <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Data Inconsistency File record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	1
Format	Alphanumeric
Values	F – Female M – Male Space – Unknown
Description	This is the gender of the person.
<b>Name</b>	<b>SMI OPTION CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	C – No (Cessation of disability) D – No (Coverage denied) F – No (Invalid enrollment terminated) G – Yes (Good cause) N – No (Puerto Rican beneficiary not entitled; also dually or technically-entitled beneficiary not entitled to SMI; No response) P – Railroad Board has jurisdiction R – No (Refused coverage) S – No (No longer under the renal disease provision) T – No (Terminated for non-payment of premiums) W – No (Withdrawal from coverage) Y – Yes Space – Not applicable
Description	This is the Title II beneficiary’s supplemental medical insurance (SMI) code.
<b>Name</b>	<b>SMI START DATE</b>
Type	Output field
Condition	Conditional for this output record: • FCR SVES Title II Locate Response record
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is first month the Title II beneficiary became eligible for SMI. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>SMI STOP DATE</b>
Type	Output field
Condition	Conditional for this output record: • FCR SVES Title II Locate Response record
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	This is the last month of coverage for the Title II beneficiary’s SMI benefits. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>SORT STATE CODE</b>

Name	Explanation
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR MSFIDM Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The two-digit numeric FIPS state or territory code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the FIPS code of the state or territory receiving data from the FCR. The FCR uses the sort state code to sort all Response records so the FCR returns each Response record to the correct state.
<b>Name</b>	<b>SSA CITY OF LAST RESIDENCE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the city of the person's last residence based on SSA's death records. If a valid ZIP code is not available, this is all spaces.
<b>Name</b>	<b>SSA CITY OF LUMP SUM PAYMENT</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	15

Name	Explanation
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the city of the person's lump sum benefit payment was sent, based on SSA's death records. If a valid ZIP code is not available, this is all spaces.
<b>Name</b>	<b>SSA DATE OF BIRTH INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	1
Format	Alphanumeric
Values	N – The DOB sent is within one year of the date of birth in SSA's records. Y – We changed the DOB to agree with SSA's records. Spaces – Information not available
Description	This shows if the DOB sent for the person is consistent with SSA's records. If the code is 'Y,' the SSA date is in the Date of Birth field. If Warning Code <b>PW010</b> is returned in a Change Person transaction, this is a 'Y.'
<b>Name</b>	<b>SSA DATE OF DEATH INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	1
Format	Alphabetic
Values	A – DOD received from SSA's records C – Previously reported DOD from SSA's records is being changed D – Previously reported DOD from SSA's records is being deleted
Description	This shows the DOD field is being added, changed, or deleted, when the action type code is 'D.'
<b>Name</b>	<b>SSA STATE OF LAST RESIDENCE</b>
Type	Output field

Name	Explanation
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The alphabetic FIPS state or territory code, or all spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the state of the person's last residence, based on SSA's death records. If a ZIP code is not available, or if FINALIST did not validate the Death Master file supplied ZIP code, this is all spaces.
<b>Name</b>	<b>SSA STATE OF LUMP SUM PAYMENT</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The alphabetic FIPS state or territory code, or all spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	SSA sent the person's lump sum benefit payment to this state based on SSA's death records. If a ZIP code is not available, or if FINALIST did not validate the Death Master file supplied ZIP code, this is all spaces.
<b>Name</b>	<b>SSA ZIP CODE OF LAST RESIDENCE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Proactive Match Response record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	5
Format	Alphanumeric
Values	00001 through 99999, or all spaces

Name	Explanation
Description	This is the ZIP code of the person's last known residence from SSA's death records.
<b>Name</b>	<b>SSA ZIP CODE OF LUMP SUM PAYMENT</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Proactive Match Response record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	5
Format	Alphanumeric
Values	00001 through 99999, or all spaces
Description	This is the ZIP code from SSA's death records where SSA sent the lump sum death benefit payment for the person.
<b>Name</b>	<b>SSI MONTHLY ASSISTANCE AMOUNT 1 through SSI MONTHLY ASSISTANCE AMOUNT 8</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	7
Format	Numeric (in COBOL format S9(5)V99)
Values	Zero, or a signed numeric value that can be a positive or negative value
Description	This is the first through eighth SSI monthly assistance amounts paid to the Title XVI recipient.
<b>Name</b>	<b>SSN</b>
Type	Input and Output field

Name	Explanation
Condition	<p>Required for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘T’</li> </ul> <p>Conditionally required for these input records:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘A,’ ‘C,’ or ‘L’</li> <li>• FCR Input Query record</li> </ul> <p>Optional for this input record:</p> <ul style="list-style-type: none"> <li>• FCR Input Person/Locate Request record with an action type code of ‘D’</li> </ul> <p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul> <p>Conditional for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR Title II Pending Claim Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	This is the Social Security Number of the person you are adding to the FCR, or who is the subject of an FCR Query, Locate Request, or Proactive Match.
<b>Name</b>	<b>SSN MATCH CODE</b>
Type	Output field
Condition	<p>Required for these output records:</p> <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prisoner Locate Response record</li> <li>• FCR SVES Not Found Response record</li> </ul>
Length	1

Name	Explanation
Format	Alphanumeric
Values	A – Verified additional SSA-name combination C – State-submitted SSN-name combination corrected or found M – Multiple SSN that was issued by SSA V – State-submitted verified SSN-name combination X – Additional SSN-name combination corrected or found Space – The original SSN was used for this search
Description	This shows if the SSN in the record is the state-submitted SSN or a corrected, additional, or multiple SSN.
<b>Name</b>	<b>SSN MATCH INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	C – Corrected SSN M – Additional or multiple SSN V – state-submitted verified SSN X – Multiple found from corrected SSN
Description	This shows if the SSN in the record is the state-submitted SSN or a corrected, additional, or multiple SSN.
<b>Name</b>	<b>SSN REPORTED BY PRISON</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Prison Locate Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes), or all spaces
Description	The prisoner’s SSN the prison reported to SVES.
<b>Name</b>	<b>SSN VALIDITY CODE</b>
Type	Output field

Name	Explanation
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	1
Format	Alphanumeric
Values	C – SSA corrected the SSN sent for this person. E – The SSA could not verify or correct the SSN-name combination sent for this person, but the additional person data supplied found an SSN for this person using SSA’s routines. N – SSA’s SSN verification routines did not verify the SSN-name combination for this person, but another routine identified it as a probable name match. P – You did not send an SSN, but the additional person data sent found an SSN for this person, or the SSN sent did not pass verification edits but SSA found an SSN using another routine. R – The person data sent found multiple possible SSNs for the person. V – The SSA SSN verification routines verified the SSN-name combination. Space – SSA could not verify the SSN you supplied or you did not supply an SSN.
Description	This is the result of the SSA’s SSN verification for the person.
<b>Name</b>	<b>STANDARDIZED ADDRESS LINE 1 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	50
Format	Alphanumeric
Values	Standardized line 1 of the street address, or spaces
Description	If the NCOA vendor supplied this, it is the standardized version of line 1 of the input street address.
<b>Name</b>	<b>STANDARDIZED ADDRESS LINE 2 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	50
Format	Alphanumeric

Name	Explanation
Values	Standardized line 2 of the street address, or spaces
Description	If the NCOA vendor supplied this, it is the standardized version of line 2 of the input street address.
<b>Name</b>	<b>STANDARDIZED ADDRESS LINE 3 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification Response record</li> </ul>
Length	50
Format	Alphanumeric
Values	Standardized line 3 of the street address, or spaces
Description	If the NCOA vendor supplied this, it is the standardized version of line 3 of the input street address.
<b>Name</b>	<b>STANDARDIZED CITY NAME</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification Response record</li> </ul>
Length	30
Format	Alphanumeric
Values	Standardized street, address, city name, or spaces
Description	If the NCOA vendor supplied this, it is the standardized version of the input street, address, and city name.
<b>Name</b>	<b>STANDARDIZED STATE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	Standardized street address state code, or spaces
Description	If the NCOA vendor supplied this, it is the standardized version of the input street address state code.

Name	Explanation
<b>Name</b>	<b>STANDARDIZED ZIP CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	Standardized street address ZIP code, or all spaces
Description	If the NCOA vendor supplied this, it is the standardized version of the input street address ZIP code.
<b>Name</b>	<b>STANDARDIZED DELIVERY POINT DIGITS</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	Delivery point digits, or spaces
Description	If the NCOA vendor supplied this, it is the delivery point digits used to generate a delivery point barcode for the standardized address.
<b>Name</b>	<b>STANDARDIZED CHECK DIGIT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Change of Address Verification response record</li> </ul>
Length	1
Format	Alphanumeric
Values	Check digit, or space
Description	If the NCOA vendor supplied this, it is the check digit used for the POSTNET barcode for the standardized address.
<b>Name</b>	<b>STANDARDIZED CARRIER ROUTE CODE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	Carrier route code, or spaces
Description	If the NCOA vendor supplied this, it is the carrier route code used for the POSTNET barcode for the standardized address.
<b>Name</b>	<b>STANDARDIZED LINE OF TRAVEL (LOT) NUMBER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	Line of travel number, or spaces
Description	If the NCOA vendor supplied this, it is the line of travel (LOT) number for carrier route mailings used for the POSTNET barcode for the standardized address.
<b>Name</b>	<b>STANDARDIZED LOT SORT FLAG CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Ascending D – Descending Spaces – The NCOA vendor did not supply this
Description	If the NCOA vendor supplied this, this is the LOT sort flag for the POSTNET barcode for the standardized address.
<b>Name</b>	<b>STATE</b>
Type	Output field

Name	Explanation
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The numeric FIPS state or territory code or ‘AA,’ ‘AE,’ or ‘AP’ to show an overseas military address or spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the state or overseas military code of the address in the Returned Address field. It is in the format the address format indicator designates.
<b>Name</b>	<b>STATE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	A two-character FIPS state code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the Title II beneficiary’s state code for the jurisdiction responsible for payment. This is the FIPS state code of the state responsible for any mandatory or optional supplementation payment. This is the Title II beneficiary’s state of residence unless another state has jurisdiction.
<b>Name</b>	<b>STATE EIN</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	12
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the employer’s state Employer Identification Number from an NDNH QW or NH record. If the state EIN is not available, this is all spaces.

Name	Explanation
<b>Name</b>	<b>STATE MEMBER ID</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Query/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the state member ID sent on the FCR Input Query record. If the FCR Input Query record did not have a state member ID and there was no match, this is all spaces. For the Proactive Match response, this is the person's member ID for the matched case.
<b>Name</b>	<b>STATE OF HIRE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The alphabetic FIPS state or territory code, or all spaces Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the state or territory where the employee was hired.
<b>Name</b>	<b>STATE OR COUNTRY OF BIRTH</b>
Type	Input and Output field
Condition	Optional for this input record: <ul style="list-style-type: none"> <li>FCR Input Person/Locate Request record with an action type code of 'A,' 'C,' or 'L'</li> </ul> Conditional for this output record: <ul style="list-style-type: none"> <li>FCR Person/Locate Request Acknowledgement/Error record</li> </ul>
Length	4
Format	Alphanumeric

Name	Explanation
Values	The two-character alphabetic FIPS state, country, or four-character alphanumeric FIPS country and province code, or spaces Refer to <a href="#">FIPS Codes for States and DC</a> , <a href="#">FIPS State Code for Outlying Areas</a> , or <a href="#">FIPS Country Codes</a> .
Description	This is the FIPS code for the state of birth, the country of birth and an asterisk, or the country and province of birth. The FCR sends this information to SSA to supply an SSN for this person. The FCR uses this information to find the SSN, but it is not stored.
<b>Name</b>	<b>STATE SORT CODE</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The two-digit numeric FIPS state or territory code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the FIPS code of the state or territory receiving data from the FCR. The FCR uses the state sort code to sort all of the Response records so the FCR returns each Response record to the correct state.
<b>Name</b>	<b>STREET ADDRESS LINE 1 through STREET ADDRESS LINE 4</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), back slash (\), or spaces
Description	This is the address of an employer or employee.
<b>Name</b>	<b>STREET ADDRESS LINES 1 through 4, CITY, STATE</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	192
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), back slash (\), or spaces
Description	This is the address of an employer or employee.
<b>Name</b>	<b>SUB RECORD INDICATOR</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Parts 1 and 2</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – First of two corresponding records 2 – Second of two corresponding records
Description	This shows the record format used for the two-part Insurance Match record. The Insurance Match system sets this indicator as it creates each record.
<b>Name</b>	<b>SUBMITTED DATE OF BIRTH</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format
Description	This is the date of birth of the person sent to SVES on a Locate request.
<b>Name</b>	<b>SUBMITTED CASE ID</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>

Name	Explanation
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters, or spaces
Description	This is the state case ID sent on the FCR Query record. For Proactive Match responses, this is all spaces.
<b>Name</b>	<b>SUBMITTED FIRST NAME</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	12
Format	Alphanumeric
Values	A through Z
Description	This is the first name of the person sent to SVES on a Locate request.
<b>Name</b>	<b>SUBMITTED LAST NAME</b>
Type	Output field
Condition	Required for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	19
Format	Alphanumeric
Values	A through Z, hyphen
Description	This is the last name of the person sent to SVES on a Locate request.
<b>Name</b>	<b>SUBMITTED OR MATCHED SSN</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Query/Proactive Match Response record</li> </ul>

Name	Explanation
Length	9
Format	Alphanumeric
Values	000000001 through 999999998 (not all sixes)
Description	This is a response to an FCR Query. The submitted or matched SSN is on the FCR Query/Proactive Match Response record, or SSA found an SSN. For a Proactive Match response, this is the SSN used for the Proactive Match.
<b>Name</b>	<b>SUBMITTED MIDDLE INITIAL</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A through Z, or space
Description	This is the middle initial of the person sent to SVES on a Locate request.
<b>Name</b>	<b>SUBMITTED ADDRESS LINE 1 TEXT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	40
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), back slash (\), or spaces
Description	This is the first line of the sent address.
<b>Name</b>	<b>SUBMITTED ADDRESS LINE 2 TEXT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	40

Name	Explanation
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), back slash (\), or spaces
Description	This is the second line of the sent address.
<b>Name</b>	<b>SUBMITTED CITY NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	20
Format	Alphanumeric
Values	A through Z, 0 through 9, hyphen (-), back slash (\), or spaces
Description	This is the city name of the sent address.
<b>Name</b>	<b>SUBMITTED STATE CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	A through Z
Description	This is the state code of the sent address.
<b>Name</b>	<b>SUBMITTED ZIP CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	9
Format	Alphanumeric
Values	0 through 9, hyphen (-), or all spaces
Description	This is the ZIP code of the sent address.
<b>Name</b>	<b>SUBMITTING OFFICE NUMBER</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	A through Z, 0 through 9, or spaces
Description	This is the Personnel Office Identifier (POI) from the Office of Personnel Management (OPM). This code is used with the DoD status code of '1,' '7,' and 'B' to further define a person's employment status. If the information is not available, this is all spaces.
<b>Name</b>	<b>SVES MATCH TYPE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	L – SVES Locate Request response P – FCR-to-SVES Proactive response for a new person, or a change to a person on the FCR, or a change in case type on the FCR from non-IV-D to IV-D
Description	This shows the action that started the generation of a FCR SVES Title II, Title XVI, Prisoner, or FCR SVES Not Found Response record. For FCR-to-SVES proactive matches, we do not return a FCR SVES Not Found response.
<b>Name</b>	<b>TAX YEAR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	A valid year in CCYY format, or all spaces

Name	Explanation
Description	This is the year the IRS received the joint tax return. If the information is not available, this is all spaces.
<b>Name</b>	<b>TELEPHONE NUMBER</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	0 through 9, or spaces
Description	This is the Title XVI recipient's telephone number.
<b>Name</b>	<b>TERMINATION DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date the employee terminated employment. If the date is not available, this is all spaces.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS CITY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces
Description	This is the city name of the third party administrator (TPA).
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS FOREIGN COUNTRY INDICATOR</b>

Name	Explanation
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – The address of the TPA is in a foreign country. Space – The address of the TPA is in the US.
Description	This shows if the TPA address supplied is a US or foreign address.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS FOREIGN COUNTRY NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	25
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the foreign country name of the address for the TPA.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS 1 CODE</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	BA – Bad address CH – Changed address EA – Empty address FA – Foreign Address GA – Good address
Description	This shows the results of the address editing of the address information returned in this response.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS SCRUB 2 CODE and THIRD PARTY ADMINISTRATOR ADDRESS SCRUB 3 CODE</b>

Name	Explanation
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	2
Format	Alphabetic, A through Z
Values	<p>If the third party administrator address scrub code 1 is ‘BA,’ this is one of these:  BR – Bad range  BU – Bad unit number  BX – Missing state code or missing state code and ZIP code  MA – Mismatched address  MX – Mismatched state and ZIP code  NC – Non-determined city name  NZ – Non-determined ZIP code</p> <p>If the third party administrator address scrub code 1 is ‘CH,’ this is one of these:  BU – Bad unit number  BX – Missing state code or missing state code and ZIP code  CA – Corrected address  CC – Corrected city name  CZ – Corrected ZIP code  MA – Mismatched address  MX – Mismatched state and ZIP code  NC – Non-determined city name</p> <p>If the third party administrator address scrub 1 code is ‘EA,’ ‘FA,’ or ‘GA,’ this is all spaces.</p>
Description	This further defines the results of address editing of the address information returned in the response.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS STATE CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	2
Format	Alphabetic
Values	Standard state abbreviation value
Description	This is the state code of the TPA.

Name	Explanation
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS STREET 1 TEXT or THIRD PARTY ADMINISTRATOR ADDRESS STREET 2 TEXT</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	40
Format	Alphanumeric
Values	A through X, 0 through 9
Description	This is the first or second line of the street address of the TPA.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR ADDRESS ZIP CODE</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9
Description	This is the ZIP code (domestic or foreign) of the TPA.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR COMPANY NAME</b>
Type	Output
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	40
Format	Alphabetic
Values	A through Z
Description	This is the name of the TPA’s company.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR FIRST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>

Name	Explanation
Length	20
Format	Alphanumeric
Values	A through Z, or spaces
Description	This is the first 20 characters of the first for the TPA's contact.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR LAST NAME</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	30
Format	Alphanumeric
Values	A through Z, hyphen (-), or spaces
Description	This is the first 30 characters of the last name of the TPA's contact.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR PHONE EXTENSION NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	6
Format	Numeric
Values	0 through 9
Description	This is the phone number extension of the TPA's contact.
<b>Name</b>	<b>THIRD PARTY ADMINISTRATOR PHONE NUMBER</b>
Type	Output field
Condition	Optional for this output record: <ul style="list-style-type: none"> <li>• FCR Insurance Match Response record –Part 2</li> </ul>
Length	10
Format	Numeric
Values	0 through 9
Description	This is the phone number of the TPA's contact.

Name	Explanation
<b>Name</b>	<b>THIRD PARTY INSURANCE INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A – Third party liability exists but the applicant refuses to assign rights F – Disabled or blind child living overseas, ineligible for Medicaid, and living with a parent who is a member of the military N – Third party liability does not exist (1634-state only) Q – Medicaid qualifying trust may exist R – Failure to cooperate in naming third party Y – Third party liability does exist (1634-state only) and applicant agrees to assign rights Space – Not applicable
Description	The indicator shows third party liability for the Title XVI recipient’s health care expenses. This field does not update after the first posting.
<b>Name</b>	<b>TITLE II DATE OF BIRTH</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the Title II beneficiary’s date of birth. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>TITLE II DATE OF DEATH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	8
Format	Alphanumeric

Name	Explanation
Values	A valid date in CCYYMMDD format, or all spaces
Description	<p>This is the Title II beneficiary's date of death.</p> <p>If SSA's records had '00' in the day part of the date, the FCR returns '01' in the day part of the Title II Date of Death field.</p> <p>If this is not a valid date, it is all spaces.</p>
<b>Name</b>	<b>TITLE II FIRST NAME</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	A through Z, hyphen (-), no imbedded spaces or special characters
Description	This is the first name of the Title II beneficiary.
<b>Name</b>	<b>TITLE II LAST NAME</b>
Type	Output field
Condition	<p>Required for this output record:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	12
Format	Alphanumeric
Values	A through Z, hyphen, no imbedded spaces or special characters
Description	This is the last name of the Title II beneficiary.
<b>Name</b>	<b>TITLE II MIDDLE INITIAL</b>
Type	Output field
Condition	<p>Conditional for this output records:</p> <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A through Z, or space
Description	This is the middle initial of the Title II beneficiary.

Name	Explanation
<b>Name</b>	<b>TITLE II SEX CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title II Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	F – Female M – Male U – Unknown
Description	This is the Title II beneficiary’s gender.
<b>Name</b>	<b>TITLE XVI ALLOWANCE DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the Title XVI benefit start date. If this is not a valid date, or is not applicable, it is all spaces.
<b>Name</b>	<b>TITLE XVI APPEAL CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	A – Appeal council review C – Court case D – Decision Review Board F – Federal Regional Office review H – Hearing I – First determination review O – Class action R – Reconsideration Space – Not applicable
Description	This is the Title XVI recipient’s level of appeal.
<b>Name</b>	<b>TITLE XVI DATE OF BIRTH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the Title XVI recipient’s date of birth. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>TITLE XVI DATE OF DEATH</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the Title XVI recipient’s date of death. The day of actual death displays when available. If SSA’s records had ‘00’ in the day part of the date, the FCR returns ‘01’ in the day part of the Title XVI Date of Death field. If the date of death changes based on a returned check, the day will reflect ‘01’ or the date the returned check processed. If this is not a valid date, it is all spaces, or if it is not applicable, this is all spaces.

Name	Explanation
<b>Name</b>	<b>TITLE XVI DENIAL DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date of Title XVI's denial of SSI benefits or state supplementation. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>TITLE XVI FIRST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	10
Format	Alphanumeric
Values	A through Z, hyphen (-), no imbedded spaces or special characters
Description	This is the first name of the Title XVI recipient.
<b>Name</b>	<b>TITLE XVI LAST NAME</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>FCR SVES Title XVI Locate Response record</li> </ul>
Length	19
Format	Alphanumeric
Values	A through Z, hyphen (-), no imbedded spaces or special characters
Description	This is the Title XVI recipient's last name.
<b>Name</b>	<b>TITLE XVI LAST REDETERMINATION DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>FCR SVES XVI Locate Response record</li> </ul>

Name	Explanation
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date all required redetermination actions for the Title XVI recipient were completed. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>TITLE XVI MIDDLE INITIAL</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	A through Z, or space
Description	This is the Title XVI recipient's middle initial.
<b>Name</b>	<b>TITLE XVI NOTIFICATION OF TERMINATION DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR MSFIDM Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date the SSA informed the FCR the person is no longer receiving Title XVI benefits. If this is not a valid date, or is not applicable, it is all spaces.
<b>Name</b>	<b>TITLE XVI SEX CODE</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphabetic

Name	Explanation
Values	F – Female M – Male U – Unknown
Description	This is the Title XVI recipient’s gender.
<b>Name</b>	<b>TRANSMITTER STATE OR TERRITORY CODE</b>
Type	Input and Output field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>• FCR Transmission Header record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR DMDC/Proactive Match Response record</li> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Reconciliation/Data Inconsistency File Header record</li> <li>• FCR Pending Resolution Batch Response Header record</li> <li>• FCR Locate Response Batch Header record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Title II Pending Claim Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	2
Format	Alphanumeric
Values	The two-digit numeric FIPS state and territory code Refer to <a href="#">FIPS Codes for States and DC</a> and <a href="#">FIPS State Code for Outlying Areas</a>
Description	This is the FIPS code of the state or territory sending data to the FCR or receiving data from the FCR.
<b>Name</b>	<b>TYPE OF PAYEE CODE</b>
Type	Output field
Condition	Required for this output records: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	3
Format	Alphanumeric

Name	Explanation
Values	AGY – Social agency CHD – Natural, adopted or stepchild (as payee for a parent) ESP – Essential person is payee FDM – Federal mental institution FDO – Federal non-mental institution FIN – Financial organization FTH – Natural or adoptive father GPR – Grandparent INP – Legally incompetent, but no representative payee was chosen MTH – Natural or adoptive mother NPM – Nonprofit mental institution NPO – Nonprofit non-mental institution OFF – Public official OTH – Other PRM – Proprietary mental institution PRO – Proprietary non-mental institution PYE – Recipient previously had payee, but is now receiving direct payments REL – Other relative (includes in-laws) RPD – Representative payee is being developed SEL – Beneficiary is own payee SFT – Stepfather SLM – State or local mental institution SLO – State or local non-mental institution SMT – Stepmother SPO – Spouse Space – Beneficiary is own payee
Description	This shows who received the Title XVI benefit.
<b>Name</b>	<b>TYPE OF RECIPIENT</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	2
Format	Alphanumeric

Name	Explanation
Values	AI – Aged individual AS – Aged spouse BC – Blind child BI – Blind individual BS – Blind spouse DC – Disabled child DI – Disabled individual DS – Disabled spouse EP – Essential person XF – Ineligible father XM – Ineligible mother XP – Ineligible person XS – Ineligible spouse
Description	This is the type of Title XVI recipient.
<b>Name</b>	<b>UNEARNED INCOME – NET COUNTABLE AMOUNT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	6
Format	Signed numeric (in COBOL format S9(4)V99)
Values	Negative values can be present. If no amount is available, this is all zeros.
Description	This is the current month’s unearned income after all exclusions are applied. This is used to decide eligibility and compute the payment.
<b>Name</b>	<b>UNEARNED INCOME NUMBER OF ENTRIES</b>
Type	Output field
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Numeric
Values	0 through 9
Description	This is the number of occurrences of the Unearned Income fields.
<b>Name</b>	<b>UNEARNED INCOME START DATE 1 through UNEARNED INCOME START DATE 9</b>

Name	Explanation
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	If applicable, these are the first occurrence of the date the Title XVI recipient received the one-time unearned income payment, or the date the unearned income started if the payment is monthly. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>UNEARNED INCOME STOP DATE 1 through UNEARNED INCOME STOP DATE 9</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	6
Format	Alphanumeric
Values	A valid date in CCYYMM format, or all spaces
Description	If applicable, these are the termination date of the first occurrence of monthly, unearned income. In situations where the unearned income amount changes, the applicant received the previous rate, or a one-time payment on this date. If this is not a valid date, it is all spaces.
<b>Name</b>	<b>UNEARNED INCOME TYPE CODE 1 through UNEARNED INCOME TYPE CODE 9</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	A – Social Security B – Black Lung C – Department of Veterans Affairs (VA) compensation (not based on need) D – Railroad Retirement Board (RRB) E – VA (based on need) F – Assistance based on need and not excluded from unearned income G – Retroactive Title II benefits posted as if paid when due, used in Title XVI offset computation H – In-kind support and maintenance I – Ineligible child allocation (not income) J – Value of one-third (1/3) reduction for Living Arrangement Code B K – Blind countable income (conversion cases) L – Military retired pay M – Federal Civil Service pension N – Support payments received from absent parent O – Income based on need from private sources P – Employment-related pension (state or local government retirement, private pension) Q – Worker’s Compensation R – Rents, interest, dividends, royalties S – Other T – Alaska Longevity bonus U – Concurrent and Title II only attorney’s fees allocated over months were type ‘A,’ ‘G,’ or ‘W’ unearned income is present V – Manually computed deemed income W – Retroactive Title II benefits posted as if paid when due, used in the Title II offset computation X – Minimum income level amount (not income) Y – Special need reduction (applies to a federal countable minimum income level) (not income) Z – State countable income Space – Not applicable
Description	If applicable, this is the type of unearned income received by the Title XVI recipient.
<b>Name</b>	<b>UNEARNED INCOME VERIFICATION CODE 1 through UNEARNED INCOME VERIFICATION CODE 9</b>
Type	Output field
Condition	Conditional for these output record: <ul style="list-style-type: none"> <li>• FCR SVES XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	0 – Number and income are not verified 1 – Number was verified, amount was not verified 2 – Number and income amount were verified 3 – VA, OPM, RRB overlaid amount was the same as the amount shown for the prior month 4 – Same as ‘3’ above, except the overlaid amount was not the same as the amount shown for the prior month 5 – Type ‘A’ is the same as ‘3’ above, but the verification code was ‘2’ before the MBR interface. If type is ‘X,’ federal countable MIL FCE-transmitted in conjunction with T30 or T50 procedures. 6 – For type ‘A,’ a one-time payment from the MBR in which there was no pre-existing entry on the SSR before the interface 7 – Federal countable MIL systems generated. This is the standard type ‘X’ income. 8 – State countable MIL or income FCE-transmitted (for Vermont only) 9 – State countable MIL or income (code ‘8’) system-adjusted (for Vermont only) I – Identification number and amount verified, and Title II paid in installments because of DAA provisions. Space – Not applicable
Description	This shows the verification status of the Title XVI recipient’s income allegations.
<b>Name</b>	<b>UPDATE DATE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Reconciliation record</li> <li>• FCR Person Reconciliation record</li> </ul>
Length	8
Format	Alphanumeric
Values	Any valid date in CCYYMMDD format
Description	This is the date of the last update to the Case record.
<b>Name</b>	<b>USER FIELD</b>
Type	Input and Output field

Name	Explanation
Condition	Optional for these input records: <ul style="list-style-type: none"> <li>• FCR Input Case record with an action type code of ‘A,’ ‘C,’ or ‘D’</li> <li>• FCR Input Query record</li> <li>• FCR Input Person/Locate Request record</li> </ul> Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Case Acknowledgement/Error record</li> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> <li>• FCR Query Acknowledgement/Error record</li> <li>• FCR Person/Locate Request Acknowledgement/Error record</li> <li>• FCR Query/Proactive Match Response record</li> <li>• FCR SVES Title II Locate Response record</li> <li>• FCR SVES Title XVI Locate Response record</li> <li>• FCR SVES Prison Locate Response record</li> <li>• FCR SVES Not Found Locate Response record</li> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, special characters or spaces
Description	This is free-format information you supplied for an input transaction returned on the outputs listed above. You can use this field to include information needed to facilitate routing of information in your system.
<b>Name</b>	<b>VA ACTIVE RESERVE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – Veteran not active duty 1 – Veteran active duty 2 – Veteran active duty Space – Information not available
Description	This shows if the person is on active duty in VA reserves.
<b>Name</b>	<b>VA ACTIVE RESERVE DAYS</b>
Type	Output field

Name	Explanation
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	3
Format	Alphanumeric
Values	All numeric or all spaces
Description	This is the number of days the veteran served on reserve. If days are not available, this is all spaces.
<b>Name</b>	<b>VA ACTIVE RESERVE FISCAL YEAR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	4
Format	Alphanumeric
Values	The format is numeric CCYY, or spaces, if year is not available.
Description	This is the year the veteran served or is on active reserve.
<b>Name</b>	<b>VA ADDRESS TYPE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	D – Domestic address F – Foreign address M – Military address Space – Information not available
Description	This is the type of address returned from VA.
<b>Name</b>	<b>VA AMOUNT OF AWARD</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>

Name	Explanation
Length	6
Format	Numeric
Values	000000 through 999999
Description	This is the monthly amount, in whole dollars, awarded to a person for the type of benefit shown in the VA benefit indicator. If there is no award amount, or information is unavailable, this is all zeros.
<b>Name</b>	<b>VA BENEFIT INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	1 – Compensation and pension 2 – Education Space – Information not available
Description	This is the type of VA benefits in the VA Award field.
<b>Name</b>	<b>VA EFFECTIVE DATE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	8
Format	Alphanumeric
Values	A valid date in CCYYMMDD format, or all spaces
Description	This is the date the VA began the benefit award.
<b>Name</b>	<b>VA INCARCERATION INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric

Name	Explanation
Values	0 – Released 1 – Incarcerated Space – Information not available
Description	This is the incarceration status in the VA’s records.
<b>Name</b>	<b>VA INSTITUTION TYPE CODE</b>
Type	Output field
Condition	Conditional for this output record: • FCR Locate Response record
Length	12
Format	Alphanumeric
Values	PNHC – Private Nursing Home Care VHADC – Veterans Hospital Administration (VHA) Domiciliary Care VHAHC – VHA Hospital Care VHACNHC – VHA Contract Nursing Home Care Space – Information not available
Description	This is the veteran’s type of institution care.
<b>Name</b>	<b>VA PAY TYPE CODE</b>
Type	Output field
Condition	Conditional for this output record: • FCR Locate Response record
Length	12
Format	Alphanumeric
Values	DRP – Disability Retired Pay RRP – Regular Retired Pay RPR – Retired Pay - Reserves TDRP – Temporary Disability Retired Pay SBP – Survivor Benefit Plan Space – Information not available
Description	This is the veteran’s type of payment.
<b>Name</b>	<b>VA RETIREMENT PAY INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: • FCR Locate Response record

Name	Explanation
Length	1
Format	Alphanumeric
Values	0 – Not eligible to receive retirement pay 1 – Eligible or is receiving retirement pay Space – Information not available
Description	This is the status of a person's VA retirement pay.
<b>Name</b>	<b>VA SUSPENSE INDICATOR</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	0 – Receiving payments 1 – Payments temporarily stopped or terminated Space – Information not available
Description	This is the status of a person's VA award.
<b>Name</b>	<b>VEHICLE RESOURCE CODE</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR SVES Title XVI Locate Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	B – Vehicle either over or under limit K – Agreement to dispose G – Unverified resource Z – None Space – Not decided
Description	This shows whether this recipient owns a vehicle and if so, s if the individual must dispose of vehicle.
<b>Name</b>	<b>VERIFICATION RESPONSE INDICATOR</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Change of Address Verification Response record</li> </ul>
Length	1
Format	Alphanumeric
Values	R – Record is the response from the FCR-to-NCOA interface
Description	This shows the FCR-to-NCOA interface response.
<b>Name</b>	<b>VERSION CONTROL NUMBER</b>
Type	Input and Output field
Condition	Required for this input record: <ul style="list-style-type: none"> <li>• FCR Transmission Header record</li> </ul> Required for these output records: <ul style="list-style-type: none"> <li>• FCR Routine Batch Response Header record</li> <li>• FCR Pending Resolution Batch Response Header record</li> <li>• FCR Locate Response Batch Header record</li> </ul>
Length	5
Format	Alphanumeric
Values	01.00 – First release of the FCR transaction layouts
Description	This is the version of the FCR transaction layouts sent to or returned from the FCR system. OCSE will notify you when this changes.
<b>Name</b>	<b>WAGE AMOUNT</b>
Type	Output field
Condition	Conditional for this output record: <ul style="list-style-type: none"> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	11
Format	Signed Numeric
Values	00000000000 through 99999999999
Description	This is a person’s wages during a reporting quarter. The last two positions are to the right of the decimal point.
<b>Name</b>	<b>WARNING CODE 1 THROUGH WARNING CODE 3</b>
Type	Output field

Name	Explanation
Condition	Required for this output record: <ul style="list-style-type: none"> <li>• FCR Data Inconsistency File record</li> </ul> Conditionally required for this output record: <ul style="list-style-type: none"> <li>• FCR Person Reconciliation record</li> </ul>
Length	5
Format	Alphanumeric
Values	LE001 – Disclosure prohibited. TW102 – SSN-name combination unverified. IW001 – The participant type is ‘PF’ and the order indicator is ‘Y’ (child support order exists for the case). IW002 – The participant type is ‘CP,’ ‘NP,’ or ‘PF’ and the participant age is less than 11 years. IW003 – The sex code is not ‘F’ or ‘M’. IW004 – The participant type is ‘PF’ and the sex code is ‘F.’ Spaces – No warning applicable
Description	This is the type of warning issued.
<b>Name</b>	<b>ZIP CODE</b>
Type	Output field
Condition	Conditional for these output records: <ul style="list-style-type: none"> <li>• FCR Locate Response record</li> <li>• FCR NDNH Locate/Proactive Match Response record</li> </ul>
Length	15
Format	Alphanumeric
Values	A through Z, 0 through 9, or all spaces
Description	This is the ZIP code of the returned address in the address format indicator designated format. Refer to the Returned Address field for format examples. If the US ZIP code is used, this is in the 5 and 4 format. If it is a foreign ZIP code, this may be up to 15 characters.

## E.1 Version History

This chart presents a log of the changes made to this document since its previous publication.

<b>REVISIONS OF APRIL 30, 2015</b>	
Part/Section/ Chart/Figure	Description of Change
Appendix E	<ul style="list-style-type: none"> <li>• Added the Competency Code Field</li> <li>• Added the Disability or Blindness Onset Date field</li> <li>• Added the Disability Onset Date field</li> <li>• Added the Earned Income – Net Countable Amount field</li> <li>• Changed the Incorrect SSN field to the House Resource Code field - Changed field type, condition, length, format, values, and description</li> <li>• Added the Insurance Resource Code field</li> <li>• Changed three values and added one value to the Locate Response Code field</li> <li>• Added four values to the Obligor Match Code field</li> <li>• Added the Other Resource Code field</li> <li>• Added the Property Resource Code field</li> <li>• Revised the value condition description of the QW Percentage of Change field</li> <li>• Added the Title XVI Allowance Date field</li> <li>• Added the Title XVI Notification of Termination Date field</li> <li>• Added the Unearned Income – Net Countable Amount field</li> <li>• Added the VA Active Reserve Days field</li> <li>• Added the VA Active Reserve Fiscal Year field</li> <li>• Added the VA Address Type Code field</li> <li>• Revised the VA Effective field name to VA Effective Date field</li> <li>• Added the VA Institution Type Code field</li> <li>• Added the VA Pay Type Code field</li> <li>• Revised a value description in the VA Suspense Indicator field</li> <li>• Added the Vehicle Resource Code field</li> </ul>