

# The Maternal, Infant, and Early Childhood Home Visiting (MIECHV) Program:

## Snapshot Reports of Benchmark Measures Selected by Grantees

---

July 2014



DESIGN OPTIONS FOR HOME VISITING EVALUATION (DOHVE) –  
A DOHVE TA RESOURCE DOCUMENT

ORE REPORT # 2014-26

# Snapshot Reports of Benchmark Measures Selected by Grantees

## About DOHVE TA

The purpose of the Design Options for Home Visiting Evaluation (DOHVE) is to provide research and evaluation support for the Maternal, Infant and Early Childhood Home Visiting (MIECHV) Program.

This document was prepared for the U.S. Department of Health and Human Services, Administration for Children and Families and Health Resources and Services Administration by James Bell Associates under ACF contract number HHSP23320095644WC.

For additional DOHVE resources, please visit:

<http://www.mdrc.org/dohve-project-resources>

# Snapshot Reports of Benchmark Measures Selected by Grantees

## Abbreviated Terms

AAP/Bright Futures	American Academy of Pediatrics/Bright Futures Recommendation Schedule
AAPI-2	Adult-Adolescent Parenting Inventory, 2nd Ed.
APNCU	Adequacy of Prenatal Care Utilization Index
ASQ-3	Ages and Stages Questionnaire - 3rd Edition
ASQ-SE	Ages and Stages Questionnaire - Social Emotional
ASEBA	Achenbach System of Empirically-Based Assessment
ASSIST	Alcohol, Smoking and Substance Involvement Screening Test
ATOID/ATOD	Alcohol, Tobacco, Other (Illicit) Drugs
AUDIT	Alcohol Use Disorders Identification Test
BASC	Behavior Assessment System for Children
Batelle	Battelle Developmental Inventory Screening Test
Bayley	Bayley Scale for Infant Development
BHRST	Behavioral Health Risk Screening Tool
BINS	Bavlev Infant and Neurodevelopmental Screener
BRFSS	Behavioral Risk Factor Surveillance System
Brigance	Brigance Inventory of Early Development
BSI	Brief Symptom Inventory
CAGE	CAGE Substance Abuse Screening Tool
CDC	Center for Disease Control
CESD	Center for Epidemiological Studies Depression Scale
CPS	Child Protective Services
CTS-2	Conflict Tactics Scale
CW	Child Welfare
Dev Profile-3	Developmental Profiles-III
DOVE	DOmestic Violence Ended
DV	Domestic Violence
E-LAP	Early Learning Accomplishment Profile
EPDS	Edinburg Postnatal Depression Scale
ETO	Efforts to Outcomes
FAF	Family Assessment Form
FES	Family Environment Scale
HFPI	Healthy Families Parenting Inventory
HOME	Home Observation for Measurement of the Environment Inventory
ITSEA	Infant Toddler Social Emotional Assessment
KIDI	Knowledge of Infant Development Inventory

# Snapshot Reports of Benchmark Measures Selected by Grantees

## Abbreviated Terms

Kotelchuck	Kotelchuck Index, or Adequacy of Prenatal Care Utilization
LSP	Life Skills Progression
MFSSS	Missouri Family Self Sufficiency Scale
Nat'l Health Int. Survey	National Health Interview Survey
NCAST	Nursing Child Assessment Satellite Training
NCAST-PCI	Nursing Child Assessment Satellite Training, Parent-Child Interaction
Parent Quest.	Parent Questionnaire
PCRI	Parent-Child Relationship Inventory
PFS	Protective Factors Survey
PHQ-9	Patient Health Questionnaire, 9-item
PICCOLO	Parenting Interactions with Children: Checklist of Observations Linke
PIMS	Program Information Management System
PIR	Program Information Report
PRA	Perinatal Risk Assessment
PSI	Parenting Stress Index
PSS	Perceived Stress Scale
ROI	Release of Information
SBIRT	Screening, Brief Intervention, and Referral to Treatment
UNCOPE	UNCOPE: A Brief Substance Abuse Screening
WAST	Woman Abuse Screening Tool
WEB	Women's Experience with Battering
WebIZ	Web Immunization Registry

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.1: Prenatal Care								
<b>Number of grantees included in report:</b> <u>    56    </u>								
Measure Type	Data Source			Target Population				
<i>Process:</i>	5	9%	<i>Program documentation:</i>	5	9%	<i>Pregnant mothers:</i> 56	100%	
<i>Outcome:</i>	51	91%	<i>Self-report/interview:</i>	42	75%			
			<i>Administrative:</i>	9	16%			
Area of Focus								
<i>Adequacy of prenatal care:</i>			25	45%				
<i>Onset of prenatal care:</i>			25	45%				
<i>Onset &amp; adequacy of prenatal care:</i>			1	2%				
<i>Referral to prenatal care provider:</i>			2	4%				
<i>Other (prenatal care assessment; provision of information):</i>			3	5%				
Instrument / Tool*								
<u>Instruments:</u>			<u>Non-instruments utilized:</u>			<u>Suggested schedule:</u>		
<i>LSP:</i>	2	4%	<i>Program form:</i>	44	79%	<i>Kotelchuck:</i>	6	11%
<i>Parent Quest.:</i>	1	2%	<i>Vital statistics:</i>	9	16%	<i>ACOG:</i>	4	7%

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.2: Alcohol, Tobacco, & Illicit Drugs								
Number of grantees included in report: <u>          56          </u>								
Measure Type	Data Source				Target Population			
<i>Process:</i>	20	36%	<i>Program documentation:</i>	20	36%	<i>Pregnant mothers:</i>	19	34%
<i>Outcome:</i>	36	64%	<i>Self-report/interview:</i>	35	63%	<i>Postpartum mothers:</i>	4	7%
			<i>Administrative:</i>	1	2%	<i>All mothers:</i>	21	38%
						<i>Other:</i>	12	21%
Area of Focus								
<i>Alcohol use or abuse:</i>				4	7%			
<i>Tobacco use or abuse:</i>				40	71%			
<i>Combination of alcohol, tobacco, and/or drug use or abuse:</i>				12	21%			
Instrument / Tool*								
<u>Instruments:</u>					<u>Non-instruments utilized:</u>			
<i>ASSIST:</i>	1	2%	<i>SBIRT:</i>	1	2%	<i>Program form:</i>	47	84%
<i>AUDIT:</i>	1	2%	<i>UNCOPE:</i>	2	4%	<i>Vital statistics:</i>	1	2%
<i>BHRST:</i>	1	2%	<i>LSP:</i>	5	9%			
<i>BRFSS:</i>	2	4%	<i>Other instrument:</i>	8	14%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.3: Preconception Care							
<b>Number of grantees included in report:</b>				<u>56</u>			
Measure Type		Data Source			Target Population		
<i>Process:</i>	5 9%	<i>Program documentation:</i>	5 9%	<i>Postpartum mothers:</i>	42 75%		
<i>Outcome:</i>	51 91%	<i>Self-report/interview:</i>	50 89%	<i>All mothers:</i>	13 23%		
		<i>Administrative:</i>	1 2%	<i>Caregivers:</i>	1 2%		
Area of Focus							
<i>Postpartum checkup:</i>	19 34%	<i>Access to care:</i>	1 2%				
<i>Routine/well-woman exam:</i>	19 34%	<i>Medical home:</i>	2 2%				
<i>Contraception use:</i>	2 4%	<i>Referral for services:</i>	2 4%				
<i>Provision of information:</i>	3 5%						
<i>Folic acid:</i>	8 14%						
Instrument / Tool							
<u>Non-instruments utilized:</u>							
<i>Healthy People 2020:</i>	1 2%	<i>Vital statistics:</i>	1 2%				
<i>Nat'l Health Int. Survey:</i>	1 2%						
<i>Parent Questionnaire:</i>	1 2%						
<i>Program form:</i>	52 93%						

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 1.4: Inter-Birth Interval</b>									
<b>Number of grantees included in report:</b>					<u>56</u>				
Measure Type			Data Source			Target Population			
<i>Process:</i>	26	46%	<i>Program documentation:</i>	26	46%	<i>Pregnant mothers:</i>	2	4%	
<i>Outcome:</i>	30	54%	<i>Self-report/interview:</i>	29	52%	<i>Postpartum mothers:</i>	34	61%	
			<i>Administrative:</i>	1	2%	<i>All mothers:</i>	16	29%	
						<i>Caregivers:</i>	4	7%	
<b>Area of Focus</b>									
<i>Provision of info:</i>	25	45%	<i>Knowledge of preg. spacing:</i>	1	2%				
<i>Contraception use:</i>	15	27%	<i>Referral:</i>	1	2%				
<i>12 mo. preg. spacing:</i>	9	16%							
<i>6 mo. preg. spacing:</i>	5	9%							
<b>Instrument / Tool*</b>									
<u>Instruments:</u>					<u>Non-instruments utilized:</u>				
<i>LSP:</i>	1	2%	<i>Vital statistics:</i>	1	2%				
			<i>Program form:</i>	54	96%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.5: Maternal Depressive Symptoms									
<b>Number of grantees included in report:</b>					<u>56</u>				
Measure Type			Data Source			Target Population			
<i>Process:</i>	56	100%	<i>Program documentation:</i>	56	100%	<i>Pregnant mothers:</i>	3	5%	
						<i>Postpartum mothers:</i>	32	57%	
						<i>All mothers:</i>	19	34%	
						<i>Caregivers:</i>	2	4%	
Area of Focus									
<i>Screening:</i>	50	89%							
<i>Referral:</i>	6	11%							
Instrument / Tool*									
<u>Instruments:</u>					<u>Non-instruments utilized:</u>				
<i>EPDS:</i>	47	84%	<i>BHRST:</i>	1	2%	<i>Program form:</i>	56	100%	
<i>PHQ-9:</i>	15	27%	<i>BSI:</i>	1	2%				
<i>CESD:</i>	4	7%	<i>KEMPE Family Stress Ckfst:</i>	1	2%				
<i>4 P's Plus:</i>	1	2%	<i>Other:</i>	2	4%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.6: Breastfeeding									
Number of grantees included in report: <u>56</u>									
Measure Type			Data Source			Target Population			
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	54	96%	<i>Postpartum mothers:</i>	49	88%	
			<i>Administrative:</i>	2	4%	<i>Child:</i>	7	13%	
Area of Focus									
<i>Initiate:</i>	24	43%							
<i>Duration - avg. wks.:</i>	13	23%							
<i>Duration - 3mos.:</i>	3	5%							
<i>Duration - 6mos.:</i>	13	23%							
<i>Duration - other:</i>	3	5%							
Instrument / Tool*									
<u>Instruments:</u>			<u>Non-instruments utilized:</u>						
<i>LSP</i>	1	2%	<i>Program form:</i>	54	96%				
			<i>Vital statistics:</i>	2	4%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.7: Well-Child Visits												
<b>Number of grantees included in report:</b>					<u>56</u>							
Measure Type			Data Source			Target Population						
<i>Process:</i>	1	2%	<i>Program documentatio</i>	1	2%	<i>Child:</i>		56	100%			
<i>Outcome:</i>	55	98%	<i>Self-report/interview:</i>		49	88%						
			<i>Administrative:</i>		6	11%						
Area of Focus												
<i>Adherence, suggested schedule:</i>			55	98%								
<i>Referrals:</i>			1	2%								
Instrument / Tool*												
<u>Instruments:</u>			<u>Non-instruments utilized:</u>			<u>Suggested Schedule:</u>						
<i>LSP:</i>	3	5%	<i>Program form:</i>		38	68%	<i>CDC:</i>		2	4%		
<i>Family Map:</i>			1	2%	<i>State health records:</i>		1	2%	<i>Medicaid:</i>		4	7%
			<i>WebIZ:</i>		2	4%	<i>AAP/Bright Futures:</i>		14	25%		
			<i>Immunization card:</i>		1	2%	<i>State recommendation:</i>		1	2%		

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 1.8: Maternal & Child Health Insurance Status					
<b>Number of grantees included in report:</b>				<u>56</u>	
Measure Type			Data Source		
<i>Process:</i>	3	5%	<i>Program documentation:</i>	3	5%
<i>Outcome:</i>	53	95%	<i>Self-report/interview:</i>	52	93%
			<i>Administrative:</i>	1	2%
Area of Focus			Target Population		
<i>Status-mother/caregiver &amp; child:</i>	47	84%	<i>Pregnant mothers:</i>	1	2%
<i>Status-mother:</i>	3	5%	<i>Postpartum mothers:</i>	1	2%
<i>Months uninsured:</i>	1	2%	<i>Mother &amp; child:</i>	49	88%
<i>Time, application to receipt of ins.:</i>	1	2%	<i>All mothers:</i>	2	4%
<i>Referral/complete application:</i>	3	5%	<i>Child:</i>	2	4%
Instrument / Tool*					
<u>Instruments:</u>			<u>Non-instruments utilized:</u>		
<i>BRFSS:</i>	0	0%	<i>Program form:</i>	55	98%
<i>Family Map:</i>	1	2%	<i>Hospital/health record:</i>	1	2%

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 2.1: Visits for Children to Emergency Department</b>					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type			Data Source	Target Population	
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	51	91%
			<i>Administrative:</i>	5	9%
<i>Child:</i>	56	100%			
<b>Area of Focus</b>					
<i>Number visits of children to ED:</i>	33	59%			
<i>Number children who visited ED:</i>	23	41%			
<b>Instrument / Tool</b>					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	50	89%			
<i>Nat'l Health Int Survey:</i>	1	2%			
<i>Hospital/health records:</i>	5	9%			

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 2.2: Visits for Mothers to Emergency Department</b>					
<b>Number of grantees included in report:</b> <u>                    56                    </u>					
Measure Type			Data Source	Target Population	
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	51	91%
			<i>Administrative:</i>	5	9%
				1	2%
				7	13%
				46	82%
				2	4%
<b>Area of Focus</b>					
<i>Number visits of mothers to ED:</i>	31	55%			
<i>Number of mothers who visited ED:</i>	25	45%			
<b>Instrument / Tool</b>					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	50	89%			
<i>Nat'l Health Int Survey:</i>	1	2%			
<i>Hospital/health records:</i>	5	9%			

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 2.3: Information/Training on Prevention of Child Injuries</b>					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type			Data Source		
<i>Process:</i>	56	100%	<i>Program documentation:</i>	56	100%
Area of Focus			Target Population		
<i>Provision of Information:</i>	54	96%	<i>All mothers:</i>	21	38%
<i>Completion of home safety checklist:</i>	2	4%	<i>Family unit:</i>	15	27%
			<i>Caregivers:</i>	16	29%
			<i>Household members:</i>	4	7%
Instrument / Tool*					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	56	100%			
<i>Test of safety knowledge:</i>	1	2%			
<i>Safety checklist:</i>	6	11%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 2.4: Child Injuries					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type	Data Source			Target Population	
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	51	91%
			<i>Administrative:</i>	5	9%
				56	100%
Area of Focus					
<i>Number incidences of child injuries:</i>	18	32%			
<i>Number of children injured:</i>	38	68%			
Instrument / Tool*					
<u>Instruments:</u>			<u>Non-instruments utilized:</u>		
<i>LSP:</i>	2	4%	<i>Program form:</i>	50	89%
			<i>Hospital/health records:</i>	5	9%

\* Multiple instruments/tools may be used across sites



## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 2.6: Reports of Substantiated Maltreatment					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type	Data Source		Target Population		
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	2	4%
			<i>Administrative:</i>	54	96%
			<i>Family unit:</i>	2	4%
			<i>Child:</i>	54	96%
Area of Focus					
<i>Reports of substantiated CM<sup>†</sup>:</i>	20	36%			
<i>Children involved in substantiated CM:</i>	34	61%			
<i>Families involved in substantiated CM:</i>	2	4%			
Instrument / Tool*					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	6	11%	<i>Child welfare admin. data:</i>	54	96%

\* Multiple instruments/tools may be used across sites. Some programs are collecting both child welfare data as well as self-report data using program forms.

<sup>†</sup> CM refers to child maltreatment

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 2.7: First Time Victims of Maltreatment					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type			Data Source	Target Population	
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	2	4%
			<i>Administrative:</i>	54	96%
<b>Area of Focus</b>					
<i>Reports of 1st time victims of CM<sup>†</sup>:</i>	6	11%			
<i>Children who are 1st time victims:</i>	49	88%			
<i>Families with a 1st time victims:</i>	1	2%			
Instrument / Tool*					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	6	11%	<i>Child welfare admin. data:</i>	54	96%

\* Multiple instruments/tools may be used across sites. Some programs are collecting both child welfare data as well as self-report data using program forms.

<sup>†</sup> CM refers to child maltreatment

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 3.1: Parent Support for Child Learning &amp; Development</b>					
<b>Number of grantees included in report:</b>				<u>56</u>	
Measure Type		Data Source			
<i>Process:</i>	9 16%	<i>Program documentation:</i>	9 16%		
<i>Outcome:</i>	47 84%	<i>Self-report/interview:</i>	12 21%		
		<i>Home visitor report:</i>	35 63%		
Area of Focus		Target Population			
<i>Support for learning &amp; dev:</i>	33 59%	<i>Postpartum mothers:</i>	4 7%		
<i>Provides learning experiences:</i>	11 20%	<i>All mothers:</i>	9 16%		
<i>Supportive home environ:</i>	6 11%	<i>Caregivers:</i>	39 70%		
<i>Receives info how to support:</i>	1 2%	<i>Child:</i>	4 7%		
<i>Completion of screening:</i>	5 9%				
Instrument / Tool*					
<u>Instrument:</u>		<i>Child Well Being Scale:</i>	1 2%	<i>ASQ:</i>	1 2%
<i>HOME:</i>	38 68%	<i>FAF:</i>	1 2%	<i>Other instrument:</i>	8 14%
<i>LSP:</i>	3 5%	<i>PAT Parent Survey:</i>	1 2%		
<i>KIPS:</i>	3 5%	<i>NCAST PCI:</i>	2 4%	<u>Non-instruments utilized:</u>	
<i>PICCOLO:</i>	1 2%	<i>HFPI:</i>	9 16%	<i>Program form:</i>	15 27%

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 3.2: Parent Knowledge of Child Development								
<b>Number of grantees included in report:</b>		<u>56</u>						
Measure Type			Data Source					
<i>Process:</i>	30	54%	<i>Program documentation</i>	30	54%			
<i>Outcome:</i>	26	46%	<i>Self-report/interview:</i>	6	11%			
			<i>Home visitor report:</i>	20	36%			
Area of Focus			Target Population					
<i>Global development knowledge:</i>	20	36%	<i>Postpartum mothers:</i>	6	11%	<i>Child:</i>	3	5%
<i>Knowledge of learning dev:</i>	1	2%	<i>All mothers:</i>	8	14%			
<i>Demonstration of knowledge:</i>	4	7%	<i>Family unit:</i>	9	16%			
<i>Improved parenting:</i>	2	4%	<i>Caregivers:</i>	30	54%			
<i>Provision of info on child's dev:</i>	25	45%						
Instrument / Tool*								
<u>Instrument:</u>			<i>LSP:</i>	3	5%	<i>PFS:</i>	1	2%
<i>HOME:</i>	23	41%	<i>PICCOLO:</i>	1	2%	<i>ASQ-SE:</i>	6	11%
<i>ASQ-3:</i>	21	38%	<i>FAF:</i>	1	2%	<i>Other instr.:</i>	19	34%
<i>KIPS:</i>	2	4%	<i>HFPI:</i>	2	4%	<u>Non-Instr. Measures:</u>		
<i>KIDI:</i>	1	2%	<i>Child Well Being Scale:</i>	1	2%	<i>Program form:</i>	30	54%

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 3.3: Parenting Behaviors/Parent-Child Relationship								
<b>Number of grantees included in report:</b>				<u>56</u>				
Measure Type			Data Source					
<i>Process:</i>	9	16%	<i>Program documentation:</i>	9	16%			
<i>Outcome:</i>	47	84%	<i>Self-report/interview:</i>	12	21%			
			<i>Home visitor report:</i>	35	63%			
Area of Focus			Target Population					
<i>Parent-child relationship:</i>	30	54%	<i>Postpartum mothers:</i>	3	5%	<i>Child:</i>	2	4%
<i>Responsiveness/acceptance:</i>	14	25%	<i>All mothers:</i>	10	18%			
<i>Discipline strategies:</i>	6	11%	<i>Family unit:</i>	9	16%			
<i>Parenting behaviors/skills:</i>	2	4%	<i>Caregivers:</i>	32	57%			
<i>Responsiveness:</i>	1	2%						
Instrument / Tool*								
<u>Instrument:</u>				<u>Non-instruments utilized:</u>				
<i>HOME:</i>	38	68%	<i>PICCOLO:</i>	2	4%	<i>Program form:</i>	11	20%
<i>KIPS:</i>	2	4%	<i>NCAST PCI:</i>	2	4%			
<i>PCRI:</i>	1	2%	<i>HFPI:</i>	11	20%			
<i>LSP:</i>	4	7%	<i>Other instrument:</i>	17	30%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 3.4: Parent Emotional Well-Being/Parenting Stress								
<b>Number of grantees included in report:</b>		<u>56</u>						
Measure Type	Data Source		Target Population					
<i>Process:</i>	32	57%	<i>Program documentation:</i>	32	57%	<i>Postpartum mothers:</i>	25	45%
<i>Outcome:</i>	24	43%	<i>Self-report/interview:</i>	21	38%	<i>All mothers:</i>	7	13%
			<i>Home visitor report:</i>	3	5%	<i>Pregnant women:</i>	1	2%
						<i>Caregivers:</i>	23	41%
Area of Focus								
<i>Depression screening:</i>	18	32%	<i>Parenting:</i>	2	4%			
<i>Referral for pos. screening:</i>	4	7%	<i>Family functioning plus</i>					
<i>Parental stress screening:</i>	6	11%	<i>positive social support:</i>	1	2%			
<i>Parental stress:</i>	15	27%	<i>Parent-child relationship:</i>	0	0%			
<i>Parental support:</i>	5	9%	<i>Other:</i>	6	11%			
Instrument / Tool*								
<u>Instrument:</u>			<i>PHQ-9:</i>	10	18%	<i>Other instrument:</i>	10	18%
<i>AAPI-2:</i>	1	2%	<i>PSI:</i>	10	18%	<u>Non-instruments utilized:</u>		
<i>EPDS:</i>	21	38%	<i>PSS:</i>	2	4%	<i>PAT Parent Survey:</i>	1	2%
<i>CESD:</i>	2	4%	<i>PFS:</i>	7	13%	<i>Program form:</i>	31	55%
<i>LSP:</i>	1	2%	<i>HFPI:</i>	6	11%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 3.5: Child Communication, Language, & Emergent Literacy							
<b>Number of grantees included in report:</b>		<u>56</u>					
Measure Type		Data Source			Target Population		
<i>Process:</i>	39 70%	<i>Program documentation:</i>	39 70%	<i>Caregivers:</i>	2 4%		
<i>Outcome:</i>	17 30%	<i>Self-report/interview:</i>	17 30%	<i>All mothers:</i>	1 2%		
				<i>Child:</i>	53 95%		
Area of Focus							
<i>Screening:</i>	28 50%						
<i>Referral for pos. screening:</i>	10 18%						
<i>Outcome: communication:</i>	17 30%						
<i>HV provision of info:</i>	1 2%						
Instrument / Tool*							
<u>Instrument:</u>							
<i>ASQ-3:</i>	56 100%	<i>E-LAP:</i>	1 2%	<i>Other instrument:</i>	7 13%		
<i>ASEBA:</i>	1 2%	<i>BINS:</i>	1 2%				
<i>Batelle:</i>	1 2%	<i>BASC:</i>	1 2%				
<i>Bayley-III:</i>	1 2%	<i>Brigance:</i>	1 2%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 3.6: Child Cognitive Skills							
<b>Number of grantees included in report:</b>		56					
Measure Type	Data Source			Target Population			
<i>Process:</i>	39	70%	<i>Program documentation:</i>	39	70%	<i>All mothers:</i>	1 2%
<i>Outcome:</i>	17	30%	<i>Self-report/interview:</i>	17	30%	<i>Child:</i>	55 98%
Area of Focus							
<i>Screening:</i>	27	48%					
<i>Referral for pos. screening:</i>	11	20%	<i>HV provision of info:</i>	1	2%		
<i>Outcome: problem solving:</i>	13	23%					
<i>Outcome: overall development:</i>	3	5%					
<i>Outcome: gross and fine motor:</i>	1	2%					
Instrument / Tool*							
<u>Instrument:</u>							
<i>ASQ-3:</i>	56	100%	<i>E-LAP:</i>	1	2%		
<i>Batelle:</i>	1	2%	<i>Brigance:</i>	1	2%		
<i>Bayley-III:</i>	1	2%	<i>Dev. Profile-3:</i>	1	2%		
<i>BINS:</i>	1	2%	<i>Other instrument:</i>	7	13%		

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

### Construct 3.7: Child Positive Approaches to Learning

**Number of grantees included in report:** 56

Measure Type		Data Source		Target Population	
<i>Process:</i>	37 66%	<i>Program documentation:</i>	37 66%	<i>Postpartum mothers</i>	1 2%
<i>Outcome:</i>	19 34%	<i>Self-report/interview:</i>	18 32%	<i>Family unit:</i>	3 5%
		<i>Home visitor report:</i>	1 2%	<i>Caregivers:</i>	2 4%
				<i>Child:</i>	50 89%
Area of Focus					
<i>Screening:</i>	26 46%				
<i>Referral for pos. screening:</i>	9 16%	<i>HV provision of info:</i>	1 2%		
<i>Outcome: personal-social:</i>	13 23%	<i>Other:</i>	5 9%		
<i>Outcome: social-emotional:</i>	1 2%				
<i>Outcome: pos. approach learning:</i>	5 9%				
Instrument / Tool*					
<u>Instrument:</u>			<u>Non-instruments utilized:</u>		
<i>ASQ-SE:</i>	17 30%	<i>Other instrument:</i>	10 18%	<i>Program form:</i>	38 68%
<i>ASQ-3:</i>	38 68%				
<i>HOME:</i>	3 5%				
<i>NCAST</i>	1 2%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 3.8: Child Social Behavior/Emotional Well-Being</b>					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type	Data Source		Target Population		
<i>Process:</i>	39	70%	<i>Program documentation:</i>	39	70%
<i>Outcome:</i>	17	30%	<i>Self-report/interview:</i>	17	30%
				<i>Caregivers:</i>	1 2%
				<i>Postpartum mothers:</i>	1 2%
				<i>Child:</i>	54 96%
Area of Focus					
<i>Screening:</i>	26	46%			
<i>Referral for pos. screening:</i>	11	20%			
<i>Outcome: social-emotional:</i>	18	32%			
<i>HV provision of info:</i>	1	2%			
Instrument / Tool*					
<u>Instrument:</u>			<u>Non-Instr. Measures:</u>		
<i>ASQ-SE:</i>	23	41%	<i>Program form:</i>	40	71%
<i>ASQ-3:</i>	2	4%			
<i>PSI:</i>	1	2%			
<i>Other instrument:</i>	11	20%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

### Construct 3.9: Child Physical Health & Development

Number of grantees included in report: 56

Measure Type		Data Source		Target Population	
<i>Process:</i>	37 66%	<i>Program documentation:</i>	38 68%	<i>Caregivers:</i>	1 2%
<i>Outcome:</i>	19 34%	<i>Self-report/interview:</i>	17 30%	<i>Postpartum mothers:</i>	1 2%
		<i>Administrative:</i>	1 2%	<i>Child:</i>	54 96%
Area of Focus					
<i>Screen: gross/fine motor:</i>	22 39%	<i>Referral for pos. screening</i>	9 16%		
<i>Outcome: gross/fine motor:</i>	11 20%	<i>Medical home:</i>	1 2%		
<i>Screen: ht/wt/head circum:</i>	6 11%	<i>Eligibility for WIC:</i>	1 2%		
<i>Outcome: ht/wt/head circum:</i>	3 5%	<i>Smoking exposure:</i>	1 2%		
<i>Up-to-date wellness visits:</i>	2 4%				
Instrument / Tool*					
<u>Instrument:</u>			<u>Non-Instr. Measures:</u>		
<i>ASQ-3/ASQ-SE:</i>	42 75%	<i>Program form:</i>	39 70%		
<i>BINS:</i>	1 2%	<i>WIC program data:</i>	1 2%		
<i>Other instruments:</i>	6 11%				

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 4.1: Screening for Domestic Violence</b>					
<b>Number of grantees included in report:</b>		<u>54</u>			
Measure Type		Data Source			
<i>Process:</i>	54 100%	<i>Program documentation:</i>	54	100%	
Area of Focus		Target Population			
<i>Number of screenings:</i>	6 11%	<i>Pregnant mothers:</i>	3	6%	
<i>Number of participants screened:</i>	48 89%	<i>Postpartum mothers:</i>	1	2%	
		<i>All mothers:</i>	37	69%	
		<i>Family unit:</i>	4	7%	
		<i>Caregivers:</i>	9	17%	
Instrument / Tool*					
<u>Instrument:</u>		<i>CTS-2:</i>	3	6%	<i>Other: 21 39%</i>
<i>Abusive Assessment Screen:</i>	2 4%	<i>4 P's Plus:</i>	1	2%	
<i>Abusive Behavior Inventory:</i>	2 4%	<i>DOVE:</i>	5	9%	<u>Non-instruments uti</u>
<i>Relationship Assessment:</i>	23 43%	<i>WAST:</i>	1	2%	<i>Program</i> 54 100%
<i>Difficult Life Circumstance:</i>	1 2%	<i>WEB:</i>	7	13%	

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 4.2: Referrals for Domestic Violence Services					
<b>Number of grantees included in report:</b>		<u>54</u>			
Measure Type			Data Source		
<i>Process:</i>	54	<b>100%</b>	<i>Program documentation:</i>	54	<b>100%</b>
Area of Focus		Target Population			
<i>Numbers of referrals:</i>	5	<b>9%</b>	<i>Pregnant mothers:</i>	3	<b>6%</b>
<i>Number of caregivers referred:</i>	49	<b>91%</b>	<i>All mothers:</i>	31	<b>57%</b>
			<i>Family unit:</i>	10	<b>19%</b>
			<i>Caregivers:</i>	10	<b>19%</b>
Instrument / Tool*					
<u>Instrument:</u>			<u>Non-instruments utilized:</u>		
<i>DOVE:</i>	3	<b>6%</b>	<i>Program form:</i>	54	<b>100%</b>
<i>SBIRT:</i>	0	<b>0%</b>			
<i>Other instrument:</i>	5	<b>9%</b>			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 4.3: Domestic Violence - Safety Plan				
<b>Number of grantees included in report:</b>		<u>54</u>		
Measure Type		Data Source		
<i>Process:</i>	54 100%	<i>Program documentation:</i>	54	100%
Area of Focus		Target Population		
<i>Number of families referred:</i>	47 87%	<i>Pregnant mothers:</i>	2	4%
<i>Number of safety plans completed:</i>	7 13%	<i>All mothers:</i>	31	57%
		<i>Family unit:</i>	12	22%
		<i>Caregivers:</i>	9	17%
Instrument / Tool*				
<u>Instrument:</u>		<u>Non-instruments utilized:</u>		
<i>DV Enhanced Visitation Program:</i>	1 2%	<i>Program form:</i>	54	100%
<i>Family-Wise Safety Plan:</i>	1 2%			
<i>DOVE:</i>	2 4%			
<i>Other instrument:</i>	5 9%			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 4.4: Arrests					
<b>Number of grantees included in report:</b>		<u>2</u>			
Measure Type	Data Source			Target Population	
<i>Outcome:</i>	2	100%	<i>Self-Report:</i>	1	50%
			<i>Administrative:</i>	1	50%
Area of Focus					
<i>Arrests:</i>	2	100%			
Instrument / Tool					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	1	50%			
<i>Crime records:</i>	1	50%			

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 4.5: Convictions					
<b>Number of grantees included in report:</b>		<u>2</u>			
Measure Type	Data Source	Target Population			
<i>Outcome:</i>	2 <b>100%</b>	<i>Self-report/interview:</i>	1 <b>50%</b>	<i>All mothers:</i>	2 <b>100%</b>
		<i>Administrative:</i>	1 <b>50%</b>		
Area of Focus					
<i>Convictions:</i>	2 <b>100%</b>				
Instrument / Tool					
<u>Non-instruments utilized:</u>					
<i>Program form:</i>	1 <b>50%</b>				
<i>Crime records:</i>	1 <b>50%</b>				

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 5.1: Income &amp; Benefits</b>											
<b>Number of grantees included in report:</b>					<u>56</u>						
Measure Type	Data Source				Target Population						
<i>Outcome:</i>	56	100%	<i>Self-report/interview:</i>	56	100%	<i>All mothers:</i>	6	11%	<i>Family unit:</i>	14	25%
						<i>Caregivers:</i>	13	23%	<i>Household members:</i>	23	41%
Area of Focus											
<i>Income &amp; benefits:</i>	30	54%									
<i>Income, all sources:</i>	22	39%									
<i>Wages only:</i>	3	5%									
Instrument / Tool*											
<u>Instrument:</u>				<u>Non-instruments utilized:</u>							
<i>LSP:</i>	1	2%	<i>Program form:</i>	54	96%						
<i>MFSSS:</i>	2	4%									
<i>Other instrument:</i>	2	4%									

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 5.2: Employment or Education</b>						
<b>Number of grantees included in report:</b>		<u>56</u>				
Measure Type		Data Source				
<i>Process:</i>	1 2%	<i>Program documentation:</i>	1 2%			
<i>Outcome:</i>	55 98%	<i>Self-report/interview:</i>	55 98%			
Area of Focus <sup>‡</sup>			Target Population			
<i>Educ., enrollment:</i>	16 29%	<i>Paid hours worked:</i>	3 5%	<i>All mothers:</i>	12 21%	
<i>Educ., attainment:</i>	11 20%	<i>Paid plus unpaid:</i>	8 14%	<i>Family unit:</i>	4 7%	
<i>Diploma/GED:</i>	2 4%	<i>Referral if unemployed:</i>	1 2%	<i>Caregivers:</i>	24 43%	
<i>Emp+Educ combined:</i>	12 21%			<i>Household members:</i>	16 29%	
<i>Client employed:</i>	3 5%					
Instrument / Tool*						
<u>Instrument:</u>		<u>Non-instruments utilized:</u>				
<i>LSP:</i>	5 9%	<i>Program form:</i>	48 86%			
<i>MFSSS:</i>	1 2%					

‡ Grantees may have chosen to measure both employment and education.

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 5.3: Health Insurance Status</b>					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type			Data Source		
<i>Outcome:</i>	56	<b>100%</b>	<i>Self-report/interview:</i>	55	<b>98%</b>
			<i>Administrative:</i>	1	<b>2%</b>
Area of Focus			Target Population		
<i>Status- household:</i>	18	<b>32%</b>	<i>Mother &amp; child:</i>	35	<b>63%</b>
<i>Status- mother:</i>	2	<b>4%</b>	<i>Household members:</i>	13	<b>23%</b>
<i>Status- mother &amp; child:</i>	34	<b>61%</b>	<i>Family unit:</i>	4	<b>7%</b>
<i>Child:</i>	1	<b>2%</b>	<i>Caregivers:</i>	3	<b>5%</b>
<i>Months uninsured:</i>	1	<b>2%</b>	<i>Child:</i>	1	<b>2%</b>
Instrument / Tool*					
<u>Instrument:</u>			<u>Non-instruments utilized:</u>		
<i>LSP:</i>	3	<b>5%</b>	<i>Program form:</i>	52	<b>93%</b>
<i>MFSSS:</i>	2	<b>4%</b>	<i>State health records:</i>	1	<b>2%</b>
<i>Other instrument:</i>	4	<b>7%</b>			

\* Multiple instruments/tools may be used across sites

## Snapshot Reports of Benchmark Measures Selected by Grantees

<b>Construct 6.1: Identification for Necessary Services</b>						
<b>Number of grantees included in report:</b>		<u>56</u>				
Measure Type		Data Source				
<i>Process:</i>	56 100%	<i>Program documentati</i>	56	100%		
Area of Focus		Target Population				
<i>Comprehensive screen:</i>	45 80%	<i>Postpartum mothers:</i>	1	2%	<i>Household members:</i>	2 4%
<i>Single screen:</i>	10 18%	<i>All mothers:</i>	7	13%	<i>Child:</i>	5 9%
<i>Enroll in program component:</i>	1 2%	<i>Mother &amp; child:</i>	3	5%		
		<i>Family unit:</i>	33	59%		
		<i>Caregivers:</i>	5	9%		
Domain Captured by Screens*						
<i>Depressive symptoms:</i>	18 32%	<i>Family functioning:</i>	3	5%		
<i>Child development:</i>	17 30%	<i>Employment:</i>	1	2%		
<i>Domestic violence:</i>	16 29%	<i>Education:</i>	4	7%		
<i>Substance:</i>	16 29%	<i>Family planning</i>	1	2%		
<i>Social support:</i>	5 9%	<i>Unspecified domain:</i>	26	46%		

\* Multiple domains may be captured during program screening process

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 6.2: Referrals for Necessary Services								
<b>Number of grantees included in report:</b>		<u>56</u>						
Measure Type			Data Source					
<i>Process:</i>	56	100%	<i>Program documentation:</i>	56	100%			
Area of Focus			Target Population					
<i>Referrals made:</i>	9	16%	<i>All mothers:</i>	8	14%	<i>Child:</i>	4	7%
<i>Families referred:</i>	47	84%	<i>Mother &amp; child:</i>	4	7%			
			<i>Caregivers:</i>	4	7%			
			<i>Family unit:</i>	34	61%			
			<i>Household members:</i>	2	4%			
Instrument / Tool								
<u>Non-Instrument Measure:</u>								
<i>Program form:</i>	56	100%						

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 6.3: Receipt of Necessary Services					
<b>Number of grantees included in report:</b>		<u>56</u>			
Measure Type			Data Source		
<i>Outcome:</i>	56	100%	<i>Program documentation:</i>	2	4%
			<i>Self-report/interview:</i>	54	96%
Area of Focus			Target Population		
<i>Completed referrals:</i>	28	50%	<i>All mothers:</i>	6	11%
<i>Families completing one or more referrals:</i>	25	45%	<i>Mother &amp; child:</i>	4	7%
<i>Mothers completing one or more referrals:</i>	1	2%	<i>Caregivers:</i>	2	4%
<i>Children completing one or more referrals:</i>	2	4%	<i>Family unit:</i>	40	71%
			<i>Child:</i>	4	7%
Instrument / Tool					
<u>Non-Instrument Measure:</u>					
<i>Program form:</i>	56	100%			

## Snapshot Reports of Benchmark Measures Selected by Grantees

Construct 6.4: Number of MOUs			
<b>Number of grantees included in report:</b>		<u>56</u>	
Measure Type	Data Source		
<i>Process:</i>	56 100%	<i>Program documentation:</i> 56 100%	
Area of Focus	Target Population		
<i>Count of MOUs:</i>	51 91%	<i>Community agencies:</i> 56 100%	
<i>Proportion of MOUs to potential MOUs:</i>	5 9%		
Instrument / Tool			
N/A			

## Snapshot Reports of Benchmark Measures Selected by Grantees

### Construct 6.5: Information Sharing

Number of grantees included in report: 56

Measure Type			Data Source			Target Population		
<i>Process:</i>	56	100%	<i>Program documentation:</i>	56	100%	<i>Community agencies:</i>	56	100%

#### Area of Focus

<i>Agencies with clear POC:</i>	30	54%
<i>Agencies with info sharing:</i>	10	18%
<i>Agencies with both:</i>	13	23%
<i>Collaborative meetings:</i>	2	4%
<i>ROI signed by family:</i>	1	2%

#### Instrument / Tool

N/A

# Snapshot Reports of Benchmark Measures Selected by Grantees

## Contact Information

For more information about the Home Visiting Grantee Benchmark Performance Measures, please contact the Federal Project Officer or a member of the DOHVE team:

Clare DiSalvo  
Federal Project Officer  
Office of Planning, Research and Evaluation  
Administration for Children and Families  
U.S. Department of Health and Human Services  
Clare.disalvo@acf.hhs.gov  
<http://www.acf.hhs.gov/programs/opre>

Susan Zaid, MA  
DOHVE TA Deputy Director  
James Bell Associates  
3033 Wilson Blvd., Suite 650  
Arlington, VA 22201  
Szaid@jbassoc.com  
[www.jbassoc.com](http://www.jbassoc.com)

Jill Filene, MPH  
DOHVE TA Project Director  
James Bell Associates  
3033 Wilson Blvd., Suite 650  
Arlington, VA 22201  
Filene@jbassoc.com  
[www.jbassoc.com](http://www.jbassoc.com)

## About DOHVE TA

The purpose of the Design Options for Home Visiting Evaluation (DOHVE) is to provide research and evaluation support for the Maternal, Infant and Early Childhood Home Visiting (MIECHV) Program. The project is funded by the Administration for Children and Families in collaboration with the Health Resources and Services Administration, under contract number HHSP23320095644WC.

For additional DOHVE resources, please visit:

<http://www.mdrc.org/dohve-project-resources>